



Environment Testing America



ANALYTICAL REPORT

Eurofins Edison
777 New Durham Road
Edison, NJ 08817
Tel: (732)549-3900

Laboratory Job ID: 460-267195-1
Client Project/Site: Yaffa

For:
Montrose Environmental Solutions Inc
1055 Andrew Drive
Suite A
West Chester, Pennsylvania 19380

Attn: Amy Graham

Authorized for release by:
10/24/2022 10:48:04 AM
Karen Smetanka, Project Manager I
karen.Smetanka@et.eurofinsus.com

Designee for
Kristyn Tempe, Manager of Project Management
(732)549-3900
Kristyn.Tempe@et.eurofinsus.com

LINKS

Review your project
results through



Have a Question?



Visit us at:

www.eurofinsus.com/Env

This report has been electronically signed and authorized by the signatory. Electronic signature is intended to be the legally binding equivalent of a traditionally handwritten signature.

Results relate only to the items tested and the sample(s) as received by the laboratory.

Table of Contents

Cover Page	1
Table of Contents	2
Definitions/Glossary	3
Case Narrative	5
Detection Summary	11
Client Sample Results	15
Surrogate Summary	35
QC Sample Results	40
QC Association Summary	79
Lab Chronicle	87
Certification Summary	91
Method Summary	92
Sample Summary	93
Chain of Custody	94
Receipt Checklists	98

Definitions/Glossary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Qualifiers

GC/MS VOA

Qualifier	Qualifier Description
*+	LCS and/or LCSD is outside acceptance limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

GC/MS Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

GC/MS Semi VOA TICs

Qualifier	Qualifier Description
J	Indicates an Estimated Value for TICs
N	This flag indicates the presumptive evidence of a compound.

GC Semi VOA

Qualifier	Qualifier Description
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
p	The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported.
S1+	Surrogate recovery exceeds control limits, high biased.
U	Indicates the analyte was analyzed for but not detected.

Metals

Qualifier	Qualifier Description
4	MS, MSD: The analyte present in the original sample is greater than 4 times the matrix spike concentration; therefore, control limits are not applicable.
F1	MS and/or MSD recovery exceeds control limits.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

General Chemistry

Qualifier	Qualifier Description
F1	MS and/or MSD recovery exceeds control limits.
F3	Duplicate RPD exceeds the control limit
HF	Field parameter with a holding time of 15 minutes. Test performed by laboratory at client's request.
J	Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value.
U	Indicates the analyte was analyzed for but not detected.

Glossary

Abbreviation	These commonly used abbreviations may or may not be present in this report.
¤	Listed under the "D" column to designate that the result is reported on a dry weight basis
%R	Percent Recovery
CFL	Contains Free Liquid
CFU	Colony Forming Unit
CNF	Contains No Free Liquid
DER	Duplicate Error Ratio (normalized absolute difference)
Dil Fac	Dilution Factor
DL	Detection Limit (DoD/DOE)
DL, RA, RE, IN	Indicates a Dilution, Re-analysis, Re-extraction, or additional Initial metals/anion analysis of the sample
DLC	Decision Level Concentration (Radiochemistry)
EDL	Estimated Detection Limit (Dioxin)
LOD	Limit of Detection (DoD/DOE)
LOQ	Limit of Quantitation (DoD/DOE)
MCL	EPA recommended "Maximum Contaminant Level"
MDA	Minimum Detectable Activity (Radiochemistry)
MDC	Minimum Detectable Concentration (Radiochemistry)
MDL	Method Detection Limit
ML	Minimum Level (Dioxin)

Definitions/Glossary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Glossary (Continued)

Abbreviation	These commonly used abbreviations may or may not be present in this report.
MPN	Most Probable Number
MQL	Method Quantitation Limit
NC	Not Calculated
ND	Not Detected at the reporting limit (or MDL or EDL if shown)
NEG	Negative / Absent
POS	Positive / Present
PQL	Practical Quantitation Limit
PRES	Presumptive
QC	Quality Control
RER	Relative Error Ratio (Radiochemistry)
RL	Reporting Limit or Requested Limit (Radiochemistry)
RPD	Relative Percent Difference, a measure of the relative difference between two points
TEF	Toxicity Equivalent Factor (Dioxin)
TEQ	Toxicity Equivalent Quotient (Dioxin)
TNTC	Too Numerous To Count

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1

Laboratory: Eurofins Edison

Narrative

CASE NARRATIVE

Client: Montrose Environmental Solutions Inc

Project: Yaffa

Report Number: 460-267195-1

This case narrative is in the form of an exception report, where only the anomalies related to this report, method specific performance and/or QA/QC issues are discussed. If there are no issues to report, this narrative will include a statement that documents that there are no relevant data issues.

It should be noted that samples with elevated Reporting Limits (RLs) as a result of a dilution may not be able to satisfy customer reporting limits in some cases. Such increases in the RLs are unavoidable but acceptable consequence of sample dilution that enables quantification of target analytes or interferences which exceed the calibration range of the instrument.

Calculations are performed before rounding to avoid round-off errors in calculated results.

All holding times were met and proper preservation noted for the methods performed on these samples, unless otherwise detailed in the individual sections below.

RECEIPT

The samples were received on 10/10/2022 8:00 PM. Unless otherwise noted below, the samples arrived in good condition, and where required, properly preserved and on ice. The temperatures of the 2 coolers at receipt time were 3.6° C and 4.1° C.

Receipt Exceptions

The Chain-of-Custody (COC) was incomplete as received and/or improperly completed. Received 11 containers for samples 2 + 4 not 12 as recorded on the COC. Received 6 containers for samples 1 + 3 not 5 as recorded on the COC.

Note: All samples which require thermal preservation are considered acceptable if the arrival temperature is within 2C of the required temperature or method specified range. For samples with a specified temperature of 4C, samples with a temperature ranging from just above freezing temperature of water to 6C shall be acceptable. Samples that are hand delivered immediately following collection may not meet these criteria, however they will be deemed acceptable according to NELAC standards, if there is evidence that the chilling process has begun, such as arrival on ice, etc.

TCLP VOLATILE ORGANIC COMPOUNDS

Samples A-01-G (460-267195-1) and A-02-G (460-267195-3) were analyzed for TCLP Volatile Organic Compounds in accordance with EPA SW-846 Method 8260D - TCLP/1311. The samples were leached on 10/13/2022 and analyzed on 10/14/2022.

2-Hexanone, Bromoform, Carbon disulfide, Carbon tetrachloride and Chlorodibromomethane failed the recovery criteria high for LCS 460-871525/5. 2-Hexanone failed the recovery criteria high for LCSD 460-871525/6. Refer to the QC report for details.

Samples A-01-G (460-267195-1)and A-02-G (460-267195-3) required dilution prior to analysis. The reporting limits have been adjusted accordingly.

No difficulties were encountered during the TCLP volatiles analysis.

All quality control parameters were within the acceptance limits.

VOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples A-01-G (460-267195-1) and A-02-G (460-267195-3) were analyzed for Volatile Organic Compounds (GC/MS) in accordance with

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1 (Continued)

Laboratory: Eurofins Edison (Continued)

EPA SW-846 Method 8260D. The samples were prepared on 10/11/2022 and analyzed on 10/12/2022.

The laboratory control sample (LCS) and / or laboratory control sample duplicate (LCSD) for analytical batch 460-871525 recovered outside control limits for the following analytes: 2-Hexanone, Carbon disulfide, Bromoform, Carbon tetrachloride and Chlorodibromomethane. These analytes were biased high in the LCS/LCSD and were not detected in the associated samples; therefore, the data have been reported.

No other difficulties were encountered during the Volatiles analysis.

All other quality control parameters were within the acceptance limits.

TCLP CHLORINATED HERBICIDES

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for TCLP chlorinated herbicides in accordance with EPA SW-846 Methods 1311/ 8151A. The samples were leached on 10/12/2022, prepared on 10/13/2022 and analyzed on 10/14/2022.

No difficulties were encountered during the TCLP herbicides analysis.

All quality control parameters were within the acceptance limits.

TCLP SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for TCLP semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Methods 8270E - TCLP/1311. The samples were leached on 10/12/2022, and prepared and analyzed on 10/13/2022.

No difficulties were encountered during the TCLP semivolatiles analysis.

All quality control parameters were within the acceptance limits.

SEMIVOLATILE ORGANIC COMPOUNDS (GC/MS)

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for semivolatile organic compounds (GC/MS) in accordance with EPA SW-846 Methods 8270E. The samples were prepared on 10/11/2022 and analyzed on 10/12/2022.

The continuing calibration verification (CCV) analyzed in batch 460-871381 was outside the method criteria for the following analyte(s): 4-Nitrophenol and Benzaldehyde. A CCV standard at or below the reporting limit (RL) was analyzed with the affected samples and found to be acceptable. As indicated in the reference method, sample analysis may proceed; however, any detection for the affected analyte(s) is considered estimated.

No other difficulties were encountered during the semivolatiles analysis.

All quality control parameters were within the acceptance limits.

TCLP PESTICIDES

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for TCLP pesticides in accordance with EPA SW-846 Methods 1311/ 8081B. The samples were leached on 10/12/2022, prepared on 10/13/2022 and analyzed on 10/14/2022.

No difficulties were encountered during the TCLP pesticides analysis.

All quality control parameters were within the acceptance limits.

PESTICIDES

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Pesticides in accordance with EPA SW-846 Methods 8081B. The samples were prepared on 10/11/2022 and analyzed on 10/12/2022.

The continuing calibration verification (CCV) associated with batch 460-871408 recovered above the upper control limit for 4,4'-DDT. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported.

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1 (Continued)

Laboratory: Eurofins Edison (Continued)

The %RPD between the primary and confirmation column exceeded 40% for 4,4'-DDD and Chlordane (technical) for the following samples: A-01-C (460-267195-2) and A-02-C (460-267195-4). The lower value(s) has been reported and qualified in accordance with the laboratory's SOP.

The continuing calibration verification (CCV) associated with batch 460-871865 and batch 460-871626 recovered above the upper control limit for Methoxychlor on the secondary column. The samples associated with this CCV were non-detects for the affected analytes; therefore, the data have been reported. The associated sample is impacted: (CCVIS 460-871865/3).

The DCB Decachlorobiphenyl surrogate recovery for the CCV was outside acceptance limits (high biased) on the confirmation column : The recovery is within acceptance limits on the other column, therefore the data have been reported.(CCVIS 460-871626/3).

No other difficulties were encountered during the Pesticides analysis.

All quality control parameters were within the acceptance limits.

POLYCHLORINATED BIPHENYLS

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for polychlorinated biphenyls in accordance with EPA SW-846 Method 8082A. The samples were prepared on 10/11/2022 and analyzed on 10/12/2022.

No difficulties were encountered during the PCBs analysis.

All quality control parameters were within the acceptance limits.

CHLORINATED HERBICIDES

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for chlorinated herbicides in accordance with EPA SW-846 Method 8151A. The samples were prepared on 10/12/2022 and analyzed on 10/13/2022.

No difficulties were encountered during the herbicides analysis.

All quality control parameters were within the acceptance limits.

EXTRACTABLE PETROLEUM HYDROCARBONS (EPH)

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for extractable petroleum hydrocarbons (EPH) in accordance with NJDEP EPH. The samples were prepared on 10/12/2022 and analyzed on 10/13/2022.

1-Chlorooctadecane failed the surrogate recovery criteria high for LCS 460-871485/2-A. 1-Chlorooctadecane failed the surrogate recovery criteria high for LCSD 460-871485/3-A. Refer to the QC report for details.

Surrogate o-Terphenyl was within control limits. Data have been reported.

No other difficulties were encountered during the NJEPH analysis.

All other quality control parameters were within the acceptance limits.

METALS - TCLP

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Metals - TCLP in accordance with EPA SW-846 Method 6020B - TCLP/1311. The samples were leached on 10/12/2022, prepared on 10/13/2022 and analyzed on 10/14/2022.

No difficulties were encountered during the TCLP Metals analysis.

All quality control parameters were within the acceptance limits.

METALS - TOTAL (ICP/MS)

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Metals - Total (ICP/MS) in accordance with EPA SW-846 Method 6020B - Total. The samples were prepared on 10/12/2022 and analyzed on 10/13/2022.

Antimony failed the recovery criteria low for the MS of sample 460-267207-1 in batch 460-871758. Several analytes failed the recovery criteria high.

Refer to the QC report for details.

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1 (Continued)

Laboratory: Eurofins Edison (Continued)

For the duplicate of sample 460-267207-1. Refer to the QC report for details.

No other difficulties were encountered during the metals analysis.

All other quality control parameters were within the acceptance limits.

MERCURY - TCLP

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Mercury - TCLP in accordance with EPA SW-846 Methods 1311/7470A. The samples were leached on 10/12/2022, and prepared and analyzed on 10/13/2022.

No difficulties were encountered during the TCLP Hg analysis.

All quality control parameters were within the acceptance limits.

MERCURY - TOTAL

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Mercury - Total in accordance with EPA SW-846 Method 7471B. The samples were prepared and analyzed on 10/12/2022.

No difficulties were encountered during the Hg analysis.

All quality control parameters were within the acceptance limits.

IGNITABILITY

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Ignitability in accordance with EPA SW-846 Method 1030. The samples were analyzed on 10/14/2022.

No difficulties were encountered during the Ignitability analysis.

All quality control parameters were within the acceptance limits.

TOTAL SOLIDS

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Total Solids in accordance with SM 2540G. The samples were analyzed on 10/12/2022.

Total Volatile Solids exceeded the RPD limit for the duplicate of sample 460-267197-4. Refer to the QC report for details.

No other difficulties were encountered during the TS analysis.

All other quality control parameters were within the acceptance limits.

TOTAL CYANIDE

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for total cyanide in accordance with EPA SW-846 Method 9012B. The samples were prepared and analyzed on 10/12/2022.

Cyanide, Total failed the recovery criteria high for the MSD of sample 460-267187-10 in batch 460-871605.

The presence of the '4' qualifier in the data indicates analytes where the concentration in the unspiked sample exceeded four times the spiking amount.

Refer to the QC report for details.

No other difficulties were encountered during the cyanide analysis.

All other quality control parameters were within the acceptance limits.

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1 (Continued)

Laboratory: Eurofins Edison (Continued)

REACTIVE CYANIDE

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for reactive cyanide in accordance with EPA SW-846 Method 7.3.3/9014. The samples were prepared and analyzed on 10/13/2022.

No difficulties were encountered during the reactive cyanide analysis.

All quality control parameters were within the acceptance limits.

REACTIVE SULFIDE

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for reactive sulfide in accordance with EPA SW-846 Method 7.3.4/9034. The samples were prepared and analyzed on 10/13/2022.

No difficulties were encountered during the reactive sulfide analysis.

All quality control parameters were within the acceptance limits.

CORROSIVITY (PH)

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for corrosivity (pH) in accordance with EPA SW-846 Method 9045D. The samples were analyzed on 10/14/2022.

This analysis is normally performed in the field and has a method-defined holding time of 15 minutes. The following samples has been qualified with the "HF" flag to indicate analysis was performed in the laboratory outside the 15 minute timeframe: A-01-C (460-267195-2), A-02-C (460-267195-4), (460-266765-A-1) and (460-266765-A-1 DU).

No difficulties were encountered during the corrosivity (pH) analysis.

All quality control parameters were within the acceptance limits.

PAINT FILTER

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for Paint Filter in accordance with EPA SW-846 Method 9095B. The samples were analyzed on 10/14/2022.

No difficulties were encountered during the Free Liquids analysis.

All quality control parameters were within the acceptance limits.

D422 GRAIN SIZE

Samples A-01-C (460-267195-2) and A-02-C (460-267195-4) were analyzed for D422 grain size in accordance with D422 grain size. The samples were analyzed on 10/20/2022.

No difficulties were encountered during the D422 grain size analysis.

All quality control parameters were within the acceptance limits.

PERCENT SOLIDS/PERCENT MOISTURE

Samples A-01-G (460-267195-1), A-01-C (460-267195-2), A-02-G (460-267195-3) and A-02-C (460-267195-4) were analyzed for percent solids/percent moisture in accordance with EPA Method CLPISM01.2 (Exhibit D) Modified. The samples were analyzed on 10/11/2022 and 10/13/2022.

No difficulties were encountered during the %solids/moisture analysis.

All quality control parameters were within the acceptance limits.

Geotechnical

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

Case Narrative

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Job ID: 460-267195-1 (Continued)

Laboratory: Eurofins Edison (Continued)

Organic Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

VOA Prep

No analytical or quality issues were noted, other than those described in the Definitions/Glossary page.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Detection Summary

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-G

Lab Sample ID: 460-267195-1

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methylene Chloride	0.0074		0.0023	0.0013	mg/Kg	1	⊗	8260D	Total/NA

Client Sample ID: A-01-C

Lab Sample ID: 460-267195-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.29	J	0.38	0.0066	mg/Kg	1	⊗	8270E	Total/NA
2-Methylnaphthalene	0.14	J	0.38	0.011	mg/Kg	1	⊗	8270E	Total/NA
Acenaphthylene	0.27	J	0.38	0.011	mg/Kg	1	⊗	8270E	Total/NA
Acenaphthene	0.24	J	0.38	0.011	mg/Kg	1	⊗	8270E	Total/NA
Dibenzofuran	0.22	J	0.38	0.013	mg/Kg	1	⊗	8270E	Total/NA
Fluorene	0.36	J	0.38	0.011	mg/Kg	1	⊗	8270E	Total/NA
Phenanthrene	3.3		0.38	0.0067	mg/Kg	1	⊗	8270E	Total/NA
Anthracene	0.77		0.38	0.012	mg/Kg	1	⊗	8270E	Total/NA
Carbazole	0.36	J	0.38	0.014	mg/Kg	1	⊗	8270E	Total/NA
Fluoranthene	3.6		0.38	0.013	mg/Kg	1	⊗	8270E	Total/NA
Pyrene	3.6		0.38	0.0094	mg/Kg	1	⊗	8270E	Total/NA
Benzo[a]anthracene	2.2		0.038	0.013	mg/Kg	1	⊗	8270E	Total/NA
Chrysene	2.1		0.38	0.0064	mg/Kg	1	⊗	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.060	J	0.38	0.020	mg/Kg	1	⊗	8270E	Total/NA
Benzo[b]fluoranthene	2.6		0.038	0.0098	mg/Kg	1	⊗	8270E	Total/NA
Benzo[k]fluoranthene	0.80		0.038	0.0074	mg/Kg	1	⊗	8270E	Total/NA
Benzo[a]pyrene	2.0		0.038	0.010	mg/Kg	1	⊗	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	1.3		0.038	0.015	mg/Kg	1	⊗	8270E	Total/NA
Dibenz(a,h)anthracene	0.38		0.038	0.016	mg/Kg	1	⊗	8270E	Total/NA
Benzo[g,h,i]perylene	0.95		0.38	0.011	mg/Kg	1	⊗	8270E	Total/NA
1,1'-Biphenyl	0.038	J	0.38	0.013	mg/Kg	1	⊗	8270E	Total/NA
1,4-Dichlorobenzene	0.00055	J	0.010	0.00040	mg/L	1		8270E	TCLP
4,4'-DDE	0.0064	J	0.0077	0.00091	mg/Kg	1	⊗	8081B	Total/NA
4,4'-DDT	0.063		0.0077	0.0014	mg/Kg	1	⊗	8081B	Total/NA
Chlordane (technical)	0.044	J p	0.077	0.019	mg/Kg	1	⊗	8081B	Total/NA
Aroclor 1260	0.12		0.077	0.020	mg/Kg	1	⊗	8082A	Total/NA
Polychlorinated biphenyls, Total	0.12		0.077	0.020	mg/Kg	1	⊗	8082A	Total/NA
Total EPH (C9-C40)	280		16	16	mg/Kg	1	⊗	NJDEP EPH	Total/NA
Silver	0.13	J	0.45	0.099	mg/Kg	1	⊗	6020B	Total/NA
Aluminum	10600		22.3	6.1	mg/Kg	1	⊗	6020B	Total/NA
Arsenic	5.9		1.1	0.12	mg/Kg	1	⊗	6020B	Total/NA
Barium	135		2.2	0.16	mg/Kg	1	⊗	6020B	Total/NA
Beryllium	0.54		0.45	0.064	mg/Kg	1	⊗	6020B	Total/NA
Calcium	14200		112	19.8	mg/Kg	1	⊗	6020B	Total/NA
Cadmium	0.38	J	1.1	0.13	mg/Kg	1	⊗	6020B	Total/NA
Cobalt	6.4		2.2	0.17	mg/Kg	1	⊗	6020B	Total/NA
Chromium	21.0		2.2	1.0	mg/Kg	1	⊗	6020B	Total/NA
Copper	32.0		2.2	0.41	mg/Kg	1	⊗	6020B	Total/NA
Iron	18900		67.0	22.6	mg/Kg	1	⊗	6020B	Total/NA
Potassium	1450		112	18.1	mg/Kg	1	⊗	6020B	Total/NA
Magnesium	5170		112	11.4	mg/Kg	1	⊗	6020B	Total/NA
Manganese	234		4.5	0.45	mg/Kg	1	⊗	6020B	Total/NA
Sodium	192		112	51.0	mg/Kg	1	⊗	6020B	Total/NA
Nickel	13.3		2.2	0.52	mg/Kg	1	⊗	6020B	Total/NA
Lead	428		0.67	0.22	mg/Kg	1	⊗	6020B	Total/NA
Antimony	0.26	J	1.1	0.16	mg/Kg	1	⊗	6020B	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Detection Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C (Continued)

Lab Sample ID: 460-267195-2

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Selenium	0.29	J	1.4	0.14	mg/Kg	1	⊗	6020B	Total/NA
Thallium	0.18	J	0.45	0.046	mg/Kg	1	⊗	6020B	Total/NA
Vanadium	28.0		2.2	0.23	mg/Kg	1	⊗	6020B	Total/NA
Zinc	161		8.9	3.4	mg/Kg	1	⊗	6020B	Total/NA
Barium	0.46		0.040	0.0091	mg/L	10		6020B	TCLP
Lead	0.19		0.012	0.0084	mg/L	10		6020B	TCLP
Mercury	0.66		0.019	0.0088	mg/Kg	1	⊗	7471B	Total/NA
Cyanide, Total	0.26	J	0.27	0.14	mg/L	1	⊗	9012B	Total/NA
pH	8.0	HF			SU	1		9045D	Total/NA
Temperature	22.0	HF			Degrees C	1		9045D	Total/NA
Corrosivity	8.0	HF			SU	1		9045D	Total/NA
Total Volatile Solids	2.5		0.10	0.10	%	1		SM 2540G	Total/NA
Gravel	14.3				%	1		D422	Total/NA
Sieve Size 3 inch - Percent Finer	100.0				% Passing	1		D422	Total/NA
Sand	41.9				%	1		D422	Total/NA
Sieve Size 2 inch - Percent Finer	100.0				% Passing	1		D422	Total/NA
Coarse Sand	7.5				%	1		D422	Total/NA
Sieve Size 1.5 inch - Percent Finer	100.0				% Passing	1		D422	Total/NA
Medium Sand	14.8				%	1		D422	Total/NA
Sieve Size 1 inch - Percent Finer	100.0				% Passing	1		D422	Total/NA
Fine Sand	19.6				%	1		D422	Total/NA
Sieve Size 0.75 inch - Percent Finer	100.0				% Passing	1		D422	Total/NA
Fines	43.8				%	1		D422	Total/NA
Sieve Size 0.375 inch - Percent Finer	93.0				% Passing	1		D422	Total/NA
Sieve Size #4 - Percent Finer	85.7				% Passing	1		D422	Total/NA
Sieve Size #10 - Percent Finer	78.2				% Passing	1		D422	Total/NA
Sieve Size #20 - Percent Finer	71.7				% Passing	1		D422	Total/NA
Sieve Size #40 - Percent Finer	63.4				% Passing	1		D422	Total/NA
Sieve Size #60 - Percent Finer	54.5				% Passing	1		D422	Total/NA
Sieve Size #80 - Percent Finer	51.4				% Passing	1		D422	Total/NA
Sieve Size #100 - Percent Finer	48.8				% Passing	1		D422	Total/NA
Sieve Size #200 - Percent Finer	43.8				% Passing	1		D422	Total/NA

Client Sample ID: A-02-G

Lab Sample ID: 460-267195-3

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Methylene Chloride	0.0028		0.0021	0.0012	mg/Kg	1	⊗	8260D	Total/NA

Client Sample ID: A-02-C

Lab Sample ID: 460-267195-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Naphthalene	0.041	J	0.37	0.0065	mg/Kg	1	⊗	8270E	Total/NA
2-Methylnaphthalene	0.026	J	0.37	0.010	mg/Kg	1	⊗	8270E	Total/NA
Acenaphthylene	0.062	J	0.37	0.011	mg/Kg	1	⊗	8270E	Total/NA
Acenaphthene	0.11	J	0.37	0.011	mg/Kg	1	⊗	8270E	Total/NA
Dibenzofuran	0.080	J	0.37	0.013	mg/Kg	1	⊗	8270E	Total/NA
Fluorene	0.13	J	0.37	0.011	mg/Kg	1	⊗	8270E	Total/NA
Phenanthrene	1.5		0.37	0.0066	mg/Kg	1	⊗	8270E	Total/NA
Anthracene	0.36	J	0.37	0.011	mg/Kg	1	⊗	8270E	Total/NA
Carbazole	0.15	J	0.37	0.014	mg/Kg	1	⊗	8270E	Total/NA
Fluoranthene	2.1		0.37	0.013	mg/Kg	1	⊗	8270E	Total/NA
Pyrene	1.9		0.37	0.0093	mg/Kg	1	⊗	8270E	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Detection Summary

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C (Continued)

Lab Sample ID: 460-267195-4

Analyte	Result	Qualifier	RL	MDL	Unit	Dil Fac	D	Method	Prep Type
Benzo[a]anthracene	1.2		0.037	0.013	mg/Kg	1	⊗	8270E	Total/NA
Chrysene	1.1		0.37	0.0063	mg/Kg	1	⊗	8270E	Total/NA
Bis(2-ethylhexyl) phthalate	0.031	J	0.37	0.020	mg/Kg	1	⊗	8270E	Total/NA
Benzo[b]fluoranthene	1.3		0.037	0.0097	mg/Kg	1	⊗	8270E	Total/NA
Benzo[k]fluoranthene	0.47		0.037	0.0074	mg/Kg	1	⊗	8270E	Total/NA
Benzo[a]pyrene	0.97		0.037	0.010	mg/Kg	1	⊗	8270E	Total/NA
Indeno[1,2,3-cd]pyrene	0.62		0.037	0.015	mg/Kg	1	⊗	8270E	Total/NA
Dibenz(a,h)anthracene	0.18		0.037	0.016	mg/Kg	1	⊗	8270E	Total/NA
Benzo[g,h,i]perylene	0.46		0.37	0.011	mg/Kg	1	⊗	8270E	Total/NA
4,4'-DDD	0.0048	J p	0.0076	0.0013	mg/Kg	1	⊗	8081B	Total/NA
4,4'-DDE	0.011		0.0076	0.00089	mg/Kg	1	⊗	8081B	Total/NA
4,4'-DDT	0.074		0.0076	0.0014	mg/Kg	1	⊗	8081B	Total/NA
Chlordane (technical)	0.056	J p	0.076	0.018	mg/Kg	1	⊗	8081B	Total/NA
Aroclor 1260	0.14		0.076	0.020	mg/Kg	1	⊗	8082A	Total/NA
Polychlorinated biphenyls, Total	0.14		0.076	0.020	mg/Kg	1	⊗	8082A	Total/NA
Total EPH (C9-C40)	140		16	16	mg/Kg	1	⊗	NJDEP EPH	Total/NA
Silver	0.23	J	0.43	0.096	mg/Kg	1	⊗	6020B	Total/NA
Aluminum	10500		21.6	5.9	mg/Kg	1	⊗	6020B	Total/NA
Arsenic	6.1		1.1	0.11	mg/Kg	1	⊗	6020B	Total/NA
Barium	101		2.2	0.16	mg/Kg	1	⊗	6020B	Total/NA
Beryllium	0.55		0.43	0.062	mg/Kg	1	⊗	6020B	Total/NA
Calcium	12700		108	19.1	mg/Kg	1	⊗	6020B	Total/NA
Cadmium	0.45	J	1.1	0.12	mg/Kg	1	⊗	6020B	Total/NA
Cobalt	7.8		2.2	0.16	mg/Kg	1	⊗	6020B	Total/NA
Chromium	21.8		2.2	0.98	mg/Kg	1	⊗	6020B	Total/NA
Copper	41.7		2.2	0.40	mg/Kg	1	⊗	6020B	Total/NA
Iron	18100		64.9	21.8	mg/Kg	1	⊗	6020B	Total/NA
Potassium	1420		108	17.5	mg/Kg	1	⊗	6020B	Total/NA
Magnesium	5230		108	11.0	mg/Kg	1	⊗	6020B	Total/NA
Manganese	305		4.3	0.44	mg/Kg	1	⊗	6020B	Total/NA
Sodium	139		108	49.4	mg/Kg	1	⊗	6020B	Total/NA
Nickel	15.4		2.2	0.51	mg/Kg	1	⊗	6020B	Total/NA
Lead	336		0.65	0.22	mg/Kg	1	⊗	6020B	Total/NA
Antimony	1.3		1.1	0.16	mg/Kg	1	⊗	6020B	Total/NA
Selenium	0.27	J	1.4	0.14	mg/Kg	1	⊗	6020B	Total/NA
Thallium	0.13	J	0.43	0.044	mg/Kg	1	⊗	6020B	Total/NA
Vanadium	27.0		2.2	0.22	mg/Kg	1	⊗	6020B	Total/NA
Zinc	147		8.7	3.3	mg/Kg	1	⊗	6020B	Total/NA
Barium	0.58		0.040	0.0091	mg/L	10		6020B	TCLP
Lead	0.14		0.012	0.0084	mg/L	10		6020B	TCLP
Mercury	0.38		0.017	0.0081	mg/Kg	1	⊗	7471B	Total/NA
Cyanide, Total	0.14	J	0.24	0.13	mg/L	1	⊗	9012B	Total/NA
pH	8.1	HF		SU		1		9045D	Total/NA
Temperature	21.9	HF		Degrees C		1		9045D	Total/NA
Corrosivity	8.1	HF		SU		1		9045D	Total/NA
Total Volatile Solids	2.5		0.10	0.10	%	1		SM 2540G	Total/NA
Gravel	10.7			%		1		D422	Total/NA
Sieve Size 3 inch - Percent Finer	100.0			% Passing		1		D422	Total/NA
Sand	46.1			%		1		D422	Total/NA
Sieve Size 2 inch - Percent Finer	100.0			% Passing		1		D422	Total/NA
Coarse Sand	7.0			%		1		D422	Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Detection Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C (Continued)

Lab Sample ID: 460-267195-4

Analyte	Result	Qualifier	NONE	NONE	Unit	Dil Fac	D	Method	Prep Type
Sieve Size 1.5 inch - Percent Finer	100.0				% Passing	1	D422		Total/NA
Medium Sand	14.5				%	1	D422		Total/NA
Sieve Size 1 inch - Percent Finer	100.0				% Passing	1	D422		Total/NA
Fine Sand	24.6				%	1	D422		Total/NA
Sieve Size 0.75 inch - Percent Finer	100.0				% Passing	1	D422		Total/NA
Fines	43.2				%	1	D422		Total/NA
Sieve Size 0.375 inch - Percent Finer	95.5				% Passing	1	D422		Total/NA
Sieve Size #4 - Percent Finer	89.3				% Passing	1	D422		Total/NA
Sieve Size #10 - Percent Finer	82.3				% Passing	1	D422		Total/NA
Sieve Size #20 - Percent Finer	76.3				% Passing	1	D422		Total/NA
Sieve Size #40 - Percent Finer	67.8				% Passing	1	D422		Total/NA
Sieve Size #60 - Percent Finer	55.5				% Passing	1	D422		Total/NA
Sieve Size #80 - Percent Finer	50.7				% Passing	1	D422		Total/NA
Sieve Size #100 - Percent Finer	48.7				% Passing	1	D422		Total/NA
Sieve Size #200 - Percent Finer	43.2				% Passing	1	D422		Total/NA

This Detection Summary does not include radiochemical test results.

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-G

Date Collected: 10/10/22 10:05

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-1

Matrix: Solid

Percent Solids: 93.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	0.00051	U	0.0012	0.00051	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Bromomethane	0.0012	U	0.0023	0.0012	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Vinyl chloride	0.00064	U	0.0012	0.00064	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Chloroethane	0.00061	U	0.0012	0.00061	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Methylene Chloride	0.0074		0.0023	0.0013	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Acetone	0.0067	U	0.0070	0.0067	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Carbon disulfide	0.00031	U *+	0.0012	0.00031	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Trichlorofluoromethane	0.00047	U	0.0012	0.00047	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1-Dichloroethene	0.00026	U	0.0012	0.00026	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1-Dichloroethane	0.00024	U	0.0012	0.00024	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
trans-1,2-Dichloroethene	0.00029	U	0.0012	0.00029	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
cis-1,2-Dichloroethene	0.00042	U	0.0012	0.00042	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Chloroform	0.0011	U	0.0012	0.0011	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,2-Dichloroethane	0.00035	U	0.0012	0.00035	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
2-Butanone (MEK)	0.00043	U	0.0058	0.00043	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1,1-Trichloroethane	0.00027	U	0.0012	0.00027	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Carbon tetrachloride	0.00045	U *+	0.0012	0.00045	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Dichlorobromomethane	0.00030	U	0.0012	0.00030	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,2-Dichloropropane	0.00049	U	0.0012	0.00049	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
cis-1,3-Dichloropropene	0.00032	U	0.0012	0.00032	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Trichloroethene	0.00037	U	0.0012	0.00037	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Chlorodibromomethane	0.00023	U *+	0.0012	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1,2-Trichloroethane	0.00021	U	0.0012	0.00021	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Benzene	0.00030	U	0.0012	0.00030	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
trans-1,3-Dichloropropene	0.00031	U	0.0012	0.00031	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Bromoform	0.00050	U *+	0.0012	0.00050	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
4-Methyl-2-pentanone (MIBK)	0.0018	U	0.0058	0.0018	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
2-Hexanone	0.0020	U *+	0.0058	0.0020	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Tetrachloroethene	0.00036	U	0.0012	0.00036	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1,2,2-Tetrachloroethane	0.00025	U	0.0012	0.00025	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Toluene	0.00027	U	0.0012	0.00027	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Chlorobenzene	0.00021	U	0.0012	0.00021	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Ethylbenzene	0.00023	U	0.0012	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Styrene	0.00032	U	0.0012	0.00032	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
m-Xylene & p-Xylene	0.00020	U	0.0012	0.00020	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
o-Xylene	0.00023	U	0.0012	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Acrolein	0.033	U	0.12	0.033	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00035	U	0.0012	0.00035	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
TBA	0.0091	U	0.012	0.0091	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Acrylonitrile	0.0057	U	0.012	0.0057	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Methyl tert-butyl ether	0.00060	U	0.0012	0.00060	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Cyclohexane	0.00026	U	0.0012	0.00026	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Ethylene Dibromide	0.00021	U	0.0012	0.00021	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,3-Dichlorobenzene	0.00043	U	0.0012	0.00043	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,4-Dichlorobenzene	0.00026	U	0.0012	0.00026	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,2-Dichlorobenzene	0.00042	U	0.0012	0.00042	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
Dichlorodifluoromethane	0.00039	U	0.0012	0.00039	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,2,4-Trichlorobenzene	0.00042	U	0.0012	0.00042	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1
1,4-Dioxane	0.011	U	0.12	0.011	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:00	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-G

Date Collected: 10/10/22 10:05

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-1

Matrix: Solid

Percent Solids: 93.4

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2,3-Trichlorobenzene	0.00021	U	0.0012	0.00021	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1
1,2-Dibromo-3-Chloropropane	0.00054	U	0.0012	0.00054	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1
Chlorobromomethane	0.00033	U	0.0012	0.00033	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1
Isopropylbenzene	0.00033	U	0.0012	0.00033	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1
Methyl acetate	0.0050	U	0.0058	0.0050	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1
Methylcyclohexane	0.00058	U	0.0012	0.00058	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:00	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		mg/Kg	⊗			10/11/22 22:51	10/12/22 22:00	1

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	112		72 - 145	10/11/22 22:51	10/12/22 22:00	1
Toluene-d8 (Surr)	98		80 - 120	10/11/22 22:51	10/12/22 22:00	1
4-Bromofluorobenzene	102		75 - 139	10/11/22 22:51	10/12/22 22:00	1
Dibromofluoromethane (Surr)	112		73 - 139	10/11/22 22:51	10/12/22 22:00	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.0026	U	0.010	0.0026	mg/L			10/14/22 15:20	10
1,2-Dichloroethane	0.0043	U	0.010	0.0043	mg/L			10/14/22 15:20	10
2-Butanone (MEK)	0.019	U	0.050	0.019	mg/L			10/14/22 15:20	10
Benzene	0.0020	U	0.010	0.0020	mg/L			10/14/22 15:20	10
Carbon tetrachloride	0.0021	U	0.010	0.0021	mg/L			10/14/22 15:20	10
Chlorobenzene	0.0038	U	0.010	0.0038	mg/L			10/14/22 15:20	10
Chloroform	0.0033	U	0.010	0.0033	mg/L			10/14/22 15:20	10
Tetrachloroethene	0.0025	U	0.010	0.0025	mg/L			10/14/22 15:20	10
Trichloroethene	0.0031	U	0.010	0.0031	mg/L			10/14/22 15:20	10
Vinyl chloride	0.0017	U	0.010	0.0017	mg/L			10/14/22 15:20	10

Surrogate	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	89		70 - 128	10/14/22 15:20	10/14/22 15:20	10
4-Bromofluorobenzene	114		76 - 120		10/14/22 15:20	10
Dibromofluoromethane (Surr)	84		77 - 124		10/14/22 15:20	10
Toluene-d8 (Surr)	89		80 - 120		10/14/22 15:20	10

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	6.6		1.0	1.0	%			10/11/22 12:20	1
Percent Solids (EPA Moisture)	93.4		1.0	1.0	%			10/11/22 12:20	1

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Percent Solids: 86.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenol	0.014	U	0.38	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Chlorophenol	0.014	U	0.38	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Methylphenol	0.014	U	0.38	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Methylphenol	0.024	U	0.38	0.024	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Nitrophenol	0.038	U	0.38	0.038	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Percent Solids: 86.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dimethylphenol	0.045	U	0.38	0.045	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,4-Dichlorophenol	0.024	U	0.15	0.024	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Chloro-3-methylphenol	0.021	U	0.38	0.021	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,4,6-Trichlorophenol	0.049	U	0.15	0.049	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,4,5-Trichlorophenol	0.039	U	0.38	0.039	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,4-Dinitrotoluene	0.041	U	0.077	0.041	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Nitrophenol	0.062	U	0.77	0.062	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4,6-Dinitro-2-methylphenol	0.15	U	0.31	0.15	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Pentachlorophenol	0.078	U	0.31	0.078	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
N-Nitrosodimethylamine	0.035	U	0.38	0.035	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Bis(2-chloroethyl)ether	0.013	U	0.038	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
N-Nitrosodi-n-propylamine	0.028	U	0.038	0.028	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Hexachloroethane	0.013	U	0.038	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Nitrobenzene	0.021	U	0.038	0.021	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Isophorone	0.11	U	0.15	0.11	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Naphthalene	0.29	J	0.38	0.0066	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Chloroaniline	0.067	U	0.38	0.067	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Hexachlorobutadiene	0.0081	U	0.077	0.0081	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Methylnaphthalene	0.14	J	0.38	0.011	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Hexachlorocyclopentadiene	0.033	U	0.38	0.033	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Chloronaphthalene	0.018	U	0.38	0.018	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2-Nitroaniline	0.029	U	0.38	0.029	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Dimethyl phthalate	0.086	U	0.38	0.086	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Acenaphthylene	0.27	J	0.38	0.011	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,6-Dinitrotoluene	0.027	U	0.077	0.027	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
3-Nitroaniline	0.090	U	0.38	0.090	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Acenaphthene	0.24	J	0.38	0.011	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Dibenzofuran	0.22	J	0.38	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
2,4-Dinitrophenol	0.19	U	0.31	0.19	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Diethyl phthalate	0.012	U	0.38	0.012	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Chlorophenyl phenyl ether	0.013	U	0.38	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Fluorene	0.36	J	0.38	0.011	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Nitroaniline	0.044	U	0.38	0.044	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
N-Nitrosodiphenylamine	0.031	U	0.38	0.031	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
4-Bromophenyl phenyl ether	0.015	U	0.38	0.015	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Hexachlorobenzene	0.018	U	0.038	0.018	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Phenanthrene	3.3		0.38	0.0067	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Anthracene	0.77		0.38	0.012	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Carbazole	0.36	J	0.38	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Di-n-butyl phthalate	0.014	U	0.38	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Fluoranthene	3.6		0.38	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Pyrene	3.6		0.38	0.0094	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Benzidine	0.080	U	0.38	0.080	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Butyl benzyl phthalate	0.018	U	0.38	0.018	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Benzo[a]anthracene	2.2		0.038	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Chrysene	2.1		0.38	0.0064	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Bis(2-ethylhexyl) phthalate	0.060	J	0.38	0.020	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Di-n-octyl phthalate	0.020	U	0.38	0.020	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1
Benzo[b]fluoranthene	2.6		0.038	0.0098	mg/Kg	⊗	10/11/22 16:59	10/12/22 05:59	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Percent Solids: 86.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Benzo[k]fluoranthene	0.80		0.038	0.0074	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Benzo[a]pyrene	2.0		0.038	0.010	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Indeno[1,2,3-cd]pyrene	1.3		0.038	0.015	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Dibenz(a,h)anthracene	0.38		0.038	0.016	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Benzo[g,h,i]perylene	0.95		0.38	0.011	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
1,2-Diphenylhydrazine	0.015	U	0.38	0.015	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
1,1'-Biphenyl	0.038	J	0.38	0.013	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Acetophenone	0.019	U	0.38	0.019	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Benzaldehyde	0.063	U	0.38	0.063	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Caprolactam	0.059	U	0.38	0.059	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Atrazine	0.022	U	0.15	0.022	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
2,2'-oxybis[1-chloropropane]	0.0069	U	0.38	0.0069	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
1,2,4,5-Tetrachlorobenzene	0.012	U	0.38	0.012	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
2,3,4,6-Tetrachlorophenol	0.026	U	0.38	0.026	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
3,3'-Dichlorobenzidine	0.057	U	0.15	0.057	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1
Bis(2-chloroethoxy)methane	0.030	U	0.38	0.030	mg/Kg	☀	10/11/22 16:59	10/12/22 05:59	1

Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Phenanthrene, 2-methyl-	0.55	J N	mg/Kg	☀	9.10	2531-84-2	10/11/22 16:59	10/12/22 05:59	1
Anthracene, 9-methyl-	0.64	J N	mg/Kg	☀	9.12	779-02-2	10/11/22 16:59	10/12/22 05:59	1
4H-Cyclopenta[def]phenanthrene	1.3	J N	mg/Kg	☀	9.20	203-64-5	10/11/22 16:59	10/12/22 05:59	1
Naphthalene, 2-phenyl-	0.35	J N	mg/Kg	☀	9.38	612-94-2	10/11/22 16:59	10/12/22 05:59	1
Phenanthrene, 2,5-dimethyl-	0.35	J N	mg/Kg	☀	9.63	3674-66-6	10/11/22 16:59	10/12/22 05:59	1
Phenanthrene, 3,6-dimethyl-	0.35	J N	mg/Kg	☀	9.65	1576-67-6	10/11/22 16:59	10/12/22 05:59	1
Cyclopenta(def)phenanthrenone	0.36	J N	mg/Kg	☀	9.71	5737-13-3	10/11/22 16:59	10/12/22 05:59	1
11H-Benzo[b]fluorene	0.41	J N	mg/Kg	☀	10.32	243-17-4	10/11/22 16:59	10/12/22 05:59	1
Pyrene, 1-methyl-	0.31	J N	mg/Kg	☀	10.42	2381-21-7	10/11/22 16:59	10/12/22 05:59	1
Benz[a]anthracene, 7-methyl-	0.34	J N	mg/Kg	☀	11.77	2541-69-7	10/11/22 16:59	10/12/22 05:59	1
Unknown	0.37	J	mg/Kg	☀	12.80		10/11/22 16:59	10/12/22 05:59	1
Benzo[e]pyrene	1.3	J N	mg/Kg	☀	13.04	192-97-2	10/11/22 16:59	10/12/22 05:59	1
Unknown	0.48	J	mg/Kg	☀	13.23		10/11/22 16:59	10/12/22 05:59	1
Unknown	0.47	J	mg/Kg	☀	14.62		10/11/22 16:59	10/12/22 05:59	1
1,2:7,8-Dibenzophenanthrene	0.44	J N	mg/Kg	☀	15.04	213-46-7	10/11/22 16:59	10/12/22 05:59	1

Surrogate	%Recovery	Qualifier	Limits		Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	84		16 - 125		10/11/22 16:59	10/12/22 05:59	1
Phenol-d5 (Surr)	80		23 - 120		10/11/22 16:59	10/12/22 05:59	1
Terphenyl-d14 (Surr)	94		25 - 126		10/11/22 16:59	10/12/22 05:59	1
2,4,6-Tribromophenol (Surr)	96		10 - 123		10/11/22 16:59	10/12/22 05:59	1
2-Fluorophenol (Surr)	82		18 - 123		10/11/22 16:59	10/12/22 05:59	1
2-Fluorobiphenyl	95		22 - 122		10/11/22 16:59	10/12/22 05:59	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.00055	J	0.010	0.00040	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1
2,4,5-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1
2,4,6-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1
2,4-Dinitrotoluene	0.0010	U	0.010	0.0010	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1
2-Methylphenol	0.00060	U	0.010	0.00060	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1
3 & 4 Methylphenol	0.00060	U	0.010	0.00060	mg/L	☀	10/13/22 10:00	10/13/22 21:33	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Lab Sample ID: 460-267195-2

Date Collected: 10/10/22 10:15
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 86.9

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - TCLP (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Hexachlorobenzene	0.00040	U	0.0010	0.00040	mg/L		10/13/22 10:00	10/13/22 21:33	1
Hexachlorobutadiene	0.00080	U	0.0020	0.00080	mg/L		10/13/22 10:00	10/13/22 21:33	1
Hexachloroethane	0.0012	U	0.0020	0.0012	mg/L		10/13/22 10:00	10/13/22 21:33	1
Nitrobenzene	0.00060	U	0.0010	0.00060	mg/L		10/13/22 10:00	10/13/22 21:33	1
Pentachlorophenol	0.0014	U	0.030	0.0014	mg/L		10/13/22 10:00	10/13/22 21:33	1
Pyridine	0.0019	U	0.010	0.0019	mg/L		10/13/22 10:00	10/13/22 21:33	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	86		37 - 150				10/13/22 10:00	10/13/22 21:33	1
2-Fluorobiphenyl	59		46 - 139				10/13/22 10:00	10/13/22 21:33	1
2-Fluorophenol (Surr)	34		19 - 80				10/13/22 10:00	10/13/22 21:33	1
Nitrobenzene-d5 (Surr)	68		52 - 137				10/13/22 10:00	10/13/22 21:33	1
Phenol-d5 (Surr)	22		10 - 56				10/13/22 10:00	10/13/22 21:33	1
Terphenyl-d14 (Surr)	54		22 - 150				10/13/22 10:00	10/13/22 21:33	1

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0013	U	0.0077	0.0013	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
4,4'-DDE	0.0064	J	0.0077	0.00091	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
4,4'-DDT	0.063		0.0077	0.0014	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Aldrin	0.0012	U	0.0077	0.0012	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
alpha-BHC	0.00078	U	0.0023	0.00078	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
beta-BHC	0.00086	U	0.0023	0.00086	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Chlordane (technical)	0.044	J p	0.077	0.019	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
delta-BHC	0.00047	U	0.0023	0.00047	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Dieldrin	0.0010	U	0.0023	0.0010	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endosulfan I	0.0012	U	0.0077	0.0012	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endosulfan II	0.0020	U	0.0077	0.0020	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endosulfan sulfate	0.00096	U	0.0077	0.00096	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endrin	0.0011	U	0.0077	0.0011	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endrin aldehyde	0.0018	U	0.0077	0.0018	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Endrin ketone	0.0015	U	0.0077	0.0015	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
gamma-BHC (Lindane)	0.00071	U	0.0023	0.00071	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Heptachlor	0.00091	U	0.0077	0.00091	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Heptachlor epoxide	0.0011	U	0.0077	0.0011	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Methoxychlor	0.0018	U	0.0077	0.0018	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Toxaphene	0.028	U	0.077	0.028	mg/Kg	✉	10/11/22 16:56	10/12/22 18:52	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	92		43 - 150				10/11/22 16:56	10/12/22 18:52	1
DCB Decachlorobiphenyl	101		43 - 150				10/11/22 16:56	10/12/22 18:52	1
Tetrachloro-m-xylene	81		26 - 137				10/11/22 16:56	10/12/22 18:52	1
Tetrachloro-m-xylene	78		26 - 137				10/11/22 16:56	10/12/22 18:52	1

Method: SW846 8081B - Organochlorine Pesticides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.000055	U	0.0050	0.000055	mg/L		10/13/22 09:57	10/14/22 04:16	1
Endrin	0.0000040	U	0.00050	0.0000040	mg/L		10/13/22 09:57	10/14/22 04:16	1
gamma-BHC (Lindane)	0.000012	U	0.00050	0.000012	mg/L		10/13/22 09:57	10/14/22 04:16	1
Heptachlor	0.0000030	U	0.00050	0.0000030	mg/L		10/13/22 09:57	10/14/22 04:16	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Lab Sample ID: 460-267195-2

Date Collected: 10/10/22 10:15
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 86.9

Method: SW846 8081B - Organochlorine Pesticides (GC) - TCLP (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Heptachlor epoxide	0.0000050	U	0.00050	0.0000050	mg/L		10/13/22 09:57	10/14/22 04:16	1
Methoxychlor	0.0000040	U	0.00050	0.0000040	mg/L		10/13/22 09:57	10/14/22 04:16	1
Toxaphene	0.00011	U	0.0050	0.00011	mg/L		10/13/22 09:57	10/14/22 04:16	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	70		15 - 121				10/13/22 09:57	10/14/22 04:16	1
DCB Decachlorobiphenyl	95		15 - 121				10/13/22 09:57	10/14/22 04:16	1
Tetrachloro-m-xylene	68		17 - 120				10/13/22 09:57	10/14/22 04:16	1
Tetrachloro-m-xylene	83		17 - 120				10/13/22 09:57	10/14/22 04:16	1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1221	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1232	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1242	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1248	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1254	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1260	0.12		0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor-1262	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Aroclor 1268	0.020	U	0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Polychlorinated biphenyls, Total	0.12		0.077	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 14:49	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	83		10 - 150				10/11/22 16:33	10/12/22 14:49	1
DCB Decachlorobiphenyl	104		10 - 150				10/11/22 16:33	10/12/22 14:49	1
Tetrachloro-m-xylene	71		42 - 150				10/11/22 16:33	10/12/22 14:49	1
Tetrachloro-m-xylene	92		42 - 150				10/11/22 16:33	10/12/22 14:49	1

Method: SW846 8151A - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.014	U	0.038	0.014	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:35	1
Silvex (2,4,5-TP)	0.0040	U	0.038	0.0040	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:35	1
2,4,5-T	0.0081	U	0.038	0.0081	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:35	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	81		27 - 150				10/12/22 10:43	10/13/22 10:35	1
2,4-Dichlorophenylacetic acid	94		27 - 150				10/12/22 10:43	10/13/22 10:35	1

Method: SW846 8151A - Herbicides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.00030	U	0.0050	0.00030	mg/L		10/13/22 10:13	10/14/22 08:05	1
Silvex (2,4,5-TP)	0.00024	U	0.0050	0.00024	mg/L		10/13/22 10:13	10/14/22 08:05	1
2,4,5-T	0.00012	U	0.0050	0.00012	mg/L		10/13/22 10:13	10/14/22 08:05	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	48		10 - 150				10/13/22 10:13	10/14/22 08:05	1
2,4-Dichlorophenylacetic acid	49		10 - 150				10/13/22 10:13	10/14/22 08:05	1

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Lab Sample ID: 460-267195-2

Date Collected: 10/10/22 10:15
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 86.9

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total EPH (C9-C40)	280		16	16	mg/Kg	⊗	10/12/22 11:25	10/13/22 15:51	1
Surrogate	%Recovery	Qualifier		Limits					
o-Terphenyl	92			40 - 140			10/12/22 11:25	10/13/22 15:51	1
1-Chlorooctadecane	103			40 - 140			10/12/22 11:25	10/13/22 15:51	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.13	J	0.45	0.099	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Aluminum	10600		22.3	6.1	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Arsenic	5.9		1.1	0.12	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Barium	135		2.2	0.16	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Beryllium	0.54		0.45	0.064	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Calcium	14200		112	19.8	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Cadmium	0.38	J	1.1	0.13	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Cobalt	6.4		2.2	0.17	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Chromium	21.0		2.2	1.0	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Copper	32.0		2.2	0.41	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Iron	18900		67.0	22.6	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Potassium	1450		112	18.1	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Magnesium	5170		112	11.4	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Manganese	234		4.5	0.45	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Sodium	192		112	51.0	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Nickel	13.3		2.2	0.52	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Lead	428		0.67	0.22	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Antimony	0.26	J	1.1	0.16	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Selenium	0.29	J	1.4	0.14	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Thallium	0.18	J	0.45	0.046	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Vanadium	28.0		2.2	0.23	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1
Zinc	161		8.9	3.4	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:19	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.0029	U	0.020	0.0029	mg/L		10/13/22 15:15	10/14/22 12:22	10
Arsenic	0.0089	U	0.020	0.0089	mg/L		10/13/22 15:15	10/14/22 12:22	10
Barium	0.46		0.040	0.0091	mg/L		10/13/22 15:15	10/14/22 12:22	10
Cadmium	0.0039	U	0.020	0.0039	mg/L		10/13/22 15:15	10/14/22 12:22	10
Chromium	0.025	U	0.040	0.025	mg/L		10/13/22 15:15	10/14/22 12:22	10
Lead	0.19		0.012	0.0084	mg/L		10/13/22 15:15	10/14/22 12:22	10
Selenium	0.0059	U	0.025	0.0059	mg/L		10/13/22 15:15	10/14/22 12:22	10

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000091	U	0.000020	0.000091	mg/L		10/13/22 12:18	10/13/22 15:34	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.66		0.019	0.0088	mg/Kg	⊗	10/12/22 00:34	10/12/22 05:55	1

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15
Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Percent Solids: 86.9

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
pH (SW846 9045D)	8.0	HF			SU			10/14/22 16:38	1
Temperature (SW846 9045D)	22.0	HF			Degrees C			10/14/22 16:38	1
Corrosivity (SW846 9045D)	8.0	HF			SU			10/14/22 16:38	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total (SW846 9012B)	0.26	J	0.27	0.14	mg/L	⌚	10/12/22 18:56	10/12/22 21:54	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Burn Rate (SW846 1030)	2.20	U	2.20	2.20	mm/sec			10/14/22 16:21	1
Cyanide, Reactive (SW846 9014)	25.0	U	25.0	25.0	mg/Kg			10/13/22 10:00	10/13/22 12:00
Sulfide, Reactive (SW846 9034)	20.0	U	20.0	20.0	mg/Kg			10/13/22 10:00	10/13/22 12:00
Free Liquid (SW846 9095B)	0.500	U	0.500	0.500	mL/100g			10/14/22 14:00	1
Percent Moisture (EPA Moisture)	13.1		1.0	1.0	%			10/13/22 16:53	1
Percent Solids (EPA Moisture)	86.9		1.0	1.0	%			10/13/22 16:53	1
Total Volatile Solids (SM 2540G)	2.5		0.10	0.10	%			10/12/22 12:44	1

Method: ASTM D422 - Grain Size

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Gravel	14.3				%			10/20/22 17:13	1
Sieve Size 3 inch - Percent Finer	100.0				% Passing			10/20/22 17:13	1
Sand	41.9				%			10/20/22 17:13	1
Sieve Size 2 inch - Percent Finer	100.0				% Passing			10/20/22 17:13	1
Coarse Sand	7.5				%			10/20/22 17:13	1
Sieve Size 1.5 inch - Percent Finer	100.0				% Passing			10/20/22 17:13	1
Medium Sand	14.8				%			10/20/22 17:13	1
Sieve Size 1 inch - Percent Finer	100.0				% Passing			10/20/22 17:13	1
Fine Sand	19.6				%			10/20/22 17:13	1
Sieve Size 0.75 inch - Percent Finer	100.0				% Passing			10/20/22 17:13	1
Fines	43.8				%			10/20/22 17:13	1
Sieve Size 0.375 inch - Percent Finer	93.0				% Passing			10/20/22 17:13	1
Sieve Size #4 - Percent Finer	85.7				% Passing			10/20/22 17:13	1
Sieve Size #10 - Percent Finer	78.2				% Passing			10/20/22 17:13	1
Sieve Size #20 - Percent Finer	71.7				% Passing			10/20/22 17:13	1
Sieve Size #40 - Percent Finer	63.4				% Passing			10/20/22 17:13	1
Sieve Size #60 - Percent Finer	54.5				% Passing			10/20/22 17:13	1
Sieve Size #80 - Percent Finer	51.4				% Passing			10/20/22 17:13	1
Sieve Size #100 - Percent Finer	48.8				% Passing			10/20/22 17:13	1
Sieve Size #200 - Percent Finer	43.8				% Passing			10/20/22 17:13	1

Client Sample ID: A-02-G

Date Collected: 10/10/22 10:35
Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-3

Matrix: Solid

Percent Solids: 90.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	0.00045	U	0.0010	0.00045	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Bromomethane	0.0010	U	0.0021	0.0010	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Vinyl chloride	0.00057	U	0.0010	0.00057	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Chloroethane	0.00054	U	0.0010	0.00054	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Methylene Chloride	0.0028		0.0021	0.0012	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-G

Date Collected: 10/10/22 10:35

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-3

Matrix: Solid

Percent Solids: 90.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Acetone	0.0059	U	0.0062	0.0059	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Carbon disulfide	0.00028	U *+	0.0010	0.00028	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Trichlorofluoromethane	0.00042	U	0.0010	0.00042	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1-Dichloroethene	0.00023	U	0.0010	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1-Dichloroethane	0.00021	U	0.0010	0.00021	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
trans-1,2-Dichloroethene	0.00025	U	0.0010	0.00025	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
cis-1,2-Dichloroethene	0.00037	U	0.0010	0.00037	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Chloroform	0.0010	U	0.0010	0.0010	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2-Dichloroethane	0.00031	U	0.0010	0.00031	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
2-Butanone (MEK)	0.00038	U	0.0052	0.00038	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1,1-Trichloroethane	0.00024	U	0.0010	0.00024	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Carbon tetrachloride	0.00040	U *+	0.0010	0.00040	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Dichlorobromomethane	0.00027	U	0.0010	0.00027	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2-Dichloropropane	0.00044	U	0.0010	0.00044	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
cis-1,3-Dichloropropene	0.00028	U	0.0010	0.00028	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Trichloroethylene	0.00033	U	0.0010	0.00033	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Chlorodibromomethane	0.00020	U *+	0.0010	0.00020	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1,2-Trichloroethane	0.00018	U	0.0010	0.00018	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Benzene	0.00027	U	0.0010	0.00027	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
trans-1,3-Dichloropropene	0.00028	U	0.0010	0.00028	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Bromoform	0.00044	U *+	0.0010	0.00044	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
4-Methyl-2-pentanone (MIBK)	0.0016	U	0.0052	0.0016	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
2-Hexanone	0.0018	U *+	0.0052	0.0018	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Tetrachloroethylene	0.00032	U	0.0010	0.00032	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1,2,2-Tetrachloroethane	0.00022	U	0.0010	0.00022	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Toluene	0.00024	U	0.0010	0.00024	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Chlorobenzene	0.00018	U	0.0010	0.00018	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Ethylbenzene	0.00021	U	0.0010	0.00021	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Styrene	0.00029	U	0.0010	0.00029	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
m-Xylene & p-Xylene	0.00018	U	0.0010	0.00018	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
o-Xylene	0.00020	U	0.0010	0.00020	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Acrolein	0.029	U	0.10	0.029	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00031	U	0.0010	0.00031	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
TBA	0.0081	U	0.010	0.0081	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Acrylonitrile	0.0050	U	0.010	0.0050	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Methyl tert-butyl ether	0.00053	U	0.0010	0.00053	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Cyclohexane	0.00023	U	0.0010	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Ethylene Dibromide	0.00019	U	0.0010	0.00019	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,3-Dichlorobenzene	0.00038	U	0.0010	0.00038	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,4-Dichlorobenzene	0.00023	U	0.0010	0.00023	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2-Dichlorobenzene	0.00037	U	0.0010	0.00037	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Dichlorodifluoromethane	0.00035	U	0.0010	0.00035	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2,4-Trichlorobenzene	0.00037	U	0.0010	0.00037	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,4-Dioxane	0.0095	U	0.10	0.0095	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2,3-Trichlorobenzene	0.00019	U	0.0010	0.00019	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
1,2-Dibromo-3-Chloropropane	0.00048	U	0.0010	0.00048	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Chlorobromomethane	0.00029	U	0.0010	0.00029	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Isopropylbenzene	0.00030	U	0.0010	0.00030	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1
Methyl acetate	0.0045	U	0.0052	0.0045	mg/Kg	⌚	10/11/22 22:51	10/12/22 22:23	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-G

Lab Sample ID: 460-267195-3

Date Collected: 10/10/22 10:35
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 90.2

Method: SW846 8260D - Volatile Organic Compounds by GC/MS (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Methylcyclohexane	0.00052	U	0.0010	0.00052	mg/Kg	⊗	10/11/22 22:51	10/12/22 22:23	1
Tentatively Identified Compound									
Tentatively Identified Compound	None	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Surrogate									
1,2-Dichloroethane-d4 (Surr)	111		72 - 145				10/11/22 22:51	10/12/22 22:23	1
Toluene-d8 (Surr)	96		80 - 120				10/11/22 22:51	10/12/22 22:23	1
4-Bromofluorobenzene	100		75 - 139				10/11/22 22:51	10/12/22 22:23	1
Dibromofluoromethane (Surr)	110		73 - 139				10/11/22 22:51	10/12/22 22:23	1

Method: SW846 8260D - Volatile Organic Compounds by GC/MS - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.0026	U	0.010	0.0026	mg/L			10/14/22 17:51	10
1,2-Dichloroethane	0.0043	U	0.010	0.0043	mg/L			10/14/22 17:51	10
2-Butanone (MEK)	0.019	U	0.050	0.019	mg/L			10/14/22 17:51	10
Benzene	0.0020	U	0.010	0.0020	mg/L			10/14/22 17:51	10
Carbon tetrachloride	0.0021	U	0.010	0.0021	mg/L			10/14/22 17:51	10
Chlorobenzene	0.0038	U	0.010	0.0038	mg/L			10/14/22 17:51	10
Chloroform	0.0033	U	0.010	0.0033	mg/L			10/14/22 17:51	10
Tetrachloroethylene	0.0025	U	0.010	0.0025	mg/L			10/14/22 17:51	10
Trichloroethylene	0.0031	U	0.010	0.0031	mg/L			10/14/22 17:51	10
Vinyl chloride	0.0017	U	0.010	0.0017	mg/L			10/14/22 17:51	10
Surrogate									
1,2-Dichloroethane-d4 (Surr)	90	Qualifier	Limits				Prepared	Analyzed	Dil Fac
			70 - 128					10/14/22 17:51	10
4-Bromofluorobenzene	111		76 - 120					10/14/22 17:51	10
Dibromofluoromethane (Surr)	85		77 - 124					10/14/22 17:51	10
Toluene-d8 (Surr)	91		80 - 120					10/14/22 17:51	10

General Chemistry

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Percent Moisture (EPA Moisture)	9.8		1.0	1.0	%			10/11/22 12:20	1
Percent Solids (EPA Moisture)	90.2		1.0	1.0	%			10/11/22 12:20	1

Client Sample ID: A-02-C

Lab Sample ID: 460-267195-4

Date Collected: 10/10/22 10:40
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 88.1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenol	0.014	U	0.37	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2-Chlorophenol	0.013	U	0.37	0.013	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2-Methylphenol	0.014	U	0.37	0.014	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
4-Methylphenol	0.023	U	0.37	0.023	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2-Nitrophenol	0.038	U	0.37	0.038	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2,4-Dimethylphenol	0.045	U	0.37	0.045	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2,4-Dichlorophenol	0.024	U	0.15	0.024	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
4-Chloro-3-methylphenol	0.021	U	0.37	0.021	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2,4,6-Trichlorophenol	0.048	U	0.15	0.048	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1
2,4,5-Trichlorophenol	0.038	U	0.37	0.038	mg/Kg	⊗	10/11/22 16:59	10/12/22 06:22	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Percent Solids: 88.1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-Dinitrotoluene	0.040	U	0.076	0.040	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4-Nitrophenol	0.061	U	0.76	0.061	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4,6-Dinitro-2-methylphenol	0.15	U	0.30	0.15	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Pentachlorophenol	0.077	U	0.30	0.077	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
N-Nitrosodimethylamine	0.035	U	0.37	0.035	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Bis(2-chloroethyl)ether	0.013	U	0.037	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
N-Nitrosodi-n-propylamine	0.027	U	0.037	0.027	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Hexachloroethane	0.013	U	0.037	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Nitrobenzene	0.021	U	0.037	0.021	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Isophorone	0.11	U	0.15	0.11	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Naphthalene	0.041	J	0.37	0.0065	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4-Chloroaniline	0.067	U	0.37	0.067	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Hexachlorobutadiene	0.0080	U	0.076	0.0080	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2-Methylnaphthalene	0.026	J	0.37	0.010	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Hexachlorocyclopentadiene	0.033	U	0.37	0.033	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2-Chloronaphthalene	0.017	U	0.37	0.017	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2-Nitroaniline	0.029	U	0.37	0.029	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Dimethyl phthalate	0.085	U	0.37	0.085	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Acenaphthylene	0.062	J	0.37	0.011	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2,6-Dinitrotoluene	0.027	U	0.076	0.027	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
3-Nitroaniline	0.089	U	0.37	0.089	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Acenaphthene	0.11	J	0.37	0.011	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Dibenzofuran	0.080	J	0.37	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2,4-Dinitrophenol	0.18	U	0.30	0.18	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Diethyl phthalate	0.012	U	0.37	0.012	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4-Chlorophenyl phenyl ether	0.013	U	0.37	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Fluorene	0.13	J	0.37	0.011	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4-Nitroaniline	0.043	U	0.37	0.043	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
N-Nitrosodiphenylamine	0.031	U	0.37	0.031	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
4-Bromophenyl phenyl ether	0.015	U	0.37	0.015	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Hexachlorobenzene	0.018	U	0.037	0.018	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Phenanthrene	1.5		0.37	0.0066	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Anthracene	0.36	J	0.37	0.011	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Carbazole	0.15	J	0.37	0.014	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Di-n-butyl phthalate	0.014	U	0.37	0.014	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Fluoranthene	2.1		0.37	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Pyrene	1.9		0.37	0.0093	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzidine	0.079	U	0.37	0.079	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Butyl benzyl phthalate	0.018	U	0.37	0.018	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzo[a]anthracene	1.2		0.037	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Chrysene	1.1		0.37	0.0063	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Bis(2-ethylhexyl) phthalate	0.031	J	0.37	0.020	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Di-n-octyl phthalate	0.020	U	0.37	0.020	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzo[b]fluoranthene	1.3		0.037	0.0097	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzo[k]fluoranthene	0.47		0.037	0.0074	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzo[a]pyrene	0.97		0.037	0.010	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Indeno[1,2,3-cd]pyrene	0.62		0.037	0.015	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Dibenz(a,h)anthracene	0.18		0.037	0.016	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzo[g,h,i]perylene	0.46		0.37	0.011	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Percent Solids: 88.1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,2-Diphenylhydrazine	0.015	U	0.37	0.015	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
1,1'-Biphenyl	0.013	U	0.37	0.013	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Acetophenone	0.018	U	0.37	0.018	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Benzaldehyde	0.062	U	0.37	0.062	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Caprolactam	0.058	U	0.37	0.058	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Atrazine	0.022	U	0.15	0.022	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2,2'-oxybis[1-chloropropane]	0.0068	U	0.37	0.0068	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
1,2,4,5-Tetrachlorobenzene	0.012	U	0.37	0.012	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
2,3,4,6-Tetrachlorophenol	0.025	U	0.37	0.025	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
3,3'-Dichlorobenzidine	0.057	U	0.15	0.057	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Bis(2-chloroethoxy)methane	0.029	U	0.37	0.029	mg/Kg	⌚	10/11/22 16:59	10/12/22 06:22	1
Tentatively Identified Compound	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Benzaldehyde, 3,5-dichloro-2-hydroxy-	0.35	J N	mg/Kg	⌚	9.20	90-60-8	10/11/22 16:59	10/12/22 06:22	1
Benzo[e]pyrene	0.63	J N	mg/Kg	⌚	13.03	192-97-2	10/11/22 16:59	10/12/22 06:22	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	84		16 - 125				10/11/22 16:59	10/12/22 06:22	1
Phenol-d5 (Surr)	79		23 - 120				10/11/22 16:59	10/12/22 06:22	1
Terphenyl-d14 (Surr)	93		25 - 126				10/11/22 16:59	10/12/22 06:22	1
2,4,6-Tribromophenol (Surr)	95		10 - 123				10/11/22 16:59	10/12/22 06:22	1
2-Fluorophenol (Surr)	79		18 - 123				10/11/22 16:59	10/12/22 06:22	1
2-Fluorobiphenyl	95		22 - 122				10/11/22 16:59	10/12/22 06:22	1

Method: SW846 8270E - Semivolatile Organic Compounds (GC/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.00040	U	0.010	0.00040	mg/L		10/13/22 10:00	10/13/22 21:54	1
2,4,5-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L		10/13/22 10:00	10/13/22 21:54	1
2,4,6-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L		10/13/22 10:00	10/13/22 21:54	1
2,4-Dinitrotoluene	0.0010	U	0.010	0.0010	mg/L		10/13/22 10:00	10/13/22 21:54	1
2-Methylphenol	0.00060	U	0.010	0.00060	mg/L		10/13/22 10:00	10/13/22 21:54	1
3 & 4 Methylphenol	0.00060	U	0.010	0.00060	mg/L		10/13/22 10:00	10/13/22 21:54	1
Hexachlorobenzene	0.00040	U	0.0010	0.00040	mg/L		10/13/22 10:00	10/13/22 21:54	1
Hexachlorobutadiene	0.00080	U	0.0020	0.00080	mg/L		10/13/22 10:00	10/13/22 21:54	1
Hexachloroethane	0.0012	U	0.0020	0.0012	mg/L		10/13/22 10:00	10/13/22 21:54	1
Nitrobenzene	0.00060	U	0.0010	0.00060	mg/L		10/13/22 10:00	10/13/22 21:54	1
Pentachlorophenol	0.0014	U	0.030	0.0014	mg/L		10/13/22 10:00	10/13/22 21:54	1
Pyridine	0.0019	U	0.010	0.0019	mg/L		10/13/22 10:00	10/13/22 21:54	1
Surrogate	%Recovery	Qualifier	Limits				Prepared	Analyzed	Dil Fac
2,4,6-Tribromophenol (Surr)	86		37 - 150				10/13/22 10:00	10/13/22 21:54	1
2-Fluorobiphenyl	62		46 - 139				10/13/22 10:00	10/13/22 21:54	1
2-Fluorophenol (Surr)	31		19 - 80				10/13/22 10:00	10/13/22 21:54	1
Nitrobenzene-d5 (Surr)	70		52 - 137				10/13/22 10:00	10/13/22 21:54	1
Phenol-d5 (Surr)	18		10 - 56				10/13/22 10:00	10/13/22 21:54	1
Terphenyl-d14 (Surr)	48		22 - 150				10/13/22 10:00	10/13/22 21:54	1

Method: SW846 8081B - Organochlorine Pesticides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0048	J p	0.0076	0.0013	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Percent Solids: 88.1

Method: SW846 8081B - Organochlorine Pesticides (GC) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDE	0.011		0.0076	0.00089	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
4,4'-DDT	0.074		0.0076	0.0014	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Aldrin	0.0011	U	0.0076	0.0011	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
alpha-BHC	0.00077	U	0.0023	0.00077	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
beta-BHC	0.00085	U	0.0023	0.00085	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Chlordane (technical)	0.056	J p	0.076	0.018	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
delta-BHC	0.00046	U	0.0023	0.00046	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Dieldrin	0.00098	U	0.0023	0.00098	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endosulfan I	0.0012	U	0.0076	0.0012	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endosulfan II	0.0019	U	0.0076	0.0019	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endosulfan sulfate	0.00095	U	0.0076	0.00095	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endrin	0.0011	U	0.0076	0.0011	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endrin aldehyde	0.0018	U	0.0076	0.0018	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Endrin ketone	0.0015	U	0.0076	0.0015	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
gamma-BHC (Lindane)	0.00070	U	0.0023	0.00070	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Heptachlor	0.00089	U	0.0076	0.00089	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Heptachlor epoxide	0.0011	U	0.0076	0.0011	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Methoxychlor	0.0017	U	0.0076	0.0017	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Toxaphene	0.027	U	0.076	0.027	mg/Kg	⌚	10/11/22 16:56	10/12/22 19:07	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	110			43 - 150			10/11/22 16:56	10/12/22 19:07	1
DCB Decachlorobiphenyl	117			43 - 150			10/11/22 16:56	10/12/22 19:07	1
Tetrachloro-m-xylene	98			26 - 137			10/11/22 16:56	10/12/22 19:07	1
Tetrachloro-m-xylene	92			26 - 137			10/11/22 16:56	10/12/22 19:07	1

Method: SW846 8081B - Organochlorine Pesticides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.000055	U	0.0050	0.000055	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Endrin	0.0000040	U	0.00050	0.0000040	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
gamma-BHC (Lindane)	0.000012	U	0.00050	0.000012	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Heptachlor	0.0000030	U	0.00050	0.0000030	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Heptachlor epoxide	0.0000050	U	0.00050	0.0000050	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Methoxychlor	0.0000040	U	0.00050	0.0000040	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Toxaphene	0.00011	U	0.0050	0.00011	mg/L	⌚	10/13/22 09:57	10/14/22 04:30	1
Surrogate	%Recovery	Qualifier		Limits			Prepared	Analyzed	Dil Fac
DCB Decachlorobiphenyl	87			15 - 121			10/13/22 09:57	10/14/22 04:30	1
DCB Decachlorobiphenyl	96			15 - 121			10/13/22 09:57	10/14/22 04:30	1
Tetrachloro-m-xylene	83			17 - 120			10/13/22 09:57	10/14/22 04:30	1
Tetrachloro-m-xylene	81			17 - 120			10/13/22 09:57	10/14/22 04:30	1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1221	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1232	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1242	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1248	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1254	0.020	U	0.076	0.020	mg/Kg	⌚	10/11/22 16:33	10/12/22 15:10	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Lab Sample ID: 460-267195-4

Date Collected: 10/10/22 10:40
Date Received: 10/10/22 20:00

Matrix: Solid

Percent Solids: 88.1

Method: SW846 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1260	0.14		0.076	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 15:10	1
Aroclor-1262	0.020	U	0.076	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 15:10	1
Aroclor 1268	0.020	U	0.076	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 15:10	1
Polychlorinated biphenyls, Total	0.14		0.076	0.020	mg/Kg	⊗	10/11/22 16:33	10/12/22 15:10	1

Surrogate	%Recovery	Qualifier	Limits			D	Prepared	Analyzed	Dil Fac
			10 - 150	42 - 150	42 - 150				
DCB Decachlorobiphenyl	83					⊗	10/11/22 16:33	10/12/22 15:10	1
DCB Decachlorobiphenyl	109					⊗	10/11/22 16:33	10/12/22 15:10	1
Tetrachloro-m-xylene	78					⊗	10/11/22 16:33	10/12/22 15:10	1
Tetrachloro-m-xylene	97					⊗	10/11/22 16:33	10/12/22 15:10	1

Method: SW846 8151A - Herbicides (GC)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.014	U	0.038	0.014	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:49	1
Silvex (2,4,5-TP)	0.0039	U	0.038	0.0039	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:49	1
2,4,5-T	0.0080	U	0.038	0.0080	mg/Kg	⊗	10/12/22 10:43	10/13/22 10:49	1

Surrogate	%Recovery	Qualifier	Limits			D	Prepared	Analyzed	Dil Fac
			27 - 150	27 - 150	27 - 150				
2,4-Dichlorophenylacetic acid	90					⊗	10/12/22 10:43	10/13/22 10:49	1
2,4-Dichlorophenylacetic acid	110					⊗	10/12/22 10:43	10/13/22 10:49	1

Method: SW846 8151A - Herbicides (GC) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.00030	U	0.0050	0.00030	mg/L	⊗	10/13/22 10:13	10/14/22 08:19	1
Silvex (2,4,5-TP)	0.00024	U	0.0050	0.00024	mg/L	⊗	10/13/22 10:13	10/14/22 08:19	1
2,4,5-T	0.00012	U	0.0050	0.00012	mg/L	⊗	10/13/22 10:13	10/14/22 08:19	1

Surrogate	%Recovery	Qualifier	Limits			D	Prepared	Analyzed	Dil Fac
			10 - 150	10 - 150	10 - 150				
2,4-Dichlorophenylacetic acid	54					⊗	10/13/22 10:13	10/14/22 08:19	1
2,4-Dichlorophenylacetic acid	56					⊗	10/13/22 10:13	10/14/22 08:19	1

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons

Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total EPH (C9-C40)	140		16	16	mg/Kg	⊗	10/12/22 11:25	10/13/22 16:05	1
o-Terphenyl	83		40 - 140			⊗	10/12/22 11:25	10/13/22 16:05	1
1-Chlorooctadecane	99		40 - 140			⊗	10/12/22 11:25	10/13/22 16:05	1

Method: SW846 6020B - Metals (ICP/MS)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.23	J	0.43	0.096	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Aluminum	10500		21.6	5.9	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Arsenic	6.1		1.1	0.11	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Barium	101		2.2	0.16	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Beryllium	0.55		0.43	0.062	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Calcium	12700		108	19.1	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Cadmium	0.45	J	1.1	0.12	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Cobalt	7.8		2.2	0.16	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Chromium	21.8		2.2	0.98	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Copper	41.7		2.2	0.40	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Percent Solids: 88.1

Method: SW846 6020B - Metals (ICP/MS) (Continued)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Iron	18100		64.9	21.8	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Potassium	1420		108	17.5	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Magnesium	5230		108	11.0	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Manganese	305		4.3	0.44	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Sodium	139		108	49.4	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Nickel	15.4		2.2	0.51	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Lead	336		0.65	0.22	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Antimony	1.3		1.1	0.16	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Selenium	0.27 J		1.4	0.14	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Thallium	0.13 J		0.43	0.044	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Vanadium	27.0		2.2	0.22	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1
Zinc	147		8.7	3.3	mg/Kg	⊗	10/12/22 08:54	10/13/22 11:22	1

Method: SW846 6020B - Metals (ICP/MS) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.0029	U	0.020	0.0029	mg/L		10/13/22 15:15	10/14/22 12:29	10
Arsenic	0.0089	U	0.020	0.0089	mg/L		10/13/22 15:15	10/14/22 12:29	10
Barium	0.58		0.040	0.0091	mg/L		10/13/22 15:15	10/14/22 12:29	10
Cadmium	0.0039	U	0.020	0.0039	mg/L		10/13/22 15:15	10/14/22 12:29	10
Chromium	0.025	U	0.040	0.025	mg/L		10/13/22 15:15	10/14/22 12:29	10
Lead	0.14		0.012	0.0084	mg/L		10/13/22 15:15	10/14/22 12:29	10
Selenium	0.0059	U	0.025	0.0059	mg/L		10/13/22 15:15	10/14/22 12:29	10

Method: SW846 7470A - Mercury (CVAA) - TCLP

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000091	U	0.000020	0.000091	mg/L		10/13/22 12:18	10/13/22 15:36	1

Method: SW846 7471B - Mercury (CVAA)

Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.38		0.017	0.0081	mg/Kg	⊗	10/12/22 00:34	10/12/22 05:56	1

General Chemistry

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
pH (SW846 9045D)	8.1	HF			SU			10/14/22 16:38	1
Temperature (SW846 9045D)	21.9	HF			Degrees C			10/14/22 16:38	1
Corrosivity (SW846 9045D)	8.1	HF			SU			10/14/22 16:38	1
Analyte	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total (SW846 9012B)	0.14	J	0.24	0.13	mg/L	⊗	10/12/22 18:56	10/12/22 21:55	1
Analyte	Result	Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Burn Rate (SW846 1030)	2.20	U	2.20	2.20	mm/sec			10/14/22 16:21	1
Cyanide, Reactive (SW846 9014)	25.0	U	25.0	25.0	mg/Kg		10/13/22 10:00	10/13/22 12:00	1
Sulfide, Reactive (SW846 9034)	20.0	U	20.0	20.0	mg/Kg		10/13/22 10:00	10/13/22 12:00	1
Free Liquid (SW846 9095B)	0.500	U	0.500	0.500	mL/100g			10/14/22 14:10	1
Percent Moisture (EPA Moisture)	11.9		1.0	1.0	%			10/13/22 16:53	1
Percent Solids (EPA Moisture)	88.1		1.0	1.0	%			10/13/22 16:53	1
Total Volatile Solids (SM 2540G)	2.5		0.10	0.10	%			10/12/22 12:44	1

Method: ASTM D422 - Grain Size

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Gravel	10.7				%			10/20/22 17:14	1

Eurofins Edison

Client Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Percent Solids: 88.1

Method: ASTM D422 - Grain Size (Continued)

Analyte	Result	Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
Sieve Size 3 inch - Percent Finer	100.0				% Passing			10/20/22 17:14	1
Sand	46.1				%			10/20/22 17:14	1
Sieve Size 2 inch - Percent Finer	100.0				% Passing			10/20/22 17:14	1
Coarse Sand	7.0				%			10/20/22 17:14	1
Sieve Size 1.5 inch - Percent Finer	100.0				% Passing			10/20/22 17:14	1
Medium Sand	14.5				%			10/20/22 17:14	1
Sieve Size 1 inch - Percent Finer	100.0				% Passing			10/20/22 17:14	1
Fine Sand	24.6				%			10/20/22 17:14	1
Sieve Size 0.75 inch - Percent Finer	100.0				% Passing			10/20/22 17:14	1
Fines	43.2				%			10/20/22 17:14	1
Sieve Size 0.375 inch - Percent Finer	95.5				% Passing			10/20/22 17:14	1
Sieve Size #4 - Percent Finer	89.3				% Passing			10/20/22 17:14	1
Sieve Size #10 - Percent Finer	82.3				% Passing			10/20/22 17:14	1
Sieve Size #20 - Percent Finer	76.3				% Passing			10/20/22 17:14	1
Sieve Size #40 - Percent Finer	67.8				% Passing			10/20/22 17:14	1
Sieve Size #60 - Percent Finer	55.5				% Passing			10/20/22 17:14	1
Sieve Size #80 - Percent Finer	50.7				% Passing			10/20/22 17:14	1
Sieve Size #100 - Percent Finer	48.7				% Passing			10/20/22 17:14	1
Sieve Size #200 - Percent Finer	43.2				% Passing			10/20/22 17:14	1

Particle Size of Soils by ASTM D422

Sample ID: A-01-C
Lab ID: 460-267195-K-2


Percent Solids: 88.7%
Specific Gravity: 2.650

Date Received: 10/10/2022
Start Date: 10/20/2022
End Date: 10/21/2022

Shape (> #10): subangular

Non-soil material: plant

Hardness (> #10): hard



Particle Size of Soils by ASTM D422

Sample ID: A-02-C
Lab ID: 460-267195-K-4


Percent Solids: 87.7%
Specific Gravity: 2.650

Date Received: 10/10/2022
Start Date: 10/20/2022
End Date: 10/21/2022

Shape (> #10): subangular

Non-soil material: plant

Hardness (> #10): hard



TestAmerica Burlington

Sediment Grain Size - D422

Client	
Client Sample ID	A-01-C
Lab Sample ID	460-267195-K-2

Date Received	10/10/2022
Start Date	10/20/2022 17:13
End Date	10/21/2022 16:44

Dry Weight Determination

Tin Weight	0.97 g
Wet Sample + Tin	22.47 g
Dry Sample + Tin	20.04 g
% Moisture	11.30 %

Non-soil material:	plant
Shape (> #10):	subangular
Hardness (> #10):	hard

Sample Weights	Tare (g)	Pan+Samp (g)	Samp (g)
Sample Weight (Wet)	44.12	201.63	157.51
Sample Weight (Oven Dried)			140

Date/Time in oven	10/20/2022 17:14
Date/Time out of oven	10/21/2022 13:48

Sample Split (oven dried)	Tare (g)	Pan+Samp (g)	Samp (g)
Sample >=#10			30.6
Sample <#10			109
% Passing #10			69.2

Hydrometer Data	
Serial Number	
Calib. Date (mm/dd/yyyy)	
Low Temp (C)	
Reading at Low Temp	
High Temp (C)	
Reading at High Temp	
Hydrometer Cal Slope	#DIV/0!
Hydrometer Cal Intercept	#DIV/0!
Default Soil Gravity	2.6500

Gravel/Sand Fraction (Sieves)

Sample Fraction	Size (um)	Pan Tare (g)	Pan+Sample (g)	Sample	% Finer	Classification	Sub Class
3 inch	75000			0.00 g	100.0	Gravel	
2 inch	50000			0.00 g	100.0	Gravel	
1.5 inch	37500			0.00 g	100.0	Gravel	
1 inch	25000			0.00 g	100.0	Gravel	
3/4 inch	19000			0.00 g	100.0	Gravel	
3/8 inch	9500	447.18	457.02	9.84 g	93.0	Gravel	
#4	4750	487.96	498.18	10.22 g	85.7	Gravel	
#10	2000	462.53	473.05	10.52 g	78.2	Sand	Coarse
#20	850	377.17	386.26	9.09 g	71.7	Sand	Medium
#40	425	365.41	376.97	11.56 g	63.4	Sand	Medium
#60	250	347.39	359.89	12.50 g	54.5	Sand	Fine
#80	180	336.52	340.93	4.41 g	51.4	Sand	Fine
#100	150	326.89	330.48	3.59 g	48.8	Sand	Fine
#200	75	312.09	319.16	7.07 g	43.8	Sand	Fine
				0.00 g	43.8		

Adjusted Hydrometer Sample Mass

Hydrometer Sample Mass (g)	140
----------------------------	-----

Silt/Clay Fraction (Hydrometer Test)

Hydrometer Test Time (min)	Actual	Spec. Gravity	Temp C	Particle Size (Micron)	% Finer	Classification	Sub Class
	2					Silt	
	5					Silt	
	15					Silt	
	30					Silt	
	60					Silt	
	250					Clay	
	1440					Clay	

TestAmerica Burlington

Sediment Grain Size - D422

Client	
Client Sample ID	A-02-C
Lab Sample ID	460-267195-K-4

Date Received	10/10/2022
Start Date	10/20/2022 17:14
End Date	10/21/2022 16:48

Dry Weight Determination

Tin Weight	0.99 g
Wet Sample + Tin	28.99 g
Dry Sample + Tin	25.55 g
% Moisture	12.29 %

Non-soil material:	plant
Shape (> #10):	subangular
Hardness (> #10):	hard

Sample Weights	Tare (g)	Pan+Samp (g)	Samp (g)
Sample Weight (Wet)	45.48	189.69	144.21
Sample Weight (Oven Dried)			126

Date/Time in oven	10/20/2022 17:16
Date/Time out of oven	10/21/2022 13:48

Sample Split (oven dried)	Tare (g)	Pan+Samp (g)	Samp (g)
Sample >=#10			22.2
Sample <#10			104
% Passing #10			72.1

Hydrometer Data	
Serial Number	
Calib. Date (mm/dd/yyyy)	
Low Temp (C)	
Reading at Low Temp	
High Temp (C)	
Reading at High Temp	
Hydrometer Cal Slope	#DIV/0!
Hydrometer Cal Intercept	#DIV/0!
Default Soil Gravity	2.6500

Gravel/Sand Fraction (Sieves)

Sample Fraction	Size (um)	Pan Tare (g)	Pan+Sample (g)	Sample	% Finer	Classification	Sub Class
3 inch	75000			0.00 g	100.0	Gravel	
2 inch	50000			0.00 g	100.0	Gravel	
1.5 inch	37500			0.00 g	100.0	Gravel	
1 inch	25000			0.00 g	100.0	Gravel	
3/4 inch	19000			0.00 g	100.0	Gravel	
3/8 inch	9500	447.18	452.81	5.63 g	95.5	Gravel	
#4	4750	487.96	495.73	7.77 g	89.3	Gravel	
#10	2000	462.53	471.32	8.79 g	82.3	Sand	Coarse
#20	850	372.65	380.15	7.50 g	76.3	Sand	Medium
#40	425	360.81	371.47	10.66 g	67.8	Sand	Medium
#60	250	351.10	366.66	15.56 g	55.5	Sand	Fine
#80	180	318.33	324.36	6.03 g	50.7	Sand	Fine
#100	150	327.46	329.93	2.47 g	48.7	Sand	Fine
#200	75	313.45	320.32	6.87 g	43.2	Sand	Fine
				0.00 g	43.2		

Adjusted Hydrometer Sample Mass

Hydrometer Sample Mass (g)	126
----------------------------	-----

Silt/Clay Fraction (Hydrometer Test)

Hydrometer Test Time (min)	Actual	Spec. Gravity	Temp C	Particle Size (Micron)	% Finer	Classification	Sub Class
	2					Silt	
	5					Silt	
	15					Silt	
	30					Silt	
	60					Silt	
	250					Clay	
	1440					Clay	

Surrogate Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (72-145)	TOL (80-120)	BFB (75-139)	DBFM (73-139)
460-267195-1	A-01-G	112	98	102	112
460-267195-3	A-02-G	111	96	100	110
LCS 460-871525/5	Lab Control Sample	111	107	107	110
LCSD 460-871525/6	Lab Control Sample Dup	102	103	103	109
MB 460-871525/10	Method Blank	109	94	103	109

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-128)	TOL (80-120)	BFB (76-120)	DBFM (77-124)
LCS 460-871882/4	Lab Control Sample	97	92	116	95
LCSD 460-871882/5	Lab Control Sample Dup	98	93	107	91
MB 460-871882/9	Method Blank	88	89	108	81

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
TOL = Toluene-d8 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)

Method: 8260D - Volatile Organic Compounds by GC/MS

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCA (70-128)	BFB (76-120)	DBFM (77-124)	TOL (80-120)
460-267195-1	A-01-G	89	114	84	89
460-267195-3	A-02-G	90	111	85	91
LB 460-871618/1-A	Method Blank	88	110	83	91

Surrogate Legend

DCA = 1,2-Dichloroethane-d4 (Surr)
BFB = 4-Bromofluorobenzene
DBFM = Dibromofluoromethane (Surr)
TOL = Toluene-d8 (Surr)

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (16-125)	PHL (23-120)	TPHL (25-126)	TBP (10-123)	2FP (18-123)	FBP (22-122)
460-267188-A-2-G MS	Matrix Spike	86	85	105	104	88	96
460-267188-A-2-H MSD	Matrix Spike Duplicate	84	84	107	104	88	96

Eurofins Edison

Surrogate Summary

Client: Montrose Environmental Solutions Inc

Job ID: 460-267195-1

Project/Site: Yaffa

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (16-125)	PHL (23-120)	TPHL (25-126)	TBP (10-123)	2FP (18-123)	FBP (22-122)
460-267195-2	A-01-C	84	80	94	96	82	95
460-267195-4	A-02-C	84	79	93	95	79	95
LCS 460-871330/2-A	Lab Control Sample	79	78	95	101	80	89
LCSD 460-871330/3-A	Lab Control Sample Dup	82	81	101	106	81	90
MB 460-871330/1-A	Method Blank	85	79	98	96	80	94

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

2FP = 2-Fluorophenol (Surr)

FBP = 2-Fluorobiphenyl

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		NBZ (52-137)	PHL (10-56)	TPHL (22-150)	TBP (37-150)	2FP (19-80)	FBP (46-139)
LCS 460-871709/2-A	Lab Control Sample	86	26	81	114	41	75
LCSD 460-871709/3-A	Lab Control Sample Dup	85	26	83	117	41	73
MB 460-871709/1-A	Method Blank	82	24	85	103	39	75

Surrogate Legend

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

TBP = 2,4,6-Tribromophenol (Surr)

2FP = 2-Fluorophenol (Surr)

FBP = 2-Fluorobiphenyl

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)					
		TBP (37-150)	FBP (46-139)	2FP (19-80)	NBZ (52-137)	PHL (10-56)	TPHL (22-150)
460-267195-2	A-01-C	86	59	34	68	22	54
460-267195-4	A-02-C	86	62	31	70	18	48
LB 460-871543/1-D	Method Blank	89	64	35	75	22	82

Surrogate Legend

TBP = 2,4,6-Tribromophenol (Surr)

FBP = 2-Fluorobiphenyl

2FP = 2-Fluorophenol (Surr)

NBZ = Nitrobenzene-d5 (Surr)

PHL = Phenol-d5 (Surr)

TPHL = Terphenyl-d14 (Surr)

Eurofins Edison

Surrogate Summary

Client: Montrose Environmental Solutions Inc

Job ID: 460-267195-1

Project/Site: Yaffa

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (43-150)	DCBP2 (43-150)	TCX1 (26-137)	TCX2 (26-137)
460-267188-A-2-D MS	Matrix Spike	98	89	76	82
460-267188-A-2-E MSD	Matrix Spike Duplicate	106	91	77	84
460-267195-2	A-01-C	101	92	78	81
460-267195-4	A-02-C	117	110	92	98
LCS 460-871329/2-A	Lab Control Sample	123	101	92	97
LCSD 460-871329/3-A	Lab Control Sample Dup	116	100	88	93
MB 460-871329/1-A	Method Blank	146	124	121	122

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (15-121)	DCBP2 (15-121)	TCX1 (17-120)	TCX2 (17-120)
LCS 460-871467/2-A	Lab Control Sample	77	73	71	70
LCSD 460-871467/3-A	Lab Control Sample Dup	84	73	71	69
MB 460-871467/1-A	Method Blank	108	110	97	92

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8081B - Organochlorine Pesticides (GC)

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (15-121)	DCBP2 (15-121)	TCX1 (17-120)	TCX2 (17-120)
460-267195-2	A-01-C	95	70	83	68
460-267195-4	A-02-C	96	87	81	83
LB 460-871543/1-B	Method Blank	102	78	83	79

Surrogate Legend

DCBP = DCB Decachlorobiphenyl

TCX = Tetrachloro-m-xylene

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)			
		DCBP1 (10-150)	DCBP2 (10-150)	TCX1 (42-150)	TCX2 (42-150)
460-267188-A-2-A MS	Matrix Spike	113	108	110	110
460-267188-A-2-B MSD	Matrix Spike Duplicate	99	94	96	96
460-267195-2	A-01-C	104	83	92	71
460-267195-4	A-02-C	109	83	97	78
LCS 460-871323/2-A	Lab Control Sample	124	115	122	117
MB 460-871323/1-A	Method Blank	100	93	99	97

Eurofins Edison

Surrogate Summary

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Surrogate Legend

DCBP = DCB Decachlorobiphenyl
 TCX = Tetrachloro-m-xylene

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (27-150)	DCPAA2 (27-150)
460-267187-F-10-H MS	Matrix Spike	103	99
460-267187-F-10-I MSD	Matrix Spike Duplicate	101	101
460-267195-2	A-01-C	94	81
460-267195-4	A-02-C	110	90
LCS 460-871480/2-A	Lab Control Sample	105	102
LCSD 460-871480/3-A	Lab Control Sample Dup	106	104
MB 460-871480/1-A	Method Blank	35	35

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (10-150)	DCPAA2 (10-150)
LCS 460-871479/2-A	Lab Control Sample	48	46
LCSD 460-871479/3-A	Lab Control Sample Dup	48	47
MB 460-871479/1-A	Method Blank	15	15

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

Method: 8151A - Herbicides (GC)

Matrix: Solid

Prep Type: TCLP

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		DCPAA1 (10-150)	DCPAA2 (10-150)
460-267195-2	A-01-C	49	48
460-267195-4	A-02-C	56	54
LB 460-871543/1-C	Method Blank	53	51

Surrogate Legend

DCPAA = 2,4-Dichlorophenylacetic acid

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons

Matrix: Solid

Prep Type: Total/NA

Lab Sample ID	Client Sample ID	Percent Surrogate Recovery (Acceptance Limits)	
		OTPH1 (40-140)	1COD1 (40-140)
460-267195-2	A-01-C	92	103
460-267195-4	A-02-C	83	99
460-267197-F-2-A MS	Matrix Spike	90	105
460-267197-F-2-B MSD	Matrix Spike Duplicate	90	100
LCS 460-871485/2-A	Lab Control Sample	105	176 S1+
LCSD 460-871485/3-A	Lab Control Sample Dup	103	170 S1+

Eurofins Edison

Surrogate Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons (Continued)

Matrix: Solid

Prep Type: Total/NA

Percent Surrogate Recovery (Acceptance Limits)

Lab Sample ID	Client Sample ID	OTPH1 (40-140)	1COD1 (40-140)												
MB 460-871485/1-A	Method Blank	100	108												

Surrogate Legend

OTPH = o-Terphenyl

1COD = 1-Chlorooctadecane

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS

Lab Sample ID: MB 460-871525/10

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chloromethane	0.00044	U	0.0010	0.00044	mg/Kg			10/12/22 18:54	1
Bromomethane	0.0010	U	0.0020	0.0010	mg/Kg			10/12/22 18:54	1
Chloroethane	0.00052	U	0.0010	0.00052	mg/Kg			10/12/22 18:54	1
Methylene Chloride	0.0011	U	0.0020	0.0011	mg/Kg			10/12/22 18:54	1
Acetone	0.0057	U	0.0060	0.0057	mg/Kg			10/12/22 18:54	1
Carbon disulfide	0.00027	U	0.0010	0.00027	mg/Kg			10/12/22 18:54	1
Trichlorofluoromethane	0.00041	U	0.0010	0.00041	mg/Kg			10/12/22 18:54	1
1,1-Dichloroethene	0.00023	U	0.0010	0.00023	mg/Kg			10/12/22 18:54	1
1,1-Dichloroethane	0.00021	U	0.0010	0.00021	mg/Kg			10/12/22 18:54	1
trans-1,2-Dichloroethene	0.00025	U	0.0010	0.00025	mg/Kg			10/12/22 18:54	1
cis-1,2-Dichloroethene	0.00036	U	0.0010	0.00036	mg/Kg			10/12/22 18:54	1
Chloroform	0.00097	U	0.0010	0.00097	mg/Kg			10/12/22 18:54	1
Vinyl chloride	0.00055	U	0.0010	0.00055	mg/Kg			10/12/22 18:54	1
1,2-Dichloroethane	0.00030	U	0.0010	0.00030	mg/Kg			10/12/22 18:54	1
2-Butanone (MEK)	0.00037	U	0.0050	0.00037	mg/Kg			10/12/22 18:54	1
1,1,1-Trichloroethane	0.00023	U	0.0010	0.00023	mg/Kg			10/12/22 18:54	1
Carbon tetrachloride	0.00039	U	0.0010	0.00039	mg/Kg			10/12/22 18:54	1
Dichlorobromomethane	0.00026	U	0.0010	0.00026	mg/Kg			10/12/22 18:54	1
1,2-Dichloropropane	0.00042	U	0.0010	0.00042	mg/Kg			10/12/22 18:54	1
cis-1,3-Dichloropropene	0.00027	U	0.0010	0.00027	mg/Kg			10/12/22 18:54	1
Trichloroethene	0.00032	U	0.0010	0.00032	mg/Kg			10/12/22 18:54	1
Chlorodibromomethane	0.00019	U	0.0010	0.00019	mg/Kg			10/12/22 18:54	1
1,1,2-Trichloroethane	0.00018	U	0.0010	0.00018	mg/Kg			10/12/22 18:54	1
Benzene	0.00026	U	0.0010	0.00026	mg/Kg			10/12/22 18:54	1
trans-1,3-Dichloropropene	0.00027	U	0.0010	0.00027	mg/Kg			10/12/22 18:54	1
Bromoform	0.00043	U	0.0010	0.00043	mg/Kg			10/12/22 18:54	1
4-Methyl-2-pentanone (MIBK)	0.0016	U	0.0050	0.0016	mg/Kg			10/12/22 18:54	1
2-Hexanone	0.0017	U	0.0050	0.0017	mg/Kg			10/12/22 18:54	1
Tetrachloroethene	0.00031	U	0.0010	0.00031	mg/Kg			10/12/22 18:54	1
1,1,2,2-Tetrachloroethane	0.00021	U	0.0010	0.00021	mg/Kg			10/12/22 18:54	1
Toluene	0.00023	U	0.0010	0.00023	mg/Kg			10/12/22 18:54	1
Chlorobenzene	0.00018	U	0.0010	0.00018	mg/Kg			10/12/22 18:54	1
Ethylbenzene	0.00020	U	0.0010	0.00020	mg/Kg			10/12/22 18:54	1
Styrene	0.00028	U	0.0010	0.00028	mg/Kg			10/12/22 18:54	1
m-Xylene & p-Xylene	0.00017	U	0.0010	0.00017	mg/Kg			10/12/22 18:54	1
o-Xylene	0.00019	U	0.0010	0.00019	mg/Kg			10/12/22 18:54	1
Acrolein	0.028	U	0.10	0.028	mg/Kg			10/12/22 18:54	1
1,1,2-Trichloro-1,2,2-trifluoroethane	0.00030	U	0.0010	0.00030	mg/Kg			10/12/22 18:54	1
TBA	0.0078	U	0.010	0.0078	mg/Kg			10/12/22 18:54	1
Acrylonitrile	0.0049	U	0.010	0.0049	mg/Kg			10/12/22 18:54	1
Methyl tert-butyl ether	0.00051	U	0.0010	0.00051	mg/Kg			10/12/22 18:54	1
Cyclohexane	0.00022	U	0.0010	0.00022	mg/Kg			10/12/22 18:54	1
Ethylene Dibromide	0.00018	U	0.0010	0.00018	mg/Kg			10/12/22 18:54	1
1,3-Dichlorobenzene	0.00037	U	0.0010	0.00037	mg/Kg			10/12/22 18:54	1
1,4-Dichlorobenzene	0.00023	U	0.0010	0.00023	mg/Kg			10/12/22 18:54	1
1,2-Dichlorobenzene	0.00036	U	0.0010	0.00036	mg/Kg			10/12/22 18:54	1
Dichlorodifluoromethane	0.00034	U	0.0010	0.00034	mg/Kg			10/12/22 18:54	1
1,2,4-Trichlorobenzene	0.00036	U	0.0010	0.00036	mg/Kg			10/12/22 18:54	1

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: MB 460-871525/10

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier									
1,4-Dioxane	0.0092	U	0.0092		0.10	0.0092	mg/Kg			10/12/22 18:54	1
1,2,3-Trichlorobenzene	0.00018	U	0.00018		0.0010	0.00018	mg/Kg			10/12/22 18:54	1
1,2-Dibromo-3-Chloropropane	0.00046	U	0.00046		0.0010	0.00046	mg/Kg			10/12/22 18:54	1
Chlorobromomethane	0.00028	U	0.00028		0.0010	0.00028	mg/Kg			10/12/22 18:54	1
Isopropylbenzene	0.00029	U	0.00029		0.0010	0.00029	mg/Kg			10/12/22 18:54	1
Methyl acetate	0.0043	U	0.0043		0.0050	0.0043	mg/Kg			10/12/22 18:54	1
Methylcyclohexane	0.00050	U	0.00050		0.0010	0.00050	mg/Kg			10/12/22 18:54	1

Tentatively Identified Compound	MB	MB	Est. Result	Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
	Result	Qualifier									
Tentatively Identified Compound	None				mg/Kg					10/12/22 18:54	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits			Prepared	Analyzed	Dil Fac
	Result	Qualifier								
1,2-Dichloroethane-d4 (Surr)	109		109		72 - 145				10/12/22 18:54	1
Toluene-d8 (Surr)	94		94		80 - 120				10/12/22 18:54	1
4-Bromofluorobenzene	103		103		75 - 139				10/12/22 18:54	1
Dibromofluoromethane (Surr)	109		109		73 - 139				10/12/22 18:54	1

Lab Sample ID: LCS 460-871525/5

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LC S	LC S	Result	Qualifier	Unit	D	%Rec	%Rec	Limits
		Added	Result							
Chloromethane	0.0200		0.0197			mg/Kg		98	63 - 130	
Bromomethane	0.0200		0.0206			mg/Kg		103	64 - 150	
Chloroethane	0.0200		0.0216			mg/Kg		108	68 - 132	
Methylene Chloride	0.0200		0.0208			mg/Kg		104	76 - 120	
Acetone	0.100		0.117			mg/Kg		117	63 - 131	
Carbon disulfide	0.0200		0.0250	*+		mg/Kg		125	76 - 120	
Trichlorofluoromethane	0.0200		0.0228			mg/Kg		114	76 - 142	
1,1-Dichloroethene	0.0200		0.0226			mg/Kg		113	70 - 132	
1,1-Dichloroethane	0.0200		0.0230			mg/Kg		115	77 - 129	
trans-1,2-Dichloroethene	0.0200		0.0224			mg/Kg		112	78 - 120	
cis-1,2-Dichloroethene	0.0200		0.0219			mg/Kg		110	80 - 123	
Chloroform	0.0200		0.0214			mg/Kg		107	79 - 126	
Vinyl chloride	0.0200		0.0234			mg/Kg		117	72 - 131	
1,2-Dichloroethane	0.0200		0.0193			mg/Kg		97	75 - 123	
2-Butanone (MEK)	0.100		0.109			mg/Kg		109	75 - 120	
1,1,1-Trichloroethane	0.0200		0.0221			mg/Kg		110	78 - 120	
Carbon tetrachloride	0.0200		0.0244	*+		mg/Kg		122	77 - 121	
Dichlorobromomethane	0.0200		0.0221			mg/Kg		111	73 - 124	
1,2-Dichloropropane	0.0200		0.0207			mg/Kg		104	73 - 124	
cis-1,3-Dichloropropene	0.0200		0.0197			mg/Kg		99	80 - 120	
Trichloroethene	0.0200		0.0205			mg/Kg		103	79 - 120	
Chlorodibromomethane	0.0200		0.0263	*+		mg/Kg		132	80 - 120	
1,1,2-Trichloroethane	0.0200		0.0219			mg/Kg		109	80 - 120	
Benzene	0.0200		0.0211			mg/Kg		106	80 - 123	
trans-1,3-Dichloropropene	0.0200		0.0190			mg/Kg		95	80 - 120	
Bromoform	0.0200		0.0259	*+		mg/Kg		130	70 - 125	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCS 460-871525/5

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4-Methyl-2-pentanone (MIBK)	0.100	0.120		mg/Kg	120	80 - 122	
2-Hexanone	0.100	0.146	*+	mg/Kg	146	70 - 128	
Tetrachloroethene	0.0200	0.0197		mg/Kg	98	78 - 123	
1,1,2,2-Tetrachloroethane	0.0200	0.0235		mg/Kg	117	66 - 123	
Toluene	0.0200	0.0209		mg/Kg	105	80 - 120	
Chlorobenzene	0.0200	0.0210		mg/Kg	105	80 - 120	
Ethylbenzene	0.0200	0.0222		mg/Kg	111	76 - 120	
Styrene	0.0200	0.0218		mg/Kg	109	80 - 120	
m-Xylene & p-Xylene	0.0200	0.0207		mg/Kg	103	80 - 120	
o-Xylene	0.0200	0.0219		mg/Kg	109	80 - 120	
Acrolein	0.300	0.294		mg/Kg	98	10 - 150	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0224		mg/Kg	112	75 - 141	
TBA	0.200	0.220		mg/Kg	110	80 - 120	
Acrylonitrile	0.200	0.230		mg/Kg	115	66 - 134	
Methyl tert-butyl ether	0.0200	0.0215		mg/Kg	108	80 - 125	
Cyclohexane	0.0200	0.0230		mg/Kg	115	70 - 132	
Ethylene Dibromide	0.0200	0.0206		mg/Kg	103	79 - 120	
1,3-Dichlorobenzene	0.0200	0.0215		mg/Kg	107	80 - 120	
1,4-Dichlorobenzene	0.0200	0.0219		mg/Kg	109	80 - 120	
1,2-Dichlorobenzene	0.0200	0.0215		mg/Kg	108	80 - 120	
Dichlorodifluoromethane	0.0200	0.0198		mg/Kg	99	62 - 150	
1,2,4-Trichlorobenzene	0.0200	0.0210		mg/Kg	105	68 - 150	
1,4-Dioxane	0.400	0.509		mg/Kg	127	80 - 136	
1,2,3-Trichlorobenzene	0.0200	0.0214		mg/Kg	107	44 - 120	
1,2-Dibromo-3-Chloropropane	0.0200	0.0208		mg/Kg	104	60 - 124	
Chlorobromomethane	0.0200	0.0201		mg/Kg	100	76 - 127	
Isopropylbenzene	0.0200	0.0220		mg/Kg	110	80 - 120	
Methyl acetate	0.0400	0.0416		mg/Kg	104	58 - 143	
Methylcyclohexane	0.0200	0.0224		mg/Kg	112	70 - 133	

Surrogate	LCS %Recovery	LCS Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	111		72 - 145
Toluene-d8 (Surr)	107		80 - 120
4-Bromofluorobenzene	107		75 - 139
Dibromofluoromethane (Surr)	110		73 - 139

Lab Sample ID: LCSD 460-871525/6

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Chloromethane	0.0200	0.0178		mg/Kg	89	63 - 130		10	30
Bromomethane	0.0200	0.0210		mg/Kg	105	64 - 150		2	30
Chloroethane	0.0200	0.0216		mg/Kg	108	68 - 132		0	30
Methylene Chloride	0.0200	0.0193		mg/Kg	97	76 - 120		7	30
Acetone	0.100	0.102		mg/Kg	102	63 - 131		14	30
Carbon disulfide	0.0200	0.0235		mg/Kg	118	76 - 120		6	30
Trichlorofluoromethane	0.0200	0.0212		mg/Kg	106	76 - 142		7	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-871525/6

Matrix: Solid

Analysis Batch: 871525

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
1,1-Dichloroethene	0.0200	0.0224		mg/Kg	112	70 - 132	1	30	
1,1-Dichloroethane	0.0200	0.0210		mg/Kg	105	77 - 129	9	30	
trans-1,2-Dichloroethene	0.0200	0.0213		mg/Kg	106	78 - 120	5	30	
cis-1,2-Dichloroethene	0.0200	0.0200		mg/Kg	100	80 - 123	9	30	
Chloroform	0.0200	0.0203		mg/Kg	102	79 - 126	5	30	
Vinyl chloride	0.0200	0.0219		mg/Kg	109	72 - 131	7	30	
1,2-Dichloroethane	0.0200	0.0190		mg/Kg	95	75 - 123	2	30	
2-Butanone (MEK)	0.100	0.0955		mg/Kg	95	75 - 120	13	30	
1,1,1-Trichloroethane	0.0200	0.0212		mg/Kg	106	78 - 120	4	30	
Carbon tetrachloride	0.0200	0.0230		mg/Kg	115	77 - 121	6	30	
Dichlorobromomethane	0.0200	0.0205		mg/Kg	102	73 - 124	8	30	
1,2-Dichloropropane	0.0200	0.0196		mg/Kg	98	73 - 124	6	30	
cis-1,3-Dichloropropene	0.0200	0.0189		mg/Kg	94	80 - 120	4	30	
Trichloroethene	0.0200	0.0190		mg/Kg	95	79 - 120	8	30	
Chlorodibromomethane	0.0200	0.0226		mg/Kg	113	80 - 120	15	30	
1,1,2-Trichloroethane	0.0200	0.0192		mg/Kg	96	80 - 120	13	30	
Benzene	0.0200	0.0199		mg/Kg	99	80 - 123	6	30	
trans-1,3-Dichloropropene	0.0200	0.0181		mg/Kg	90	80 - 120	5	30	
Bromoform	0.0200	0.0236		mg/Kg	118	70 - 125	10	30	
4-Methyl-2-pentanone (MIBK)	0.100	0.102		mg/Kg	102	80 - 122	16	30	
2-Hexanone	0.100	0.129	*+	mg/Kg	129	70 - 128	12	30	
Tetrachloroethene	0.0200	0.0181		mg/Kg	91	78 - 123	8	30	
1,1,2,2-Tetrachloroethane	0.0200	0.0192		mg/Kg	96	66 - 123	20	30	
Toluene	0.0200	0.0191		mg/Kg	96	80 - 120	9	30	
Chlorobenzene	0.0200	0.0192		mg/Kg	96	80 - 120	9	30	
Ethylbenzene	0.0200	0.0204		mg/Kg	102	76 - 120	9	30	
Styrene	0.0200	0.0192		mg/Kg	96	80 - 120	13	30	
m-Xylene & p-Xylene	0.0200	0.0187		mg/Kg	93	80 - 120	10	30	
o-Xylene	0.0200	0.0195		mg/Kg	98	80 - 120	11	30	
Acrolein	0.300	0.326		mg/Kg	109	10 - 150	11	30	
1,1,2-Trichloro-1,2,2-trifluoroethane	0.0200	0.0215		mg/Kg	107	75 - 141	4	30	
TBA	0.200	0.202		mg/Kg	101	80 - 120	8	30	
Acrylonitrile	0.200	0.199		mg/Kg	100	66 - 134	14	30	
Methyl tert-butyl ether	0.0200	0.0200		mg/Kg	100	80 - 125	7	30	
Cyclohexane	0.0200	0.0200		mg/Kg	100	70 - 132	14	30	
Ethylene Dibromide	0.0200	0.0181		mg/Kg	91	79 - 120	13	30	
1,3-Dichlorobenzene	0.0200	0.0185		mg/Kg	93	80 - 120	15	30	
1,4-Dichlorobenzene	0.0200	0.0181		mg/Kg	90	80 - 120	19	30	
1,2-Dichlorobenzene	0.0200	0.0192		mg/Kg	96	80 - 120	11	30	
Dichlorodifluoromethane	0.0200	0.0211		mg/Kg	106	62 - 150	7	30	
1,2,4-Trichlorobenzene	0.0200	0.0162		mg/Kg	81	68 - 150	26	30	
1,4-Dioxane	0.400	0.457		mg/Kg	114	80 - 136	11	30	
1,2,3-Trichlorobenzene	0.0200	0.0169		mg/Kg	85	44 - 120	23	30	
1,2-Dibromo-3-Chloropropane	0.0200	0.0163		mg/Kg	81	60 - 124	25	30	
Chlorobromomethane	0.0200	0.0194		mg/Kg	97	76 - 127	4	30	
Isopropylbenzene	0.0200	0.0184		mg/Kg	92	80 - 120	18	30	
Methyl acetate	0.0400	0.0382		mg/Kg	96	58 - 143	8	30	
Methylcyclohexane	0.0200	0.0180		mg/Kg	90	70 - 133	22	30	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Surrogate	LCSD	LCSD	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	102				72 - 145
Toluene-d8 (Surr)	103				80 - 120
4-Bromofluorobenzene	103				75 - 139
Dibromofluoromethane (Surr)	109				73 - 139

Lab Sample ID: MB 460-871882/9

Matrix: Solid

Analysis Batch: 871882

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.00026	U			0.0010	0.00026	mg/L			10/14/22 10:54	1
Chloroform	0.00033	U			0.0010	0.00033	mg/L			10/14/22 10:54	1
Vinyl chloride	0.00017	U			0.0010	0.00017	mg/L			10/14/22 10:54	1
1,2-Dichloroethane	0.00043	U			0.0010	0.00043	mg/L			10/14/22 10:54	1
2-Butanone (MEK)	0.0019	U			0.0050	0.0019	mg/L			10/14/22 10:54	1
Carbon tetrachloride	0.00021	U			0.0010	0.00021	mg/L			10/14/22 10:54	1
Trichloroethene	0.00031	U			0.0010	0.00031	mg/L			10/14/22 10:54	1
Benzene	0.00020	U			0.0010	0.00020	mg/L			10/14/22 10:54	1
Tetrachloroethene	0.00025	U			0.0010	0.00025	mg/L			10/14/22 10:54	1
Chlorobenzene	0.00038	U			0.0010	0.00038	mg/L			10/14/22 10:54	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88				70 - 128			1
Toluene-d8 (Surr)	89				80 - 120			1
4-Bromofluorobenzene	108				76 - 120			1
Dibromofluoromethane (Surr)	81				77 - 124			1

Lab Sample ID: LCS 460-871882/4

Matrix: Solid

Analysis Batch: 871882

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte	Spike	LCS	LCS	%Rec
	Added	Result	Qualifier	Unit
1,1-Dichloroethene	0.0200	0.0216		mg/L
Chloroform	0.0200	0.0228		mg/L
Vinyl chloride	0.0200	0.0185		mg/L
1,2-Dichloroethane	0.0200	0.0236		mg/L
2-Butanone (MEK)	0.100	0.101		mg/L
Carbon tetrachloride	0.0200	0.0235		mg/L
Trichloroethene	0.0200	0.0198		mg/L
Benzene	0.0200	0.0211		mg/L
Tetrachloroethene	0.0200	0.0193		mg/L
Chlorobenzene	0.0200	0.0202		mg/L

Surrogate	LCS	LCS	%Recovery	Qualifier	Limits
1,2-Dichloroethane-d4 (Surr)	97				70 - 128
Toluene-d8 (Surr)	92				80 - 120
4-Bromofluorobenzene	116				76 - 120
Dibromofluoromethane (Surr)	95				77 - 124

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8260D - Volatile Organic Compounds by GC/MS (Continued)

Lab Sample ID: LCSD 460-871882/5

Matrix: Solid

Analysis Batch: 871882

Client Sample ID: Lab Control Sample Dup
Prep Type: Total/NA

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,1-Dichloroethene	0.0200	0.0196		mg/L		98	68 - 133	10	30
Chloroform	0.0200	0.0222		mg/L		111	78 - 125	3	30
Vinyl chloride	0.0200	0.0194		mg/L		97	55 - 144	5	30
1,2-Dichloroethane	0.0200	0.0243		mg/L		122	66 - 129	3	30
2-Butanone (MEK)	0.100	0.0971		mg/L		97	61 - 128	4	30
Carbon tetrachloride	0.0200	0.0233		mg/L		116	61 - 131	1	30
Trichloroethene	0.0200	0.0205		mg/L		103	71 - 121	4	30
Benzene	0.0200	0.0210		mg/L		105	71 - 126	1	30
Tetrachloroethylene	0.0200	0.0192		mg/L		96	70 - 127	1	30
Chlorobenzene	0.0200	0.0209		mg/L		104	80 - 120	3	30

Surrogate	LCSD	LCSD	Limits
	%Recovery	Qualifier	
1,2-Dichloroethane-d4 (Surr)	98		70 - 128
Toluene-d8 (Surr)	93		80 - 120
4-Bromofluorobenzene	107		76 - 120
Dibromofluoromethane (Surr)	91		77 - 124

Lab Sample ID: LB 460-871618/1-A

Matrix: Solid

Analysis Batch: 871882

Client Sample ID: Method Blank
Prep Type: TCLP

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,1-Dichloroethene	0.0026	U	0.010	0.0026	mg/L			10/14/22 11:59	10
Chloroform	0.0033	U	0.010	0.0033	mg/L			10/14/22 11:59	10
Vinyl chloride	0.0017	U	0.010	0.0017	mg/L			10/14/22 11:59	10
1,2-Dichloroethane	0.0043	U	0.010	0.0043	mg/L			10/14/22 11:59	10
2-Butanone (MEK)	0.019	U	0.050	0.019	mg/L			10/14/22 11:59	10
Carbon tetrachloride	0.0021	U	0.010	0.0021	mg/L			10/14/22 11:59	10
Trichloroethene	0.0031	U	0.010	0.0031	mg/L			10/14/22 11:59	10
Benzene	0.0020	U	0.010	0.0020	mg/L			10/14/22 11:59	10
Tetrachloroethylene	0.0025	U	0.010	0.0025	mg/L			10/14/22 11:59	10
Chlorobenzene	0.0038	U	0.010	0.0038	mg/L			10/14/22 11:59	10

Surrogate	LB %Recovery	LB Qualifier	Limts	Prepared	Analyzed	Dil Fac
1,2-Dichloroethane-d4 (Surr)	88		70 - 128		10/14/22 11:59	10
Toluene-d8 (Surr)	91		80 - 120		10/14/22 11:59	10
4-Bromofluorobenzene	110		76 - 120		10/14/22 11:59	10
Dibromofluoromethane (Surr)	83		77 - 124		10/14/22 11:59	10

Method: 8270E - Semivolatile Organic Compounds (GC/MS)

Lab Sample ID: MB 460-871330/1-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Method Blank
Prep Type: Total/NA
Prep Batch: 871330

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Phenol	0.012	U	0.33	0.012	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
2-Chlorophenol	0.012	U	0.33	0.012	mg/Kg		10/11/22 16:59	10/12/22 00:38	1

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-871330/1-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871330

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	Dil Fac
4-Methylphenol	0.021	U	0.33	0.021	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	1
2-Nitrophenol	0.033	U	0.33	0.033	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	2
2,4-Dimethylphenol	0.039	U	0.33	0.039	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	3
2,4-Dichlorophenol	0.021	U	0.13	0.021	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	4
2-Methylphenol	0.012	U	0.33	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	5
4-Chloro-3-methylphenol	0.019	U	0.33	0.019	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	6
2,4,6-Trichlorophenol	0.042	U	0.13	0.042	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	7
2,4,5-Trichlorophenol	0.034	U	0.33	0.034	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	8
2,4-Dinitrotoluene	0.036	U	0.067	0.036	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	9
4-Nitrophenol	0.054	U	0.67	0.054	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	10
4,6-Dinitro-2-methylphenol	0.14	U	0.27	0.14	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	11
N-Nitrosodimethylamine	0.031	U	0.33	0.031	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	12
Pentachlorophenol	0.068	U	0.27	0.068	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	13
Bis(2-chloroethyl)ether	0.012	U	0.033	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	14
N-Nitrosodi-n-propylamine	0.024	U	0.033	0.024	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	15
Hexachloroethane	0.011	U	0.033	0.011	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	16
Nitrobenzene	0.018	U	0.033	0.018	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	17
Isophorone	0.096	U	0.13	0.096	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	18
Naphthalene	0.0057	U	0.33	0.0057	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	19
4-Chloroaniline	0.059	U	0.33	0.059	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	20
Hexachlorobutadiene	0.0070	U	0.067	0.0070	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	21
2-Methylnaphthalene	0.0093	U	0.33	0.0093	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	22
Hexachlorocyclopentadiene	0.029	U	0.33	0.029	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	23
2-Chloronaphthalene	0.015	U	0.33	0.015	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	24
2-Nitroaniline	0.025	U	0.33	0.025	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	25
Dimethyl phthalate	0.075	U	0.33	0.075	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	26
Acenaphthylene	0.0095	U	0.33	0.0095	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	27
2,6-Dinitrotoluene	0.024	U	0.067	0.024	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	28
3-Nitroaniline	0.079	U	0.33	0.079	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	29
Acenaphthene	0.0094	U	0.33	0.0094	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	30
Dibenzofuran	0.011	U	0.33	0.011	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	31
2,4-Dinitrophenol	0.16	U	0.27	0.16	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	32
Diethyl phthalate	0.011	U	0.33	0.011	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	33
4-Chlorophenyl phenyl ether	0.012	U	0.33	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	34
Fluorene	0.0097	U	0.33	0.0097	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	35
4-Nitroaniline	0.038	U	0.33	0.038	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	36
N-Nitrosodiphenylamine	0.027	U	0.33	0.027	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	37
4-Bromophenyl phenyl ether	0.013	U	0.33	0.013	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	38
Hexachlorobenzene	0.016	U	0.033	0.016	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	39
Phenanthrene	0.0058	U	0.33	0.0058	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	40
Anthracene	0.010	U	0.33	0.010	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	41
Carbazole	0.013	U	0.33	0.013	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	42
Di-n-butyl phthalate	0.012	U	0.33	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	43
Fluoranthene	0.012	U	0.33	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	44
Pyrene	0.0082	U	0.33	0.0082	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	45
Benzidine	0.069	U	0.33	0.069	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	46
Butyl benzyl phthalate	0.016	U	0.33	0.016	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	47
Benzo[a]anthracene	0.012	U	0.033	0.012	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	48
Chrysene	0.0056	U	0.33	0.0056	mg/Kg	10/11/22 16:59	10/12/22 00:38	1	49

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-871330/1-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871330

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Bis(2-ethylhexyl) phthalate	0.017	U	0.33	0.017	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Di-n-octyl phthalate	0.018	U	0.33	0.018	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Benzo[b]fluoranthene	0.0086	U	0.033	0.0086	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Benzo[k]fluoranthene	0.0065	U	0.033	0.0065	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Benzo[a]pyrene	0.0088	U	0.033	0.0088	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Indeno[1,2,3-cd]pyrene	0.013	U	0.033	0.013	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Dibenz(a,h)anthracene	0.014	U	0.033	0.014	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Benzo[g,h,i]perylene	0.0098	U	0.33	0.0098	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
1,2-Diphenylhydrazine	0.013	U	0.33	0.013	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
1,1'-Biphenyl	0.012	U	0.33	0.012	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Acetophenone	0.016	U	0.33	0.016	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Benzaldehyde	0.055	U	0.33	0.055	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Caprolactam	0.051	U	0.33	0.051	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Atrazine	0.019	U	0.13	0.019	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
2,2'-oxybis[1-chloropropane]	0.0060	U	0.33	0.0060	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
1,2,4,5-Tetrachlorobenzene	0.010	U	0.33	0.010	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
2,3,4,6-Tetrachlorophenol	0.022	U	0.33	0.022	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
3,3'-Dichlorobenzidine	0.050	U	0.13	0.050	mg/Kg		10/11/22 16:59	10/12/22 00:38	1
Bis(2-chloroethoxy)methane	0.026	U	0.33	0.026	mg/Kg		10/11/22 16:59	10/12/22 00:38	1

Tentatively Identified Compound	MB Est. Result	MB Qualifier	Unit	D	RT	CAS No.	Prepared	Analyzed	Dil Fac
Tentatively Identified Compound	None		mg/Kg				10/11/22 16:59	10/12/22 00:38	1

Surrogate	MB %Recovery	MB Qualifier	MB Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	85		16 - 125	10/11/22 16:59	10/12/22 00:38	1
Phenol-d5 (Surr)	79		23 - 120	10/11/22 16:59	10/12/22 00:38	1
Terphenyl-d14 (Surr)	98		25 - 126	10/11/22 16:59	10/12/22 00:38	1
2,4,6-Tribromophenol (Surr)	96		10 - 123	10/11/22 16:59	10/12/22 00:38	1
2-Fluorophenol (Surr)	80		18 - 123	10/11/22 16:59	10/12/22 00:38	1
2-Fluorobiphenyl	94		22 - 122	10/11/22 16:59	10/12/22 00:38	1

Lab Sample ID: LCS 460-871330/2-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Phenol	3.33	2.95		mg/Kg		88	63 - 120
2-Chlorophenol	3.33	2.91		mg/Kg		87	63 - 120
4-Methylphenol	3.33	3.04		mg/Kg		91	61 - 120
2-Nitrophenol	3.33	3.12		mg/Kg		94	64 - 120
2,4-Dimethylphenol	3.33	2.95		mg/Kg		88	67 - 120
2,4-Dichlorophenol	3.33	3.15		mg/Kg		95	66 - 120
2-Methylphenol	3.33	2.94		mg/Kg		88	63 - 120
4-Chloro-3-methylphenol	3.33	3.06		mg/Kg		92	66 - 120
2,4,6-Trichlorophenol	3.33	3.18		mg/Kg		95	58 - 120
2,4,5-Trichlorophenol	3.33	3.31		mg/Kg		99	59 - 120
2,4-Dinitrotoluene	3.33	3.55		mg/Kg		107	65 - 124
4-Nitrophenol	6.67	5.31		mg/Kg		80	52 - 123

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-871330/2-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,6-Dinitro-2-methylphenol	6.67	6.74		mg/Kg		101	50 - 136
N-Nitrosodimethylamine	3.33	2.67		mg/Kg		80	57 - 120
Pentachlorophenol	6.67	5.64		mg/Kg		85	37 - 126
Bis(2-chloroethyl)ether	3.33	2.92		mg/Kg		88	60 - 120
N-Nitrosodi-n-propylamine	3.33	2.75		mg/Kg		83	61 - 120
Hexachloroethane	3.33	2.99		mg/Kg		90	61 - 120
Nitrobenzene	3.33	2.92		mg/Kg		88	63 - 120
Isophorone	3.33	2.98		mg/Kg		90	67 - 120
Naphthalene	3.33	3.12		mg/Kg		94	63 - 120
4-Chloroaniline	3.33	2.41		mg/Kg		72	15 - 128
Hexachlorobutadiene	3.33	3.12		mg/Kg		93	62 - 120
2-Methylnaphthalene	3.33	2.75		mg/Kg		83	64 - 120
Hexachlorocyclopentadiene	3.33	2.88		mg/Kg		86	38 - 120
2-Chloronaphthalene	3.33	3.33		mg/Kg		100	60 - 120
2-Nitroaniline	3.33	2.74		mg/Kg		82	48 - 120
Dimethyl phthalate	3.33	3.42		mg/Kg		103	65 - 120
Acenaphthylene	3.33	3.07		mg/Kg		92	64 - 120
2,6-Dinitrotoluene	3.33	3.49		mg/Kg		105	67 - 121
3-Nitroaniline	3.33	3.08		mg/Kg		92	39 - 122
Acenaphthene	3.33	2.93		mg/Kg		88	49 - 120
Dibenzofuran	3.33	3.36		mg/Kg		101	61 - 120
2,4-Dinitrophenol	6.67	5.88		mg/Kg		88	36 - 129
Diethyl phthalate	3.33	3.36		mg/Kg		101	63 - 120
4-Chlorophenyl phenyl ether	3.33	3.36		mg/Kg		101	62 - 120
Fluorene	3.33	3.33		mg/Kg		100	60 - 120
4-Nitroaniline	3.33	3.29		mg/Kg		99	55 - 120
N-Nitrosodiphenylamine	3.33	3.20		mg/Kg		96	63 - 120
4-Bromophenyl phenyl ether	3.33	3.28		mg/Kg		98	67 - 120
Hexachlorobenzene	3.33	3.32		mg/Kg		100	66 - 120
Phenanthrene	3.33	3.27		mg/Kg		98	66 - 120
Anthracene	3.33	3.33		mg/Kg		100	67 - 120
Carbazole	3.33	3.31		mg/Kg		99	64 - 120
Di-n-butyl phthalate	3.33	3.44		mg/Kg		103	66 - 120
Fluoranthene	3.33	3.33		mg/Kg		100	61 - 120
Pyrene	3.33	3.44		mg/Kg		103	61 - 121
Benzidine	3.33	2.61		mg/Kg		78	10 - 137
Butyl benzyl phthalate	3.33	3.57		mg/Kg		107	62 - 127
Benzo[a]anthracene	3.33	3.30		mg/Kg		99	62 - 120
Chrysene	3.33	3.21		mg/Kg		96	63 - 120
Bis(2-ethylhexyl) phthalate	3.33	3.34		mg/Kg		100	59 - 125
Di-n-octyl phthalate	3.33	3.46		mg/Kg		104	65 - 133
Benzo[b]fluoranthene	3.33	3.27		mg/Kg		98	70 - 125
Benzo[k]fluoranthene	3.33	3.52		mg/Kg		106	67 - 122
Benzo[a]pyrene	3.33	3.15		mg/Kg		94	73 - 123
Indeno[1,2,3-cd]pyrene	3.33	3.90		mg/Kg		117	62 - 130
Dibenz(a,h)anthracene	3.33	3.72		mg/Kg		112	66 - 128
Benzo[g,h,i]perylene	3.33	3.47		mg/Kg		104	66 - 120
1,2-Diphenylhydrazine	3.33	3.10		mg/Kg		93	55 - 125
1,1'-Biphenyl	3.33	3.36		mg/Kg		101	59 - 120

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCS 460-871330/2-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
Acetophenone	3.33	2.83		mg/Kg		85	61 - 120
Benzaldehyde	1.33	1.11		mg/Kg		84	34 - 150
Caprolactam	1.33	1.33		mg/Kg		99	36 - 150
Atrazine	1.33	1.42		mg/Kg		106	29 - 150
2,2'-oxybis[1-chloropropane]	3.33	2.58		mg/Kg		77	49 - 126
1,2,4,5-Tetrachlorobenzene	3.33	3.41		mg/Kg		102	60 - 120
2,3,4,6-Tetrachlorophenol	3.33	3.40		mg/Kg		102	54 - 120
3,3'-Dichlorobenzidine	3.33	2.36		mg/Kg		71	13 - 136
Bis(2-chloroethoxy)methane	3.33	2.94		mg/Kg		88	62 - 120

Surrogate	LCS %Recovery	LCS Qualifier	Limits
Nitrobenzene-d5 (Surr)	79		16 - 125
Phenol-d5 (Surr)	78		23 - 120
Terphenyl-d14 (Surr)	95		25 - 126
2,4,6-Tribromophenol (Surr)	101		10 - 123
2-Fluorophenol (Surr)	80		18 - 123
2-Fluorobiphenyl	89		22 - 122

Lab Sample ID: LCSD 460-871330/3-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Phenol	3.33	3.06		mg/Kg		92	63 - 120	4	30
2-Chlorophenol	3.33	2.96		mg/Kg		89	63 - 120	2	30
4-Methylphenol	3.33	3.13		mg/Kg		94	61 - 120	3	30
2-Nitrophenol	3.33	3.22		mg/Kg		97	64 - 120	3	30
2,4-Dimethylphenol	3.33	3.06		mg/Kg		92	67 - 120	4	30
2,4-Dichlorophenol	3.33	3.26		mg/Kg		98	66 - 120	3	30
2-Methylphenol	3.33	3.04		mg/Kg		91	63 - 120	3	30
4-Chloro-3-methylphenol	3.33	3.22		mg/Kg		97	66 - 120	5	30
2,4,6-Trichlorophenol	3.33	3.22		mg/Kg		97	58 - 120	1	30
2,4,5-Trichlorophenol	3.33	3.37		mg/Kg		101	59 - 120	2	30
2,4-Dinitrotoluene	3.33	3.72		mg/Kg		112	65 - 124	5	30
4-Nitrophenol	6.67	5.84		mg/Kg		88	52 - 123	9	30
4,6-Dinitro-2-methylphenol	6.67	7.12		mg/Kg		107	50 - 136	6	30
N-Nitrosodimethylamine	3.33	2.69		mg/Kg		81	57 - 120	1	30
Pentachlorophenol	6.67	6.01		mg/Kg		90	37 - 126	6	30
Bis(2-chloroethyl)ether	3.33	2.97		mg/Kg		89	60 - 120	2	30
N-Nitrosodi-n-propylamine	3.33	2.85		mg/Kg		86	61 - 120	4	30
Hexachloroethane	3.33	3.00		mg/Kg		90	61 - 120	0	30
Nitrobenzene	3.33	3.02		mg/Kg		91	63 - 120	4	30
Isophorone	3.33	3.09		mg/Kg		93	67 - 120	3	30
Naphthalene	3.33	3.16		mg/Kg		95	63 - 120	1	30
4-Chloroaniline	3.33	2.49		mg/Kg		75	15 - 128	3	30
Hexachlorobutadiene	3.33	3.12		mg/Kg		94	62 - 120	0	30
2-Methylnaphthalene	3.33	2.86		mg/Kg		86	64 - 120	4	30
Hexachlorocyclopentadiene	3.33	2.87		mg/Kg		86	38 - 120	0	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-871330/3-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2-Chloronaphthalene	3.33	3.32		mg/Kg		100	60 - 120	0	30
2-Nitroaniline	3.33	2.85		mg/Kg		85	48 - 120	4	30
Dimethyl phthalate	3.33	3.57		mg/Kg		107	65 - 120	4	30
Acenaphthylene	3.33	3.16		mg/Kg		95	64 - 120	3	30
2,6-Dinitrotoluene	3.33	3.52		mg/Kg		106	67 - 121	1	30
3-Nitroaniline	3.33	3.22		mg/Kg		97	39 - 122	4	30
Acenaphthene	3.33	2.99		mg/Kg		90	49 - 120	2	30
Dibenzofuran	3.33	3.39		mg/Kg		102	61 - 120	1	30
2,4-Dinitrophenol	6.67	6.20		mg/Kg		93	36 - 129	5	30
Diethyl phthalate	3.33	3.45		mg/Kg		103	63 - 120	2	30
4-Chlorophenyl phenyl ether	3.33	3.40		mg/Kg		102	62 - 120	1	30
Fluorene	3.33	3.45		mg/Kg		104	60 - 120	3	30
4-Nitroaniline	3.33	3.37		mg/Kg		101	55 - 120	3	30
N-Nitrosodiphenylamine	3.33	3.32		mg/Kg		100	63 - 120	4	30
4-Bromophenyl phenyl ether	3.33	3.45		mg/Kg		103	67 - 120	5	30
Hexachlorobenzene	3.33	3.45		mg/Kg		103	66 - 120	4	30
Phenanthrene	3.33	3.31		mg/Kg		99	66 - 120	1	30
Anthracene	3.33	3.41		mg/Kg		102	67 - 120	2	30
Carbazole	3.33	3.48		mg/Kg		105	64 - 120	5	30
Di-n-butyl phthalate	3.33	3.62		mg/Kg		109	66 - 120	5	30
Fluoranthene	3.33	3.53		mg/Kg		106	61 - 120	6	30
Pyrene	3.33	3.63		mg/Kg		109	61 - 121	5	30
Benzidine	3.33	2.77		mg/Kg		83	10 - 137	6	30
Butyl benzyl phthalate	3.33	3.73		mg/Kg		112	62 - 127	4	30
Benzo[a]anthracene	3.33	3.41		mg/Kg		102	62 - 120	3	30
Chrysene	3.33	3.36		mg/Kg		101	63 - 120	4	30
Bis(2-ethylhexyl) phthalate	3.33	3.51		mg/Kg		105	59 - 125	5	30
Di-n-octyl phthalate	3.33	3.67		mg/Kg		110	65 - 133	6	30
Benzo[b]fluoranthene	3.33	3.43		mg/Kg		103	70 - 125	5	30
Benzo[k]fluoranthene	3.33	3.69		mg/Kg		111	67 - 122	5	30
Benzo[a]pyrene	3.33	3.33		mg/Kg		100	73 - 123	6	30
Indeno[1,2,3-cd]pyrene	3.33	4.07		mg/Kg		122	62 - 130	4	30
Dibenz(a,h)anthracene	3.33	3.89		mg/Kg		117	66 - 128	4	30
Benzo[g,h,i]perylene	3.33	3.66		mg/Kg		110	66 - 120	5	30
1,2-Diphenylhydrazine	3.33	3.23		mg/Kg		97	55 - 125	4	30
1,1'-Biphenyl	3.33	3.37		mg/Kg		101	59 - 120	0	30
Acetophenone	3.33	2.88		mg/Kg		87	61 - 120	2	30
Benzaldehyde	1.33	1.14		mg/Kg		85	34 - 150	2	30
Caprolactam	1.33	1.48		mg/Kg		111	36 - 150	11	30
Atrazine	1.33	1.52		mg/Kg		114	29 - 150	7	30
2,2'-oxybis[1-chloropropane]	3.33	2.60		mg/Kg		78	49 - 126	1	30
1,2,4,5-Tetrachlorobenzene	3.33	3.42		mg/Kg		103	60 - 120	0	30
2,3,4,6-Tetrachlorophenol	3.33	3.48		mg/Kg		104	54 - 120	2	30
3,3'-Dichlorobenzidine	3.33	2.51		mg/Kg		75	13 - 136	6	30
Bis(2-chloroethoxy)methane	3.33	3.04		mg/Kg		91	62 - 120	3	30

Surrogate	LCSD	LCSD		
	%Recovery	Qualifier	Limits	
Nitrobenzene-d5 (Surr)	82		16 - 125	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-871330/3-A

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871330

Surrogate	LCSD	LCSD	
	%Recovery	Qualifier	Limits
Phenol-d5 (Surr)	81		23 - 120
Terphenyl-d14 (Surr)	101		25 - 126
2,4,6-Tribromophenol (Surr)	106		10 - 123
2-Fluorophenol (Surr)	81		18 - 123
2-Fluorobiphenyl	90		22 - 122

Lab Sample ID: 460-267188-A-2-G MS

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Sample	Sample	Spike	MS	MS	Unit	D	%Rec	%Rec	Limits
	Result	Qualifier	Added	Result	Qualifier					
Phenol	0.013	U	3.50	3.33		mg/Kg	⊗	95	63 - 120	
2-Chlorophenol	0.012	U	3.50	3.28		mg/Kg	⊗	94	63 - 120	
4-Methylphenol	0.022	U	3.50	3.21		mg/Kg	⊗	92	61 - 120	
2-Nitrophenol	0.035	U	3.50	3.50		mg/Kg	⊗	100	64 - 120	
2,4-Dimethylphenol	0.041	U	3.50	3.28		mg/Kg	⊗	94	67 - 120	
2,4-Dichlorophenol	0.022	U	3.50	3.56		mg/Kg	⊗	102	66 - 120	
2-Methylphenol	0.013	U	3.50	3.34		mg/Kg	⊗	95	63 - 120	
4-Chloro-3-methylphenol	0.019	U	3.50	3.40		mg/Kg	⊗	97	66 - 120	
2,4,6-Trichlorophenol	0.045	U	3.50	3.59		mg/Kg	⊗	103	58 - 120	
2,4,5-Trichlorophenol	0.035	U	3.50	3.68		mg/Kg	⊗	105	59 - 120	
2,4-Dinitrotoluene	0.037	U	3.50	3.80		mg/Kg	⊗	109	65 - 124	
4-Nitrophenol	0.057	U	7.00	5.83		mg/Kg	⊗	83	52 - 123	
4,6-Dinitro-2-methylphenol	0.14	U	7.00	7.43		mg/Kg	⊗	106	50 - 136	
N-Nitrosodimethylamine	0.032	U	3.50	2.95		mg/Kg	⊗	84	57 - 120	
Pentachlorophenol	0.071	U	7.00	6.06		mg/Kg	⊗	87	37 - 126	
Bis(2-chloroethyl)ether	0.012	U	3.50	3.30		mg/Kg	⊗	94	60 - 120	
N-Nitrosodi-n-propylamine	0.025	U	3.50	3.10		mg/Kg	⊗	89	61 - 120	
Hexachloroethane	0.012	U	3.50	3.32		mg/Kg	⊗	95	61 - 120	
Nitrobenzene	0.019	U	3.50	3.24		mg/Kg	⊗	93	63 - 120	
Isophorone	0.10	U	3.50	3.34		mg/Kg	⊗	96	67 - 120	
Naphthalene	0.0060	U	3.50	3.49		mg/Kg	⊗	100	63 - 120	
4-Chloroaniline	0.062	U	3.50	2.12		mg/Kg	⊗	61	15 - 128	
Hexachlorobutadiene	0.0074	U	3.50	3.47		mg/Kg	⊗	99	62 - 120	
2-Methylnaphthalene	0.0097	U	3.50	3.10		mg/Kg	⊗	89	64 - 120	
Hexachlorocyclopentadiene	0.031	U	3.50	3.32		mg/Kg	⊗	95	38 - 120	
2-Chloronaphthalene	0.016	U	3.50	3.75		mg/Kg	⊗	107	60 - 120	
2-Nitroaniline	0.026	U	3.50	3.00		mg/Kg	⊗	86	48 - 120	
Dimethyl phthalate	0.079	U	3.50	3.79		mg/Kg	⊗	108	65 - 120	
Acenaphthylene	0.0099	U	3.50	3.47		mg/Kg	⊗	99	64 - 120	
2,6-Dinitrotoluene	0.025	U	3.50	3.69		mg/Kg	⊗	105	67 - 121	
3-Nitroaniline	0.083	U	3.50	2.96		mg/Kg	⊗	84	39 - 122	
Acenaphthene	0.0099	U	3.50	3.31		mg/Kg	⊗	95	49 - 120	
Dibenzofuran	0.012	U	3.50	3.70		mg/Kg	⊗	106	61 - 120	
2,4-Dinitrophenol	0.17	U	7.00	6.07		mg/Kg	⊗	87	36 - 129	
Diethyl phthalate	0.011	U	3.50	3.53		mg/Kg	⊗	101	63 - 120	
4-Chlorophenyl phenyl ether	0.012	U	3.50	3.70		mg/Kg	⊗	106	62 - 120	
Fluorene	0.010	U	3.50	3.67		mg/Kg	⊗	105	60 - 120	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-267188-A-2-G MS

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
4-Nitroaniline	0.040	U	3.50	3.09		mg/Kg	⊗	88	55 - 120
N-Nitrosodiphenylamine	0.029	U	3.50	3.60		mg/Kg	⊗	103	63 - 120
4-Bromophenyl phenyl ether	0.014	U	3.50	3.77		mg/Kg	⊗	108	67 - 120
Hexachlorobenzene	0.017	U	3.50	3.76		mg/Kg	⊗	107	66 - 120
Phenanthrene	0.0061	U	3.50	3.56		mg/Kg	⊗	102	66 - 120
Anthracene	0.011	U	3.50	3.63		mg/Kg	⊗	104	67 - 120
Carbazole	0.013	U	3.50	3.59		mg/Kg	⊗	103	64 - 120
Di-n-butyl phthalate	0.013	U	3.50	3.71		mg/Kg	⊗	106	66 - 120
Fluoranthene	0.012	U	3.50	3.48		mg/Kg	⊗	99	61 - 120
Pyrene	0.0086	U	3.50	4.07		mg/Kg	⊗	116	61 - 121
Benzidine	0.073	U	3.50	2.31		mg/Kg	⊗	66	10 - 137
Butyl benzyl phthalate	0.016	U	3.50	4.02		mg/Kg	⊗	115	62 - 127
Benzo[a]anthracene	0.012	U	3.50	3.72		mg/Kg	⊗	106	62 - 120
Chrysene	0.0059	U	3.50	3.58		mg/Kg	⊗	102	63 - 120
Bis(2-ethylhexyl) phthalate	0.018	U	3.50	3.76		mg/Kg	⊗	107	59 - 125
Di-n-octyl phthalate	0.018	U	3.50	3.93		mg/Kg	⊗	112	65 - 133
Benzo[b]fluoranthene	0.0090	U	3.50	3.87		mg/Kg	⊗	111	70 - 125
Benzo[k]fluoranthene	0.0068	U	3.50	3.75		mg/Kg	⊗	107	67 - 122
Benzo[a]pyrene	0.0093	U	3.50	3.53		mg/Kg	⊗	101	73 - 123
Indeno[1,2,3-cd]pyrene	0.014	U	3.50	4.37		mg/Kg	⊗	125	62 - 130
Dibenz(a,h)anthracene	0.015	U	3.50	4.26		mg/Kg	⊗	122	66 - 128
Benzo[g,h,i]perylene	0.010	U	3.50	4.00		mg/Kg	⊗	114	66 - 120
1,2-Diphenylhydrazine	0.014	U	3.50	3.59		mg/Kg	⊗	103	55 - 125
1,1'-Biphenyl	0.012	U	3.50	3.77		mg/Kg	⊗	108	59 - 120
Acetophenone	0.017	U	3.50	3.11		mg/Kg	⊗	89	61 - 120
Benzaldehyde	0.057	U	1.40	1.31		mg/Kg	⊗	94	34 - 150
Caprolactam	0.054	U	1.40	1.44		mg/Kg	⊗	103	36 - 150
Atrazine	0.020	U	1.40	1.62		mg/Kg	⊗	116	29 - 150
2,2'-oxybis[1-chloropropane]	0.0063	U	3.50	2.91		mg/Kg	⊗	83	49 - 126
1,2,4,5-Tetrachlorobenzene	0.011	U	3.50	3.87		mg/Kg	⊗	111	60 - 120
2,3,4,6-Tetrachlorophenol	0.024	U	3.50	3.61		mg/Kg	⊗	103	54 - 120
3,3'-Dichlorobenzidine	0.053	U	3.50	2.11		mg/Kg	⊗	60	13 - 136
Bis(2-chloroethoxy)methane	0.027	U	3.50	3.38		mg/Kg	⊗	97	62 - 120

Surrogate	MS %Recovery		Limits
	Recovery	Qualifier	
Nitrobenzene-d5 (Surr)	86		16 - 125
Phenol-d5 (Surr)	85		23 - 120
Terphenyl-d14 (Surr)	105		25 - 126
2,4,6-Tribromophenol (Surr)	104		10 - 123
2-Fluorophenol (Surr)	88		18 - 123
2-Fluorobiphenyl	96		22 - 122

Lab Sample ID: 460-267188-A-2-H MSD

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Matrix Spike Duplicate
Prep Type: Total/NA
Prep Batch: 871330

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
	Result	Qualifier	Added	Result	Qualifier	Unit	⊗	94	63 - 120	1	30
Phenol	0.013	U	3.51	3.29		mg/Kg	⊗	94	63 - 120	1	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-267188-A-2-H MSD

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
2-Chlorophenol	0.012	U	3.51	3.25		mg/Kg	⊗	93	63 - 120	1	30
4-Methylphenol	0.022	U	3.51	3.19		mg/Kg	⊗	91	61 - 120	0	30
2-Nitrophenol	0.035	U	3.51	3.45		mg/Kg	⊗	98	64 - 120	2	30
2,4-Dimethylphenol	0.041	U	3.51	3.25		mg/Kg	⊗	93	67 - 120	1	30
2,4-Dichlorophenol	0.022	U	3.51	3.50		mg/Kg	⊗	100	66 - 120	2	30
2-Methylphenol	0.013	U	3.51	3.26		mg/Kg	⊗	93	63 - 120	2	30
4-Chloro-3-methylphenol	0.019	U	3.51	3.33		mg/Kg	⊗	95	66 - 120	2	30
2,4,6-Trichlorophenol	0.045	U	3.51	3.59		mg/Kg	⊗	102	58 - 120	0	30
2,4,5-Trichlorophenol	0.035	U	3.51	3.74		mg/Kg	⊗	107	59 - 120	2	30
2,4-Dinitrotoluene	0.037	U	3.51	3.83		mg/Kg	⊗	109	65 - 124	1	30
4-Nitrophenol	0.057	U	7.01	6.15		mg/Kg	⊗	88	52 - 123	5	30
4,6-Dinitro-2-methylphenol	0.14	U	7.01	7.31		mg/Kg	⊗	104	50 - 136	2	30
N-Nitrosodimethylamine	0.032	U	3.51	2.88		mg/Kg	⊗	82	57 - 120	2	30
Pentachlorophenol	0.071	U	7.01	6.07		mg/Kg	⊗	87	37 - 126	0	30
Bis(2-chloroethyl)ether	0.012	U	3.51	3.21		mg/Kg	⊗	92	60 - 120	3	30
N-Nitrosodi-n-propylamine	0.025	U	3.51	3.06		mg/Kg	⊗	87	61 - 120	1	30
Hexachloroethane	0.012	U	3.51	3.30		mg/Kg	⊗	94	61 - 120	0	30
Nitrobenzene	0.019	U	3.51	3.21		mg/Kg	⊗	91	63 - 120	1	30
Isophorone	0.10	U	3.51	3.32		mg/Kg	⊗	95	67 - 120	1	30
Naphthalene	0.0060	U	3.51	3.43		mg/Kg	⊗	98	63 - 120	2	30
4-Chloroaniline	0.062	U	3.51	1.99		mg/Kg	⊗	57	15 - 128	6	30
Hexachlorobutadiene	0.0074	U	3.51	3.44		mg/Kg	⊗	98	62 - 120	1	30
2-Methylnaphthalene	0.0097	U	3.51	3.04		mg/Kg	⊗	87	64 - 120	2	30
Hexachlorocyclopentadiene	0.031	U	3.51	3.36		mg/Kg	⊗	96	38 - 120	1	30
2-Chloronaphthalene	0.016	U	3.51	3.81		mg/Kg	⊗	109	60 - 120	1	30
2-Nitroaniline	0.026	U	3.51	3.03		mg/Kg	⊗	86	48 - 120	1	30
Dimethyl phthalate	0.079	U	3.51	3.77		mg/Kg	⊗	108	65 - 120	1	30
Acenaphthylene	0.0099	U	3.51	3.51		mg/Kg	⊗	100	64 - 120	1	30
2,6-Dinitrotoluene	0.025	U	3.51	3.81		mg/Kg	⊗	109	67 - 121	3	30
3-Nitroaniline	0.083	U	3.51	2.95		mg/Kg	⊗	84	39 - 122	0	30
Acenaphthene	0.0099	U	3.51	3.33		mg/Kg	⊗	95	49 - 120	1	30
Dibenzofuran	0.012	U	3.51	3.71		mg/Kg	⊗	106	61 - 120	0	30
2,4-Dinitrophenol	0.17	U	7.01	6.37		mg/Kg	⊗	91	36 - 129	5	30
Diethyl phthalate	0.011	U	3.51	3.61		mg/Kg	⊗	103	63 - 120	2	30
4-Chlorophenyl phenyl ether	0.012	U	3.51	3.71		mg/Kg	⊗	106	62 - 120	0	30
Fluorene	0.010	U	3.51	3.67		mg/Kg	⊗	105	60 - 120	0	30
4-Nitroaniline	0.040	U	3.51	3.10		mg/Kg	⊗	88	55 - 120	0	30
N-Nitrosodiphenylamine	0.029	U	3.51	3.59		mg/Kg	⊗	102	63 - 120	0	30
4-Bromophenyl phenyl ether	0.014	U	3.51	3.76		mg/Kg	⊗	107	67 - 120	0	30
Hexachlorobenzene	0.017	U	3.51	3.69		mg/Kg	⊗	105	66 - 120	2	30
Phenanthrene	0.0061	U	3.51	3.52		mg/Kg	⊗	100	66 - 120	1	30
Anthracene	0.011	U	3.51	3.58		mg/Kg	⊗	102	67 - 120	1	30
Carbazole	0.013	U	3.51	3.56		mg/Kg	⊗	102	64 - 120	1	30
Di-n-butyl phthalate	0.013	U	3.51	3.66		mg/Kg	⊗	104	66 - 120	1	30
Fluoranthene	0.012	U	3.51	3.45		mg/Kg	⊗	98	61 - 120	1	30
Pyrene	0.0086	U	3.51	4.02		mg/Kg	⊗	115	61 - 121	1	30
Benzidine	0.073	U	3.51	2.32		mg/Kg	⊗	66	10 - 137	0	30
Butyl benzyl phthalate	0.016	U	3.51	4.00		mg/Kg	⊗	114	62 - 127	0	30
Benzo[a]anthracene	0.012	U	3.51	3.65		mg/Kg	⊗	104	62 - 120	2	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: 460-267188-A-2-H MSD

Matrix: Solid

Analysis Batch: 871381

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871330

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	RPD Limit
Chrysene	0.0059	U	3.51	3.54		mg/Kg	⊗	101	63 - 120	1	30
Bis(2-ethylhexyl) phthalate	0.018	U	3.51	3.79		mg/Kg	⊗	108	59 - 125	1	30
Di-n-octyl phthalate	0.018	U	3.51	3.85		mg/Kg	⊗	110	65 - 133	2	30
Benzo[b]fluoranthene	0.0090	U	3.51	3.70		mg/Kg	⊗	106	70 - 125	4	30
Benzo[k]fluoranthene	0.0068	U	3.51	3.81		mg/Kg	⊗	109	67 - 122	2	30
Benzo[a]pyrene	0.0093	U	3.51	3.49		mg/Kg	⊗	100	73 - 123	1	30
Indeno[1,2,3-cd]pyrene	0.014	U	3.51	4.55		mg/Kg	⊗	130	62 - 130	4	30
Dibenz(a,h)anthracene	0.015	U	3.51	4.23		mg/Kg	⊗	121	66 - 128	1	30
Benzo[g,h,i]perylene	0.010	U	3.51	4.02		mg/Kg	⊗	115	66 - 120	0	30
1,2-Diphenylhydrazine	0.014	U	3.51	3.58		mg/Kg	⊗	102	55 - 125	0	30
1,1'-Biphenyl	0.012	U	3.51	3.81		mg/Kg	⊗	109	59 - 120	1	30
Acetophenone	0.017	U	3.51	3.12		mg/Kg	⊗	89	61 - 120	0	30
Benzaldehyde	0.057	U	1.40	1.31		mg/Kg	⊗	93	34 - 150	0	30
Caprolactam	0.054	U	1.40	1.44		mg/Kg	⊗	103	36 - 150	0	30
Atrazine	0.020	U	1.40	1.61		mg/Kg	⊗	115	29 - 150	1	30
2,2'-oxybis[1-chloropropane]	0.0063	U	3.51	2.86		mg/Kg	⊗	82	49 - 126	2	30
1,2,4,5-Tetrachlorobenzene	0.011	U	3.51	3.90		mg/Kg	⊗	111	60 - 120	1	30
2,3,4,6-Tetrachlorophenol	0.024	U	3.51	3.71		mg/Kg	⊗	106	54 - 120	3	30
3,3'-Dichlorobenzidine	0.053	U	3.51	2.08		mg/Kg	⊗	59	13 - 136	2	30
Bis(2-chloroethoxy)methane	0.027	U	3.51	3.30		mg/Kg	⊗	94	62 - 120	2	30

MSD MSD

Surrogate	%Recovery	Qualifier	Limits
Nitrobenzene-d5 (Surr)	84		16 - 125
Phenol-d5 (Surr)	84		23 - 120
Terphenyl-d14 (Surr)	107		25 - 126
2,4,6-Tribromophenol (Surr)	104		10 - 123
2-Fluorophenol (Surr)	88		18 - 123
2-Fluorobiphenyl	96		22 - 122

Lab Sample ID: MB 460-871709/1-A

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871709

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.00040	U	0.010	0.00040	mg/L		10/13/22 09:59	10/13/22 19:57	1
2-Methylphenol	0.00060	U	0.010	0.00060	mg/L		10/13/22 09:59	10/13/22 19:57	1
2,4,6-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L		10/13/22 09:59	10/13/22 19:57	1
3 & 4 Methylphenol	0.00060	U	0.010	0.00060	mg/L		10/13/22 09:59	10/13/22 19:57	1
2,4,5-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L		10/13/22 09:59	10/13/22 19:57	1
2,4-Dinitrotoluene	0.0010	U	0.010	0.0010	mg/L		10/13/22 09:59	10/13/22 19:57	1
Pentachlorophenol	0.0014	U	0.030	0.0014	mg/L		10/13/22 09:59	10/13/22 19:57	1
Pyridine	0.0019	U	0.010	0.0019	mg/L		10/13/22 09:59	10/13/22 19:57	1
Hexachloroethane	0.0012	U	0.0020	0.0012	mg/L		10/13/22 09:59	10/13/22 19:57	1
Nitrobenzene	0.00060	U	0.0010	0.00060	mg/L		10/13/22 09:59	10/13/22 19:57	1
Hexachlorobutadiene	0.00080	U	0.0020	0.00080	mg/L		10/13/22 09:59	10/13/22 19:57	1
Hexachlorobenzene	0.00040	U	0.0010	0.00040	mg/L		10/13/22 09:59	10/13/22 19:57	1

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: MB 460-871709/1-A

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871709

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)		82			52 - 137	10/13/22 09:59	10/13/22 19:57	1
Phenol-d5 (Surr)		24			10 - 56	10/13/22 09:59	10/13/22 19:57	1
Terphenyl-d14 (Surr)		85			22 - 150	10/13/22 09:59	10/13/22 19:57	1
2,4,6-Tribromophenol (Surr)		103			37 - 150	10/13/22 09:59	10/13/22 19:57	1
2-Fluorophenol (Surr)		39			19 - 80	10/13/22 09:59	10/13/22 19:57	1
2-Fluorobiphenyl		75			46 - 139	10/13/22 09:59	10/13/22 19:57	1

Lab Sample ID: LCS 460-871709/2-A

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871709

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
1,4-Dichlorobenzene	0.0800	0.0322		mg/L	40	35 - 120	
2-Methylphenol	0.0800	0.0498		mg/L	62	44 - 120	
2,4,6-Trichlorophenol	0.0800	0.0823		mg/L	103	61 - 120	
3 & 4 Methylphenol	0.0800	0.0442		mg/L	55	35 - 120	
2,4,5-Trichlorophenol	0.0800	0.0836		mg/L	105	58 - 120	
2,4-Dinitrotoluene	0.0800	0.0940		mg/L	117	68 - 134	
Pentachlorophenol	0.160	0.159		mg/L	100	24 - 131	
Pyridine	0.160	0.0881		mg/L	55	10 - 120	
Hexachloroethane	0.0800	0.0319		mg/L	40	26 - 120	
Nitrobenzene	0.0800	0.0657		mg/L	82	64 - 120	
Hexachlorobutadiene	0.0800	0.0352		mg/L	44	27 - 127	
Hexachlorobenzene	0.0800	0.0912		mg/L	114	61 - 128	

Surrogate	%Recovery	LCS Qualifier	Limits
Nitrobenzene-d5 (Surr)	86		52 - 137
Phenol-d5 (Surr)	26		10 - 56
Terphenyl-d14 (Surr)	81		22 - 150
2,4,6-Tribromophenol (Surr)	114		37 - 150
2-Fluorophenol (Surr)	41		19 - 80
2-Fluorobiphenyl	75		46 - 139

Lab Sample ID: LCSD 460-871709/3-A

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871709

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
1,4-Dichlorobenzene	0.0800	0.0329		mg/L	41	35 - 120		2	30
2-Methylphenol	0.0800	0.0501		mg/L	63	44 - 120		1	30
2,4,6-Trichlorophenol	0.0800	0.0817		mg/L	102	61 - 120		1	30
3 & 4 Methylphenol	0.0800	0.0450		mg/L	56	35 - 120		2	30
2,4,5-Trichlorophenol	0.0800	0.0797		mg/L	100	58 - 120		5	30
2,4-Dinitrotoluene	0.0800	0.0909		mg/L	114	68 - 134		3	30
Pentachlorophenol	0.160	0.167		mg/L	105	24 - 131		5	30
Pyridine	0.160	0.0885		mg/L	55	10 - 120		0	30
Hexachloroethane	0.0800	0.0297		mg/L	37	26 - 120		7	30
Nitrobenzene	0.0800	0.0670		mg/L	84	64 - 120		2	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8270E - Semivolatile Organic Compounds (GC/MS) (Continued)

Lab Sample ID: LCSD 460-871709/3-A

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871709

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD	RPD Limit
Hexachlorobutadiene	0.0800	0.0362		mg/L	45	27 - 127	3	30
Hexachlorobenzene	0.0800	0.0907		mg/L	113	61 - 128	1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
Nitrobenzene-d5 (Surr)	85		52 - 137
Phenol-d5 (Surr)	26		10 - 56
Terphenyl-d14 (Surr)	83		22 - 150
2,4,6-Tribromophenol (Surr)	117		37 - 150
2-Fluorophenol (Surr)	41		19 - 80
2-Fluorobiphenyl	73		46 - 139

Lab Sample ID: LB 460-871543/1-D

Matrix: Solid

Analysis Batch: 871814

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 871709

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
1,4-Dichlorobenzene	0.00040	U	0.010	0.00040	mg/L	10/13/22 10:00	10/13/22 21:12	1	
2-Methylphenol	0.00060	U	0.010	0.00060	mg/L	10/13/22 10:00	10/13/22 21:12	1	
2,4,6-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L	10/13/22 10:00	10/13/22 21:12	1	
3 & 4 Methylphenol	0.00060	U	0.010	0.00060	mg/L	10/13/22 10:00	10/13/22 21:12	1	
2,4,5-Trichlorophenol	0.00080	U	0.010	0.00080	mg/L	10/13/22 10:00	10/13/22 21:12	1	
2,4-Dinitrotoluene	0.0010	U	0.010	0.0010	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Pentachlorophenol	0.0014	U	0.030	0.0014	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Pyridine	0.0019	U	0.010	0.0019	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Hexachloroethane	0.0012	U	0.0020	0.0012	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Nitrobenzene	0.00060	U	0.0010	0.00060	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Hexachlorobutadiene	0.00080	U	0.0020	0.00080	mg/L	10/13/22 10:00	10/13/22 21:12	1	
Hexachlorobenzene	0.00040	U	0.0010	0.00040	mg/L	10/13/22 10:00	10/13/22 21:12	1	

Surrogate	LB %Recovery	LB Qualifier	Limits	Prepared	Analyzed	Dil Fac
Nitrobenzene-d5 (Surr)	75		52 - 137	10/13/22 10:00	10/13/22 21:12	1
Phenol-d5 (Surr)	22		10 - 56	10/13/22 10:00	10/13/22 21:12	1
Terphenyl-d14 (Surr)	82		22 - 150	10/13/22 10:00	10/13/22 21:12	1
2,4,6-Tribromophenol (Surr)	89		37 - 150	10/13/22 10:00	10/13/22 21:12	1
2-Fluorophenol (Surr)	35		19 - 80	10/13/22 10:00	10/13/22 21:12	1
2-Fluorobiphenyl	64		46 - 139	10/13/22 10:00	10/13/22 21:12	1

Method: 8081B - Organochlorine Pesticides (GC)

Lab Sample ID: MB 460-871329/1-A

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871329

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
4,4'-DDD	0.0011	U	0.0067	0.0011	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	
4,4'-DDD	0.0011	U	0.0067	0.0011	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	
4,4'-DDE	0.00079	U	0.0067	0.00079	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	
4,4'-DDE	0.00079	U	0.0067	0.00079	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-871329/1-A

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871329

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed	Dil Fac
4,4'-DDT	0.0012	U	0.0067	0.0012	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	1
4,4'-DDT	0.0012	U	0.0067	0.0012	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	2
Aldrin	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	3
Aldrin	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	4
alpha-BHC	0.00068	U	0.0020	0.00068	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	5
alpha-BHC	0.00068	U	0.0020	0.00068	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	6
beta-BHC	0.00075	U	0.0020	0.00075	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	7
beta-BHC	0.00075	U	0.0020	0.00075	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	8
Chlordane (technical)	0.016	U	0.067	0.016	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	9
Chlordane (technical)	0.016	U	0.067	0.016	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	10
delta-BHC	0.00041	U	0.0020	0.00041	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	11
delta-BHC	0.00041	U	0.0020	0.00041	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	12
Dieldrin	0.00087	U	0.0020	0.00087	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	13
Dieldrin	0.00087	U	0.0020	0.00087	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	14
Endosulfan I	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	15
Endosulfan I	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	16
Endosulfan II	0.0017	U	0.0067	0.0017	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	17
Endosulfan II	0.0017	U	0.0067	0.0017	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	18
Endosulfan sulfate	0.00084	U	0.0067	0.00084	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	19
Endosulfan sulfate	0.00084	U	0.0067	0.00084	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	20
Endrin	0.00096	U	0.0067	0.00096	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	21
Endrin	0.00096	U	0.0067	0.00096	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	22
Endrin aldehyde	0.0016	U	0.0067	0.0016	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	23
Endrin aldehyde	0.0016	U	0.0067	0.0016	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	24
Endrin ketone	0.0013	U	0.0067	0.0013	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	25
Endrin ketone	0.0013	U	0.0067	0.0013	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	26
gamma-BHC (Lindane)	0.00062	U	0.0020	0.00062	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	27
gamma-BHC (Lindane)	0.00062	U	0.0020	0.00062	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	28
Heptachlor	0.00079	U	0.0067	0.00079	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	29
Heptachlor	0.00079	U	0.0067	0.00079	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	30
Heptachlor epoxide	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	31
Heptachlor epoxide	0.0010	U	0.0067	0.0010	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	32
Methoxychlor	0.0015	U	0.0067	0.0015	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	33
Methoxychlor	0.0015	U	0.0067	0.0015	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	34
Toxaphene	0.024	U	0.067	0.024	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	35
Toxaphene	0.024	U	0.067	0.024	mg/Kg	10/11/22 16:56	10/12/22 14:16	1	36

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
DCB Decachlorobiphenyl	124		43 - 150			10/11/22 16:56	10/12/22 14:16	1
DCB Decachlorobiphenyl	146		43 - 150			10/11/22 16:56	10/12/22 14:16	1
Tetrachloro-m-xylene	122		26 - 137			10/11/22 16:56	10/12/22 14:16	1
Tetrachloro-m-xylene	121		26 - 137			10/11/22 16:56	10/12/22 14:16	1

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCS 460-871329/2-A

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871329

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	0.133	0.121		mg/Kg		91	64 - 132
4,4'-DDD	0.133	0.126		mg/Kg		94	64 - 132
4,4'-DDE	0.133	0.132		mg/Kg		99	71 - 137
4,4'-DDE	0.133	0.134		mg/Kg		101	71 - 137
4,4'-DDT	0.133	0.151		mg/Kg		113	55 - 138
4,4'-DDT	0.133	0.146		mg/Kg		109	55 - 138
Aldrin	0.133	0.143		mg/Kg		107	67 - 130
Aldrin	0.133	0.148		mg/Kg		111	67 - 130
alpha-BHC	0.133	0.139		mg/Kg		104	72 - 132
alpha-BHC	0.133	0.146		mg/Kg		110	72 - 132
beta-BHC	0.133	0.131		mg/Kg		98	71 - 137
beta-BHC	0.133	0.140		mg/Kg		105	71 - 137
delta-BHC	0.133	0.131		mg/Kg		98	61 - 143
delta-BHC	0.133	0.137		mg/Kg		103	61 - 143
Dieldrin	0.133	0.134		mg/Kg		100	66 - 135
Dieldrin	0.133	0.140		mg/Kg		105	66 - 135
Endosulfan I	0.133	0.133		mg/Kg		100	64 - 135
Endosulfan I	0.133	0.139		mg/Kg		104	64 - 135
Endosulfan II	0.133	0.138		mg/Kg		103	64 - 130
Endosulfan II	0.133	0.134		mg/Kg		100	64 - 130
Endosulfan sulfate	0.133	0.112		mg/Kg		84	61 - 134
Endosulfan sulfate	0.133	0.110		mg/Kg		83	61 - 134
Endrin	0.133	0.118		mg/Kg		89	63 - 136
Endrin	0.133	0.124		mg/Kg		93	63 - 136
Endrin aldehyde	0.133	0.129		mg/Kg		96	60 - 132
Endrin aldehyde	0.133	0.131		mg/Kg		98	60 - 132
Endrin ketone	0.133	0.134		mg/Kg		101	48 - 150
Endrin ketone	0.133	0.140		mg/Kg		105	48 - 150
gamma-BHC (Lindane)	0.133	0.137		mg/Kg		103	70 - 134
gamma-BHC (Lindane)	0.133	0.147		mg/Kg		110	70 - 134
Heptachlor	0.133	0.135		mg/Kg		101	62 - 134
Heptachlor	0.133	0.142		mg/Kg		107	62 - 134
Heptachlor epoxide	0.133	0.132		mg/Kg		99	65 - 127
Heptachlor epoxide	0.133	0.140		mg/Kg		105	65 - 127
Methoxychlor	0.133	0.140		mg/Kg		105	49 - 128
Methoxychlor	0.133	0.133		mg/Kg		100	49 - 128

Surrogate	LCS %Recovery	LCS Qualifier	Limits
DCB Decachlorobiphenyl	101		43 - 150
DCB Decachlorobiphenyl	123		43 - 150
Tetrachloro-m-xylene	97		26 - 137
Tetrachloro-m-xylene	92		26 - 137

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-871329/3-A

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871329

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	0.133	0.130		mg/Kg		98	64 - 132	7	30
4,4'-DDD	0.133	0.137		mg/Kg		103	64 - 132	9	30
4,4'-DDE	0.133	0.141		mg/Kg		106	71 - 137	7	30
4,4'-DDE	0.133	0.143		mg/Kg		107	71 - 137	6	30
4,4'-DDT	0.133	0.163		mg/Kg		122	55 - 138	8	30
4,4'-DDT	0.133	0.155		mg/Kg		116	55 - 138	6	30
Aldrin	0.133	0.151		mg/Kg		113	67 - 130	6	30
Aldrin	0.133	0.156		mg/Kg		117	67 - 130	5	30
alpha-BHC	0.133	0.147		mg/Kg		110	72 - 132	6	30
alpha-BHC	0.133	0.154		mg/Kg		116	72 - 132	5	30
beta-BHC	0.133	0.138		mg/Kg		104	71 - 137	5	30
beta-BHC	0.133	0.148		mg/Kg		111	71 - 137	5	30
delta-BHC	0.133	0.138		mg/Kg		104	61 - 143	6	30
delta-BHC	0.133	0.145		mg/Kg		108	61 - 143	6	30
Dieldrin	0.133	0.143		mg/Kg		107	66 - 135	6	30
Dieldrin	0.133	0.148		mg/Kg		111	66 - 135	5	30
Endosulfan I	0.133	0.141		mg/Kg		106	64 - 135	6	30
Endosulfan I	0.133	0.146		mg/Kg		110	64 - 135	5	30
Endosulfan II	0.133	0.147		mg/Kg		111	64 - 130	7	30
Endosulfan II	0.133	0.143		mg/Kg		107	64 - 130	7	30
Endosulfan sulfate	0.133	0.122		mg/Kg		91	61 - 134	9	30
Endosulfan sulfate	0.133	0.119		mg/Kg		89	61 - 134	8	30
Endrin	0.133	0.128		mg/Kg		96	63 - 136	8	30
Endrin	0.133	0.133		mg/Kg		100	63 - 136	7	30
Endrin aldehyde	0.133	0.137		mg/Kg		103	60 - 132	6	30
Endrin aldehyde	0.133	0.138		mg/Kg		103	60 - 132	5	30
Endrin ketone	0.133	0.143		mg/Kg		107	48 - 150	6	30
Endrin ketone	0.133	0.147		mg/Kg		110	48 - 150	5	30
gamma-BHC (Lindane)	0.133	0.146		mg/Kg		109	70 - 134	6	30
gamma-BHC (Lindane)	0.133	0.155		mg/Kg		116	70 - 134	5	30
Heptachlor	0.133	0.143		mg/Kg		107	62 - 134	6	30
Heptachlor	0.133	0.150		mg/Kg		112	62 - 134	5	30
Heptachlor epoxide	0.133	0.140		mg/Kg		105	65 - 127	6	30
Heptachlor epoxide	0.133	0.147		mg/Kg		111	65 - 127	5	30
Methoxychlor	0.133	0.151		mg/Kg		113	49 - 128	8	30
Methoxychlor	0.133	0.139		mg/Kg		105	49 - 128	5	30

Surrogate	LCSD %Recovery	LCSD Qualifier	Limits
DCB Decachlorobiphenyl	100		43 - 150
DCB Decachlorobiphenyl	116		43 - 150
Tetrachloro-m-xylene	93		26 - 137
Tetrachloro-m-xylene	88		26 - 137

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-267188-A-2-D MS

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871329

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
4,4'-DDD	0.0012	U	0.140	0.120		mg/Kg	⊗	86	64 - 132
4,4'-DDD	0.0012	U	0.140	0.123		mg/Kg	⊗	88	64 - 132
4,4'-DDE	0.00083	U	0.140	0.129		mg/Kg	⊗	93	71 - 137
4,4'-DDE	0.00083	U	0.140	0.128		mg/Kg	⊗	92	71 - 137
4,4'-DDT	0.0013	U	0.140	0.151		mg/Kg	⊗	108	55 - 138
4,4'-DDT	0.0013	U	0.140	0.143		mg/Kg	⊗	102	55 - 138
Aldrin	0.0011	U	0.140	0.137		mg/Kg	⊗	98	67 - 130
Aldrin	0.0011	U	0.140	0.138		mg/Kg	⊗	99	67 - 130
alpha-BHC	0.00071	U	0.140	0.132		mg/Kg	⊗	94	72 - 132
alpha-BHC	0.00071	U	0.140	0.136		mg/Kg	⊗	97	72 - 132
beta-BHC	0.00078	U	0.140	0.124		mg/Kg	⊗	89	71 - 137
beta-BHC	0.00078	U	0.140	0.131		mg/Kg	⊗	94	71 - 137
delta-BHC	0.00043	U	0.140	0.125		mg/Kg	⊗	90	61 - 143
delta-BHC	0.00043	U	0.140	0.129		mg/Kg	⊗	92	61 - 143
Dieldrin	0.00091	U	0.140	0.131		mg/Kg	⊗	94	66 - 135
Dieldrin	0.00091	U	0.140	0.133		mg/Kg	⊗	95	66 - 135
Endosulfan I	0.0011	U	0.140	0.129		mg/Kg	⊗	92	64 - 135
Endosulfan I	0.0011	U	0.140	0.131		mg/Kg	⊗	94	64 - 135
Endosulfan II	0.0018	U	0.140	0.134		mg/Kg	⊗	96	64 - 130
Endosulfan II	0.0018	U	0.140	0.128		mg/Kg	⊗	92	64 - 130
Endosulfan sulfate	0.00088	U	0.140	0.112		mg/Kg	⊗	80	61 - 134
Endosulfan sulfate	0.00088	U	0.140	0.108		mg/Kg	⊗	78	61 - 134
Endrin	0.0010	U	0.140	0.118		mg/Kg	⊗	84	63 - 136
Endrin	0.0010	U	0.140	0.121		mg/Kg	⊗	87	63 - 136
Endrin aldehyde	0.0017	U	0.140	0.126		mg/Kg	⊗	90	60 - 132
Endrin aldehyde	0.0017	U	0.140	0.125		mg/Kg	⊗	90	60 - 132
Endrin ketone	0.0014	U	0.140	0.132		mg/Kg	⊗	94	48 - 150
Endrin ketone	0.0014	U	0.140	0.134		mg/Kg	⊗	96	48 - 150
gamma-BHC (Lindane)	0.00065	U	0.140	0.130		mg/Kg	⊗	93	70 - 134
gamma-BHC (Lindane)	0.00065	U	0.140	0.137		mg/Kg	⊗	98	70 - 134
Heptachlor	0.00083	U	0.140	0.129		mg/Kg	⊗	92	62 - 134
Heptachlor	0.00083	U	0.140	0.133		mg/Kg	⊗	95	62 - 134
Heptachlor epoxide	0.0010	U	0.140	0.128		mg/Kg	⊗	91	65 - 127
Heptachlor epoxide	0.0010	U	0.140	0.132		mg/Kg	⊗	94	65 - 127
Methoxychlor	0.0016	U	0.140	0.145		mg/Kg	⊗	103	49 - 128
Methoxychlor	0.0016	U	0.140	0.131		mg/Kg	⊗	94	49 - 128
Surrogate	MS %Recovery	MS Qualifier	MS Limits						
DCB Decachlorobiphenyl	89		43 - 150						
DCB Decachlorobiphenyl	98		43 - 150						
Tetrachloro-m-xylene	82		26 - 137						
Tetrachloro-m-xylene	76		26 - 137						

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: 460-267188-A-2-E MSD

Matrix: Solid

Analysis Batch: 871408

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871329

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
4,4'-DDD	0.0012	U	0.140	0.120		mg/Kg	⊗	86	64 - 132	0	30
4,4'-DDD	0.0012	U	0.140	0.125		mg/Kg	⊗	89	64 - 132	2	30
4,4'-DDE	0.00083	U	0.140	0.128		mg/Kg	⊗	92	71 - 137	0	30
4,4'-DDE	0.00083	U	0.140	0.129		mg/Kg	⊗	92	71 - 137	1	30
4,4'-DDT	0.0013	U	0.140	0.151		mg/Kg	⊗	108	55 - 138	0	30
4,4'-DDT	0.0013	U	0.140	0.143		mg/Kg	⊗	102	55 - 138	0	30
Aldrin	0.0011	U	0.140	0.137		mg/Kg	⊗	98	67 - 130	0	30
Aldrin	0.0011	U	0.140	0.138		mg/Kg	⊗	98	67 - 130	1	30
alpha-BHC	0.00071	U	0.140	0.132		mg/Kg	⊗	94	72 - 132	0	30
alpha-BHC	0.00071	U	0.140	0.135		mg/Kg	⊗	97	72 - 132	1	30
beta-BHC	0.00078	U	0.140	0.125		mg/Kg	⊗	89	71 - 137	0	30
beta-BHC	0.00078	U	0.140	0.131		mg/Kg	⊗	94	71 - 137	0	30
delta-BHC	0.00043	U	0.140	0.126		mg/Kg	⊗	90	61 - 143	1	30
delta-BHC	0.00043	U	0.140	0.128		mg/Kg	⊗	92	61 - 143	0	30
Dieldrin	0.00091	U	0.140	0.130		mg/Kg	⊗	93	66 - 135	1	30
Dieldrin	0.00091	U	0.140	0.132		mg/Kg	⊗	94	66 - 135	0	30
Endosulfan I	0.0011	U	0.140	0.129		mg/Kg	⊗	92	64 - 135	0	30
Endosulfan I	0.0011	U	0.140	0.131		mg/Kg	⊗	93	64 - 135	0	30
Endosulfan II	0.0018	U	0.140	0.133		mg/Kg	⊗	95	64 - 130	1	30
Endosulfan II	0.0018	U	0.140	0.129		mg/Kg	⊗	92	64 - 130	1	30
Endosulfan sulfate	0.00088	U	0.140	0.112		mg/Kg	⊗	80	61 - 134	1	30
Endosulfan sulfate	0.00088	U	0.140	0.107		mg/Kg	⊗	77	61 - 134	1	30
Endrin	0.0010	U	0.140	0.118		mg/Kg	⊗	84	63 - 136	0	30
Endrin	0.0010	U	0.140	0.121		mg/Kg	⊗	87	63 - 136	0	30
Endrin aldehyde	0.0017	U	0.140	0.125		mg/Kg	⊗	89	60 - 132	1	30
Endrin aldehyde	0.0017	U	0.140	0.124		mg/Kg	⊗	89	60 - 132	1	30
Endrin ketone	0.0014	U	0.140	0.131		mg/Kg	⊗	94	48 - 150	0	30
Endrin ketone	0.0014	U	0.140	0.133		mg/Kg	⊗	95	48 - 150	1	30
gamma-BHC (Lindane)	0.00065	U	0.140	0.130		mg/Kg	⊗	93	70 - 134	0	30
gamma-BHC (Lindane)	0.00065	U	0.140	0.136		mg/Kg	⊗	98	70 - 134	0	30
Heptachlor	0.00083	U	0.140	0.130		mg/Kg	⊗	93	62 - 134	0	30
Heptachlor	0.00083	U	0.140	0.133		mg/Kg	⊗	95	62 - 134	0	30
Heptachlor epoxide	0.0010	U	0.140	0.128		mg/Kg	⊗	91	65 - 127	0	30
Heptachlor epoxide	0.0010	U	0.140	0.131		mg/Kg	⊗	94	65 - 127	0	30
Methoxychlor	0.0016	U	0.140	0.145		mg/Kg	⊗	103	49 - 128	0	30
Methoxychlor	0.0016	U	0.140	0.133		mg/Kg	⊗	95	49 - 128	1	30

Surrogate	MSD	MSD	Limits
	%Recovery	Qualifier	
DCB Decachlorobiphenyl	91		43 - 150
DCB Decachlorobiphenyl	106		43 - 150
Tetrachloro-m-xylene	84		26 - 137
Tetrachloro-m-xylene	77		26 - 137

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: MB 460-871467/1-A

Matrix: Solid

Analysis Batch: 871626

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871467

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Chlordane (technical)	0.000055	U	0.0050	0.000055	mg/L		10/12/22 10:24	10/13/22 04:59	1
Chlordane (technical)	0.000055	U	0.0050	0.000055	mg/L		10/12/22 10:24	10/13/22 04:59	1
Endrin	0.0000040	U	0.00050	0.0000040	mg/L		10/12/22 10:24	10/13/22 04:59	1
Endrin	0.0000040	U	0.00050	0.0000040	mg/L		10/12/22 10:24	10/13/22 04:59	1
gamma-BHC (Lindane)	0.000012	U	0.00050	0.000012	mg/L		10/12/22 10:24	10/13/22 04:59	1
gamma-BHC (Lindane)	0.000012	U	0.00050	0.000012	mg/L		10/12/22 10:24	10/13/22 04:59	1
Heptachlor	0.0000030	U	0.00050	0.0000030	mg/L		10/12/22 10:24	10/13/22 04:59	1
Heptachlor	0.0000030	U	0.00050	0.0000030	mg/L		10/12/22 10:24	10/13/22 04:59	1
Heptachlor epoxide	0.0000050	U	0.00050	0.0000050	mg/L		10/12/22 10:24	10/13/22 04:59	1
Heptachlor epoxide	0.0000050	U	0.00050	0.0000050	mg/L		10/12/22 10:24	10/13/22 04:59	1
Methoxychlor	0.0000040	U	0.00050	0.0000040	mg/L		10/12/22 10:24	10/13/22 04:59	1
Methoxychlor	0.0000040	U	0.00050	0.0000040	mg/L		10/12/22 10:24	10/13/22 04:59	1
Toxaphene	0.00011	U	0.0050	0.00011	mg/L		10/12/22 10:24	10/13/22 04:59	1
Toxaphene	0.00011	U	0.0050	0.00011	mg/L		10/12/22 10:24	10/13/22 04:59	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits	Prepared	Analyzed	Dil Fac
	Result	Qualifier						
DCB Decachlorobiphenyl	110		110		15 - 121	10/12/22 10:24	10/13/22 04:59	1
DCB Decachlorobiphenyl	108		108		15 - 121	10/12/22 10:24	10/13/22 04:59	1
Tetrachloro-m-xylene	92		92		17 - 120	10/12/22 10:24	10/13/22 04:59	1
Tetrachloro-m-xylene	97		97		17 - 120	10/12/22 10:24	10/13/22 04:59	1

Lab Sample ID: LCS 460-871467/2-A

Matrix: Solid

Analysis Batch: 871626

Client Sample ID: Lab Control Sample
Prep Type: Total/NA
Prep Batch: 871467

Analyte	Spike	LCS	LCS	Result	Qualifier	Unit	D	%Rec	Limits
	Added	Result	Qualifier						
Endrin	0.000800	0.000678		mg/L	85	57 - 135			
Endrin	0.000800	0.000697		mg/L	87	57 - 135			
gamma-BHC (Lindane)	0.000800	0.000735		mg/L	92	65 - 123			
gamma-BHC (Lindane)	0.000800	0.000764		mg/L	96	65 - 123			
Heptachlor	0.000800	0.000737		mg/L	92	59 - 120			
Heptachlor	0.000800	0.000750		mg/L	94	59 - 120			
Heptachlor epoxide	0.000800	0.000710		mg/L	89	59 - 128			
Heptachlor epoxide	0.000800	0.000732		mg/L	91	59 - 128			
Methoxychlor	0.000800	0.000828		mg/L	104	35 - 138			
Methoxychlor	0.000800	0.000749		mg/L	94	35 - 138			

Surrogate	LCS	LCS	%Recovery	Qualifier	Limits
	Result	Qualifier			
DCB Decachlorobiphenyl	73		73		15 - 121
DCB Decachlorobiphenyl	77		77		15 - 121
Tetrachloro-m-xylene	70		70		17 - 120
Tetrachloro-m-xylene	71		71		17 - 120

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8081B - Organochlorine Pesticides (GC) (Continued)

Lab Sample ID: LCSD 460-871467/3-A

Matrix: Solid

Analysis Batch: 871626

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871467

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Endrin	0.000800	0.000682		mg/L	85	57 - 135	1	30	
Endrin	0.000800	0.000729		mg/L	91	57 - 135	4	30	
gamma-BHC (Lindane)	0.000800	0.000741		mg/L	93	65 - 123	1	30	
gamma-BHC (Lindane)	0.000800	0.000788		mg/L	98	65 - 123	3	30	
Heptachlor	0.000800	0.000749		mg/L	94	59 - 120	2	30	
Heptachlor	0.000800	0.000773		mg/L	97	59 - 120	3	30	
Heptachlor epoxide	0.000800	0.000721		mg/L	90	59 - 128	1	30	
Heptachlor epoxide	0.000800	0.000758		mg/L	95	59 - 128	4	30	
Methoxychlor	0.000800	0.000837		mg/L	105	35 - 138	1	30	
Methoxychlor	0.000800	0.000776		mg/L	97	35 - 138	4	30	

Surrogate	LCSD	LCSD	<i>Limits</i>
	%Recovery	Qualifier	
DCB Decachlorobiphenyl	73		15 - 121
DCB Decachlorobiphenyl	84		15 - 121
Tetrachloro-m-xylene	69		17 - 120
Tetrachloro-m-xylene	71		17 - 120

Lab Sample ID: LB 460-871543/1-B

Matrix: Solid

Analysis Batch: 871865

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 871467

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Chlordane (technical)	0.000055	U	0.0050	0.000055	mg/L	10/13/22 09:57	10/14/22 04:01		1
Endrin	0.0000040	U	0.00050	0.0000040	mg/L	10/13/22 09:57	10/14/22 04:01		1
gamma-BHC (Lindane)	0.000012	U	0.00050	0.000012	mg/L	10/13/22 09:57	10/14/22 04:01		1
Heptachlor	0.0000030	U	0.00050	0.0000030	mg/L	10/13/22 09:57	10/14/22 04:01		1
Heptachlor epoxide	0.0000050	U	0.00050	0.0000050	mg/L	10/13/22 09:57	10/14/22 04:01		1
Methoxychlor	0.0000040	U	0.00050	0.0000040	mg/L	10/13/22 09:57	10/14/22 04:01		1
Toxaphene	0.00011	U	0.0050	0.00011	mg/L	10/13/22 09:57	10/14/22 04:01		1

Surrogate	LB	LB	<i>Limits</i>	<i>Prepared</i>	<i>Analyzed</i>	<i>Dil Fac</i>
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	78		15 - 121	10/13/22 09:57	10/14/22 04:01	1
DCB Decachlorobiphenyl	102		15 - 121	10/13/22 09:57	10/14/22 04:01	1
Tetrachloro-m-xylene	79		17 - 120	10/13/22 09:57	10/14/22 04:01	1
Tetrachloro-m-xylene	83		17 - 120	10/13/22 09:57	10/14/22 04:01	1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography

Lab Sample ID: MB 460-871323/1-A

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871323

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Aroclor 1016	0.018	U	0.067	0.018	mg/Kg	10/11/22 16:33	10/12/22 12:00		1
Aroclor 1016	0.018	U	0.067	0.018	mg/Kg	10/11/22 16:33	10/12/22 12:00		1
Aroclor 1221	0.018	U	0.067	0.018	mg/Kg	10/11/22 16:33	10/12/22 12:00		1
Aroclor 1221	0.018	U	0.067	0.018	mg/Kg	10/11/22 16:33	10/12/22 12:00		1
Aroclor 1232	0.018	U	0.067	0.018	mg/Kg	10/11/22 16:33	10/12/22 12:00		1

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: MB 460-871323/1-A

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871323

Analyte	MB		RL	MDL	Unit	D	Prepared		Analyzed	Dil Fac
	Result	Qualifier					Prepared	Analyzed		
Aroclor 1232	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1242	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1242	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1248	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1248	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1254	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1254	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1260	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1260	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor-1262	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor-1262	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1268	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Aroclor 1268	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Polychlorinated biphenyls, Total	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1
Polychlorinated biphenyls, Total	0.018	U	0.067	0.018	mg/Kg		10/11/22 16:33	10/12/22 12:00		1

Surrogate	MB		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	93		10 - 150	10/11/22 16:33	10/12/22 12:00	1
DCB Decachlorobiphenyl	100		10 - 150	10/11/22 16:33	10/12/22 12:00	1
Tetrachloro-m-xylene	97		42 - 150	10/11/22 16:33	10/12/22 12:00	1
Tetrachloro-m-xylene	99		42 - 150	10/11/22 16:33	10/12/22 12:00	1

Lab Sample ID: LCS 460-871323/2-A

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871323

Analyte	Spike		LCS Result	LCS Qualifier	Unit	D	%Rec	Limits	%Rec
	Added	Result							
Aroclor 1016		0.333	0.394		mg/Kg		118	65 - 133	
Aroclor 1016		0.333	0.387		mg/Kg		116	65 - 133	
Aroclor 1260		0.333	0.415		mg/Kg		124	67 - 150	
Aroclor 1260		0.333	0.406		mg/Kg		122	67 - 150	

Surrogate	LCS		Limits	Prepared	Analyzed	Dil Fac
	%Recovery	Qualifier				
DCB Decachlorobiphenyl	115		10 - 150	10/11/22 16:33	10/12/22 12:00	1
DCB Decachlorobiphenyl	124		10 - 150	10/11/22 16:33	10/12/22 12:00	1
Tetrachloro-m-xylene	117		42 - 150	10/11/22 16:33	10/12/22 12:00	1
Tetrachloro-m-xylene	122		42 - 150	10/11/22 16:33	10/12/22 12:00	1

Lab Sample ID: 460-267188-A-2-A MS

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871323

Analyte	Sample		Spike Added	MS		Unit	D	%Rec	Limits	%Rec
	Result	Qualifier		Result	Qualifier					
Aroclor 1016	0.019	U	0.351	0.382		mg/Kg	⊗	109	65 - 133	
Aroclor 1016	0.019	U	0.351	0.349		mg/Kg	⊗	100	65 - 133	
Aroclor 1260	0.019	U	0.351	0.391		mg/Kg	⊗	111	67 - 150	
Aroclor 1260	0.019	U	0.351	0.369		mg/Kg	⊗	105	67 - 150	

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8082A - Polychlorinated Biphenyls (PCBs) by Gas Chromatography (Continued)

Lab Sample ID: 460-267188-A-2-A MS

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871323

Surrogate	MS	MS	%Recovery	Qualifier	Limits
DCB Decachlorobiphenyl	108				10 - 150
DCB Decachlorobiphenyl	113				10 - 150
Tetrachloro-m-xylene	110				42 - 150
Tetrachloro-m-xylene	110				42 - 150

Lab Sample ID: 460-267188-A-2-B MSD

Matrix: Solid

Analysis Batch: 871417

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871323

Analyte	Sample	Sample	Spike	MSD	MSD	Unit	D	%Rec	Limits	RPD	Limit
	Result	Qualifier	Added	Result	Qualifier						
Aroclor 1016	0.019	U	0.350	0.314		mg/Kg	⊗	90	65 - 133	19	30
Aroclor 1016	0.019	U	0.350	0.301		mg/Kg	⊗	86	65 - 133	15	30
Aroclor 1260	0.019	U	0.350	0.317		mg/Kg	⊗	91	67 - 150	21	30
Aroclor 1260	0.019	U	0.350	0.309		mg/Kg	⊗	88	67 - 150	18	30

Surrogate	MSD	MSD	%Recovery	Qualifier	Limits
DCB Decachlorobiphenyl	94				10 - 150
DCB Decachlorobiphenyl	99				10 - 150
Tetrachloro-m-xylene	96				42 - 150
Tetrachloro-m-xylene	96				42 - 150

Method: 8151A - Herbicides (GC)

Lab Sample ID: MB 460-871479/1-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871479

Analyte	MB	MB	Result	Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier									
2,4-D	0.00018	U	0.0030		0.00018	mg/L			10/12/22 10:40	10/13/22 07:19	1
2,4-D	0.00018	U	0.0030		0.00018	mg/L			10/12/22 10:40	10/13/22 07:19	1
Silvex (2,4,5-TP)	0.00014	U	0.0030		0.00014	mg/L			10/12/22 10:40	10/13/22 07:19	1
Silvex (2,4,5-TP)	0.00014	U	0.0030		0.00014	mg/L			10/12/22 10:40	10/13/22 07:19	1
2,4,5-T	0.000072	U	0.0030		0.000072	mg/L			10/12/22 10:40	10/13/22 07:19	1
2,4,5-T	0.000072	U	0.0030		0.000072	mg/L			10/12/22 10:40	10/13/22 07:19	1

Surrogate	MB	MB	%Recovery	Qualifier	Limits
2,4-Dichlorophenylacetic acid	15				10 - 150
2,4-Dichlorophenylacetic acid	15				10 - 150

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871479

Analyte	Spike	LCS	LCS	Result	Qualifier	Unit	D	%Rec	Limits
	Added	Result	Qualifier						
2,4-D	0.00800	0.00588				mg/L	73	51 - 150	
2,4-D	0.00800	0.00609				mg/L	76	51 - 150	
Silvex (2,4,5-TP)	0.00200	0.00136	J			mg/L	68	50 - 150	
Silvex (2,4,5-TP)	0.00200	0.00128	J			mg/L	64	50 - 150	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCS 460-871479/2-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871479

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
2,4,5-T	0.00200	0.00151	J	mg/L	76	45 - 150			
2,4,5-T	0.00200	0.00175	J	mg/L	87	45 - 150			
Surrogate									
2,4-Dichlorophenylacetic acid	46			10 - 150					
2,4-Dichlorophenylacetic acid	48			10 - 150					

Lab Sample ID: LCSD 460-871479/3-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871479

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	RPD		
2,4-D	0.00800	0.00594		mg/L	74	51 - 150	1	30	
2,4-D	0.00800	0.00613		mg/L	77	51 - 150	1	30	
Silvex (2,4,5-TP)	0.00200	0.00136	J	mg/L	68	50 - 150	0	30	
Silvex (2,4,5-TP)	0.00200	0.00127	J	mg/L	64	50 - 150	1	30	
2,4,5-T	0.00200	0.00153	J	mg/L	77	45 - 150	1	30	
2,4,5-T	0.00200	0.00175	J	mg/L	88	45 - 150	0	30	
Surrogate									
2,4-Dichlorophenylacetic acid	47			10 - 150					
2,4-Dichlorophenylacetic acid	48			10 - 150					

Lab Sample ID: MB 460-871480/1-A

Matrix: Solid

Analysis Batch: 871939

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871480

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.012	U	0.033	0.012	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
2,4-D	0.012	U	0.033	0.012	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
Silvex (2,4,5-TP)	0.0035	U	0.033	0.0035	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
Silvex (2,4,5-TP)	0.0035	U	0.033	0.0035	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
2,4,5-T	0.0071	U	0.033	0.0071	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
2,4,5-T	0.0071	U	0.033	0.0071	mg/Kg		10/12/22 10:43	10/14/22 11:31	1
Surrogate									
2,4-Dichlorophenylacetic acid	35			27 - 150			10/12/22 10:43	10/14/22 11:31	1
2,4-Dichlorophenylacetic acid	35			27 - 150			10/12/22 10:43	10/14/22 11:31	1

Lab Sample ID: LCS 460-871480/2-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits		
2,4-D	0.167	0.155		mg/Kg		93	46 - 150		
2,4-D	0.167	0.160		mg/Kg		96	46 - 150		
Silvex (2,4,5-TP)	0.0417	0.0401		mg/Kg		96	41 - 150		
Silvex (2,4,5-TP)	0.0417	0.0378		mg/Kg		91	41 - 150		

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: LCS 460-871480/2-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	%Rec Limits
2,4,5-T	0.0417	0.0384		mg/Kg	92	10 - 150	
2,4,5-T	0.0417	0.0450		mg/Kg	108	10 - 150	

Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits
2,4-Dichlorophenylacetic acid	102		27 - 150
2,4-Dichlorophenylacetic acid	105		27 - 150

Lab Sample ID: LCSD 460-871480/3-A

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4-D	0.167	0.157		mg/Kg	94	46 - 150		2	30
2,4-D	0.167	0.162		mg/Kg	97	46 - 150		2	30
Silvex (2,4,5-TP)	0.0417	0.0404		mg/Kg	97	41 - 150		1	30
Silvex (2,4,5-TP)	0.0417	0.0382		mg/Kg	92	41 - 150		1	30
2,4,5-T	0.0417	0.0389		mg/Kg	93	10 - 150		1	30
2,4,5-T	0.0417	0.0454		mg/Kg	109	10 - 150		1	30

Surrogate	LCSD %Recovery	LCSD Qualifier	LCSD Limits
2,4-Dichlorophenylacetic acid	104		27 - 150
2,4-Dichlorophenylacetic acid	106		27 - 150

Lab Sample ID: 460-267187-F-10-H MS

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
2,4-D	0.012	U	0.169	0.204		mg/Kg	⊗	120	46 - 150
2,4-D	0.012	U	0.169	0.218		mg/Kg	⊗	128	46 - 150
Silvex (2,4,5-TP)	0.0035	U	0.0424	0.0540		mg/Kg	⊗	127	41 - 150
Silvex (2,4,5-TP)	0.0035	U	0.0424	0.0514		mg/Kg	⊗	121	41 - 150
2,4,5-T	0.0072	U	0.0424	0.0526		mg/Kg	⊗	124	10 - 150
2,4,5-T	0.0072	U	0.0424	0.0524		mg/Kg	⊗	124	10 - 150

Surrogate	MS %Recovery	MS Qualifier	MS Limits
2,4-Dichlorophenylacetic acid	99		27 - 150
2,4-Dichlorophenylacetic acid	103		27 - 150

Lab Sample ID: 460-267187-F-10-I MSD

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
2,4-D	0.012	U	0.169	0.206		mg/Kg	⊗	121	46 - 150	1	30
2,4-D	0.012	U	0.169	0.216		mg/Kg	⊗	127	46 - 150	1	30
Silvex (2,4,5-TP)	0.0035	U	0.0423	0.0546		mg/Kg	⊗	129	41 - 150	1	30
Silvex (2,4,5-TP)	0.0035	U	0.0423	0.0517		mg/Kg	⊗	122	41 - 150	0	30

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 8151A - Herbicides (GC) (Continued)

Lab Sample ID: 460-267187-F-10-I MSD

Matrix: Solid

Analysis Batch: 871650

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871480

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	RPD Limit
2,4,5-T	0.0072	U	0.0423	0.0532		mg/Kg	⊗	126	10 - 150	1 30
2,4,5-T	0.0072	U	0.0423	0.0526		mg/Kg	⊗	124	10 - 150	0 30
Surrogate	MSD %Recovery	MSD Qualifier	MSD Limits							
2,4-Dichlorophenylacetic acid	101		27 - 150							
2,4-Dichlorophenylacetic acid	101		27 - 150							

Lab Sample ID: LB 460-871543/1-C

Matrix: Solid

Analysis Batch: 871895

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 871479

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
2,4-D	0.00030	U	0.0050	0.00030	mg/L		10/13/22 10:13	10/14/22 07:24	1
Silvex (2,4,5-TP)	0.00024	U	0.0050	0.00024	mg/L		10/13/22 10:13	10/14/22 07:24	1
2,4,5-T	0.00012	U	0.0050	0.00012	mg/L		10/13/22 10:13	10/14/22 07:24	1
Surrogate	LB %Recovery	LB Qualifier	LB Limits				Prepared	Analyzed	Dil Fac
2,4-Dichlorophenylacetic acid	51		10 - 150				10/13/22 10:13	10/14/22 07:24	1
2,4-Dichlorophenylacetic acid	53		10 - 150				10/13/22 10:13	10/14/22 07:24	1

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons

Lab Sample ID: MB 460-871485/1-A

Matrix: Solid

Analysis Batch: 871737

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871485

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Total EPH (C9-C40)	14	U	14	14	mg/Kg		10/12/22 11:25	10/13/22 13:30	1
Surrogate	MB %Recovery	MB Qualifier	MB Limits				Prepared	Analyzed	Dil Fac
<i>o</i> -Terphenyl	100		40 - 140				10/12/22 11:25	10/13/22 13:30	1
1-Chlorooctadecane	108		40 - 140				10/12/22 11:25	10/13/22 13:30	1

Lab Sample ID: LCS 460-871485/2-A

Matrix: Solid

Analysis Batch: 871737

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871485

Analyte			Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	
Total EPH (C9-C40)			133	148		mg/Kg	111	40 - 140	
Surrogate	LCS %Recovery	LCS Qualifier	LCS Limits						
<i>o</i> -Terphenyl	105		40 - 140						
1-Chlorooctadecane	176	S1+	40 - 140						

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: NJDEP EPH - New Jersey Extractable Petroleum Hydrocarbons (Continued)

Lab Sample ID: LCSD 460-871485/3-A

Matrix: Solid

Analysis Batch: 871737

Client Sample ID: Lab Control Sample Dup

Prep Type: Total/NA

Prep Batch: 871485

Analyte	Spike Added	LCSD Result	LCSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total EPH (C9-C40)	133	137		mg/Kg		103	40 - 140	8	25
Surrogate									
o-Terphenyl									
o-Terphenyl	103			40 - 140					
1-Chlorooctadecane	170	S1+		40 - 140					

Lab Sample ID: 460-267197-F-2-A MS

Matrix: Solid

Analysis Batch: 871737

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871485

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	%Rec Limits
Total EPH (C9-C40)	100		155	302		mg/Kg	⊗	128	40 - 140
Surrogate									
o-Terphenyl									
o-Terphenyl	90			40 - 140					
1-Chlorooctadecane	105			40 - 140					

Lab Sample ID: 460-267197-F-2-B MSD

Matrix: Solid

Analysis Batch: 871737

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871485

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	%Rec Limits	RPD	RPD Limit
Total EPH (C9-C40)	100		155	313		mg/Kg	⊗	136	40 - 140	4	25
Surrogate											
o-Terphenyl											
o-Terphenyl	90			40 - 140							
1-Chlorooctadecane	100			40 - 140							

Method: 6020B - Metals (ICP/MS)

Lab Sample ID: MB 460-871442/1-A

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871442

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.089	U	0.40	0.089	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Aluminum	5.5	U	20.0	5.5	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Arsenic	0.10	U	1.0	0.10	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Barium	0.15	U	2.0	0.15	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Beryllium	0.057	U	0.40	0.057	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Calcium	17.7	U	100	17.7	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Cadmium	0.11	U	1.0	0.11	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Cobalt	0.15	U	2.0	0.15	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Chromium	0.91	U	2.0	0.91	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Copper	0.37	U	2.0	0.37	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Iron	20.2	U	60.0	20.2	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Potassium	16.2	U	100	16.2	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Magnesium	10.2	U	100	10.2	mg/Kg		10/12/22 08:54	10/13/22 10:50	1

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: MB 460-871442/1-A

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871442

Analyte	MB	MB	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
	Result	Qualifier							
Manganese	0.40	U	4.0	0.40	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Sodium	45.7	U	100	45.7	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Nickel	0.47	U	2.0	0.47	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Lead	0.20	U	0.60	0.20	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Antimony	0.15	U	1.0	0.15	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Selenium	0.13	U	1.3	0.13	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Thallium	0.041	U	0.40	0.041	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Vanadium	0.21	U	2.0	0.21	mg/Kg		10/12/22 08:54	10/13/22 10:50	1
Zinc	3.1	U	8.0	3.1	mg/Kg		10/12/22 08:54	10/13/22 10:50	1

Lab Sample ID: LCSSRM 460-871442/2-A ^10

Matrix: Solid

Analysis Batch: 871971

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871442

Analyte	Spike	LCSSRM	LCSSRM	Unit	D	%Rec	Limits	1
	Added	Result	Qualifier					
Silver	78.5	82.94		mg/Kg		105.7	78.9 - 121.	

Lab Sample ID: LCSSRM 460-871442/2-A ^5

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871442

Analyte	Spike	LCSSRM	LCSSRM	Unit	D	%Rec	Limits	1
	Added	Result	Qualifier					
Aluminum	7690	7398		mg/Kg		96.2	45.3 - 154.	
Arsenic	112	120.5		mg/Kg		107.6	82.0 - 118.	
Barium	154	171.8		mg/Kg		111.5	81.8 - 118.	
Beryllium	121	124.1		mg/Kg		102.5	82.2 - 118.	
Calcium	4590	4643		mg/Kg		101.2	81.0 - 119.	
Cadmium	196	208.7		mg/Kg		106.5	82.1 - 118.	
Cobalt	46.4	48.56		mg/Kg		104.7	83.2 - 116.	
Chromium	103	106.8		mg/Kg		103.7	80.8 - 118.	
Copper	70.4	75.73		mg/Kg		107.6	83.4 - 116.	
Iron	13400	12660		mg/Kg		94.5	58.2 - 141.	
Potassium	1940	1951		mg/Kg		100.6	68.0 - 131.	
Magnesium	2240	2299		mg/Kg		102.7	75.4 - 125.	
Manganese	373	391.2		mg/Kg		104.9	81.5 - 118.	
Sodium	132	229 U		mg/Kg		102.6	71.4 - 129.	
Nickel	249	263.3		mg/Kg		105.7	81.9 - 118.	

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LCSSRM 460-871442/2-A ^5

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871442

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	Limits	
Lead	73.2	77.08		mg/Kg		105.3	82.8 - 117.	
Antimony	111	56.01		mg/Kg		50.5	0.7 - 205.	
Selenium	215	242.7		mg/Kg		112.9	78.1 - 121.	
Thallium	67.7	76.04		mg/Kg		112.3	80.1 - 120.	
Vanadium	177	182.5		mg/Kg		103.1	78.0 - 122.	
Zinc	360	377.5		mg/Kg		104.8	79.7 - 120.	
							3	

Lab Sample ID: 460-267207-E-1-E MS

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871442

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Silver	0.098	U	5.50	5.32		mg/Kg	⊗	97	75 - 125
Aluminum	13600		550	15490	4	mg/Kg	⊗	344	75 - 125
Arsenic	3.3		11.0	13.95		mg/Kg	⊗	97	75 - 125
Barium	87.3		11.0	99.23	4	mg/Kg	⊗	108	75 - 125
Beryllium	0.85		5.50	6.57		mg/Kg	⊗	104	75 - 125
Calcium	1100		550	1626		mg/Kg	⊗	95	75 - 125
Cadmium	0.12	U	5.50	5.41		mg/Kg	⊗	98	75 - 125
Cobalt	12.3		5.50	18.96		mg/Kg	⊗	121	75 - 125
Chromium	26.5	F1	11.0	65.56	F1	mg/Kg	⊗	356	75 - 125
Copper	13.9		11.0	25.15		mg/Kg	⊗	103	75 - 125
Iron	25100		550	26280	4	mg/Kg	⊗	208	75 - 125
Potassium	2600		550	3359	4	mg/Kg	⊗	139	75 - 125
Magnesium	7800		550	8228	4	mg/Kg	⊗	78	75 - 125
Manganese	545		55.0	696.4	4	mg/Kg	⊗	276	75 - 125
Sodium	397		550	927.5		mg/Kg	⊗	96	75 - 125
Nickel	27.5	F1	11.0	49.79	F1	mg/Kg	⊗	203	75 - 125
Lead	16.4	F1	5.50	23.91	F1	mg/Kg	⊗	137	75 - 125
Antimony	0.16	U F1	5.50	2.55	F1	mg/Kg	⊗	46	75 - 125
Selenium	0.14	U	11.0	8.98		mg/Kg	⊗	82	75 - 125
Thallium	0.22	J	4.40	4.68		mg/Kg	⊗	101	75 - 125
Vanadium	27.8		11.0	40.71		mg/Kg	⊗	117	75 - 125
Zinc	64.4		55.0	114.7		mg/Kg	⊗	92	75 - 125

Lab Sample ID: 460-267207-E-1-D DU

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 871442

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Silver	0.098	U	0.098	U	mg/Kg	⊗	NC	20
Aluminum	13600		13530		mg/Kg	⊗		0.5
Arsenic	3.3		3.46		mg/Kg	⊗		5
Barium	87.3		85.48		mg/Kg	⊗		2
Beryllium	0.85		0.869		mg/Kg	⊗		2

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: 460-267207-E-1-D DU

Matrix: Solid

Analysis Batch: 871758

Client Sample ID: Duplicate
Prep Type: Total/NA
Prep Batch: 871442

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Calcium	1100		1045		mg/Kg	⊗	5	20
Cadmium	0.12	U	0.12	U	mg/Kg	⊗	NC	20
Cobalt	12.3		12.74		mg/Kg	⊗	3	20
Chromium	26.5	F1	27.29		mg/Kg	⊗	3	20
Copper	13.9		13.48		mg/Kg	⊗	3	20
Iron	25100		24850		mg/Kg	⊗	1	20
Potassium	2600		2490		mg/Kg	⊗	4	20
Magnesium	7800		7181		mg/Kg	⊗	8	20
Manganese	545		634.4		mg/Kg	⊗	15	20
Sodium	397		378.4		mg/Kg	⊗	5	20
Nickel	27.5	F1	27.53		mg/Kg	⊗	0.2	20
Lead	16.4	F1	16.16		mg/Kg	⊗	1	20
Antimony	0.16	U F1	0.16	U	mg/Kg	⊗	NC	20
Selenium	0.14	U	0.14	U	mg/Kg	⊗	NC	20
Thallium	0.22	J	0.216	J	mg/Kg	⊗	3	20
Vanadium	27.8		28.60		mg/Kg	⊗	3	20
Zinc	64.4		61.92		mg/Kg	⊗	4	20

Lab Sample ID: MB 460-871778/1-A

Matrix: Solid

Analysis Batch: 872019

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871778

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.00029	U	0.0020	0.00029	mg/L		10/13/22 15:15	10/14/22 11:54	1
Arsenic	0.00089	U	0.0020	0.00089	mg/L		10/13/22 15:15	10/14/22 11:54	1
Barium	0.00091	U	0.0040	0.00091	mg/L		10/13/22 15:15	10/14/22 11:54	1
Cadmium	0.00039	U	0.0020	0.00039	mg/L		10/13/22 15:15	10/14/22 11:54	1
Chromium	0.0025	U	0.0040	0.0025	mg/L		10/13/22 15:15	10/14/22 11:54	1
Lead	0.00084	U	0.0012	0.00084	mg/L		10/13/22 15:15	10/14/22 11:54	1
Selenium	0.00059	U	0.0025	0.00059	mg/L		10/13/22 15:15	10/14/22 11:54	1

Lab Sample ID: LCS 460-871778/2-A ^10

Matrix: Solid

Analysis Batch: 872019

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871778

Analyte	Spike Added	LCS		Unit	D	%Rec	Limits
		Result	Qualifier				
Silver	0.500	0.526		mg/L		105	80 - 120
Arsenic	5.00	5.35		mg/L		107	80 - 120
Barium	10.0	10.69		mg/L		107	80 - 120
Cadmium	1.00	1.07		mg/L		107	80 - 120
Chromium	5.00	5.40		mg/L		108	80 - 120
Lead	5.00	5.22		mg/L		104	80 - 120
Selenium	1.00	1.06		mg/L		106	80 - 120

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 6020B - Metals (ICP/MS) (Continued)

Lab Sample ID: LB 460-871543/1-F ^10

Matrix: Solid

Analysis Batch: 872019

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 871778

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Silver	0.0029	U	0.020	0.0029	mg/L		10/13/22 15:15	10/14/22 12:44	10
Arsenic	0.0089	U	0.020	0.0089	mg/L		10/13/22 15:15	10/14/22 12:44	10
Barium	0.0091	U	0.040	0.0091	mg/L		10/13/22 15:15	10/14/22 12:44	10
Cadmium	0.0039	U	0.020	0.0039	mg/L		10/13/22 15:15	10/14/22 12:44	10
Chromium	0.025	U	0.040	0.025	mg/L		10/13/22 15:15	10/14/22 12:44	10
Lead	0.0084	U	0.012	0.0084	mg/L		10/13/22 15:15	10/14/22 12:44	10
Selenium	0.0059	U	0.025	0.0059	mg/L		10/13/22 15:15	10/14/22 12:44	10

Lab Sample ID: 180-146010-C-1-I MS ^10

Matrix: Solid

Analysis Batch: 872019

Client Sample ID: Matrix Spike

Prep Type: TCLP

Prep Batch: 871778

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits	%Rec	Limits
Silver	0.0029	U	0.500	0.506		mg/L		101	75 - 125		
Arsenic	0.0089	U	5.00	5.24		mg/L		105	75 - 125		
Barium	0.18		10.0	10.73		mg/L		105	75 - 125		
Cadmium	0.0039	U	1.00	1.06		mg/L		106	75 - 125		
Chromium	0.025	U	5.00	5.23		mg/L		105	75 - 125		
Lead	0.0084	U	5.00	5.25		mg/L		105	75 - 125		
Selenium	0.0059	U	1.00	1.08		mg/L		108	75 - 125		

Lab Sample ID: 180-146010-C-1-H DU ^10

Matrix: Solid

Analysis Batch: 872019

Client Sample ID: Duplicate

Prep Type: TCLP

Prep Batch: 871778

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Silver	0.0029	U	0.0029	U	mg/L		NC	20
Arsenic	0.0089	U	0.0089	U	mg/L		NC	20
Barium	0.18		0.184		mg/L		4	20
Cadmium	0.0039	U	0.0039	U	mg/L		NC	20
Chromium	0.025	U	0.025	U	mg/L		NC	20
Lead	0.0084	U	0.0084	U	mg/L		NC	20
Selenium	0.0059	U	0.0059	U	mg/L		NC	20

Method: 7470A - Mercury (CVAA)

Lab Sample ID: MB 460-871740/1-A

Matrix: Solid

Analysis Batch: 871797

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871740

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000091	U	0.000020	0.000091	mg/L		10/13/22 12:18	10/13/22 15:18	1

Lab Sample ID: LCS 460-871740/2-A

Matrix: Solid

Analysis Batch: 871797

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871740

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Mercury	0.00500	0.00526		mg/L		105	80 - 120

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 7470A - Mercury (CVAA) (Continued)

Lab Sample ID: LB 460-871543/1-E

Matrix: Solid

Analysis Batch: 871797

Analyte	LB Result	LB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.000091	U	0.00020	0.000091	mg/L		10/13/22 12:18	10/13/22 16:03	1

Lab Sample ID: 460-267215-G-1-D MS

Matrix: Solid

Analysis Batch: 871797

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
	Mercury	0.000091	U	0.00500	0.00481	mg/L		96	75 - 125

Lab Sample ID: 460-267215-G-1-C DU

Matrix: Solid

Analysis Batch: 871797

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
	Mercury	0.000091	U	0.000091	U	mg/L		NC

Method: 7471B - Mercury (CVAA)

Lab Sample ID: MB 460-871385/1-A

Matrix: Solid

Analysis Batch: 871401

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Mercury	0.0080	U	0.017	0.0080	mg/Kg		10/12/22 00:34	10/12/22 05:33	1

Lab Sample ID: LCSSRM 460-871385/2-A ^40

Matrix: Solid

Analysis Batch: 871401

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	RPD	Limit
Mercury	13.2	16.98		mg/Kg		128.7	58.0 - 142.	4

Lab Sample ID: 460-267187-E-10-A MSD

Matrix: Solid

Analysis Batch: 871401

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD	Limit
Mercury	0.0074	U	0.0771	0.0879		mg/Kg		114	80 - 120	0 20

Lab Sample ID: 460-267187-F-10-B MS

Matrix: Solid

Analysis Batch: 871401

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	RPD	Limit
Mercury	0.0074	U	0.0771	0.0881		mg/Kg		114	80 - 120	

Client Sample ID: Method Blank

Prep Type: TCLP

Prep Batch: 871740

Client Sample ID: Matrix Spike

Prep Type: TCLP

Prep Batch: 871740

Client Sample ID: Duplicate

Prep Type: TCLP

Prep Batch: 871740

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871385

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871385

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871385

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871385

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 7471B - Mercury (CVAA) (Continued)

Lab Sample ID: 460-267187-A-10-A DU

Matrix: Solid

Analysis Batch: 871401

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 871385

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Mercury	0.0074	U	0.0074	U	mg/Kg	⊗	NC	20

Method: 1030 - Ignitability, Solids

Lab Sample ID: 460-264758-A-11 DU

Matrix: Solid

Analysis Batch: 872023

Client Sample ID: Duplicate

Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Burn Rate	2.20	U	2.20	U	mm/sec	⊗	NC	10

Method: 9012B - Cyanide, Total andor Amenable

Lab Sample ID: MB 460-871580/2-A

Matrix: Solid

Analysis Batch: 871605

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871580

Analyte	MB Result	MB Qualifier	RL	MDL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Total	0.13	U	0.24	0.13	mg/L	⊗	10/12/22 18:56	10/12/22 21:40	1

Lab Sample ID: LCSSRM 460-871580/3-A ^20

Matrix: Solid

Analysis Batch: 871605

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871580

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	Limits
Cyanide, Total	115	60.48		mg/L	⊗	52.6	25.6 - 125.

Lab Sample ID: MRL 460-871580/1-A

Matrix: Solid

Analysis Batch: 871605

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871580

Analyte	Spike Added	MRL Result	MRL Qualifier	Unit	D	%Rec	Limits
Cyanide, Total	0.0100	0.0110		mg/L	⊗	110	50 - 150

Lab Sample ID: 460-267187-F-10-L MS

Matrix: Solid

Analysis Batch: 871605

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871580

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Cyanide, Total	0.13	U F1	4.52	5.38		mg/L	⊗	119	26 - 120

Lab Sample ID: 460-267187-F-10-M MSD

Matrix: Solid

Analysis Batch: 871605

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871580

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	RPD
Cyanide, Total	0.13	U F1	4.52	5.88	F1	mg/L	⊗	130	9

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 9014 - Cyanide, Reactive

Lab Sample ID: MB 460-871761/1-A

Matrix: Solid

Analysis Batch: 871765

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871761

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Cyanide, Reactive	25.0	U	25.0	25.0	mg/Kg		10/13/22 10:00	10/13/22 12:00	1

Lab Sample ID: LCS 460-871761/2-A

Matrix: Solid

Analysis Batch: 871765

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871761

Analyte	Spike Added	LCS Result	LCS Qualifier	Unit	D	%Rec	Limits
Cyanide, Reactive	40.0	25.0	U	mg/Kg		12	10 - 100

Lab Sample ID: 460-267042-G-4-I DU

Matrix: Solid

Analysis Batch: 871765

Client Sample ID: Duplicate

Prep Type: Total/NA

Prep Batch: 871761

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	Limit
Cyanide, Reactive	25.0	U	25.0	U	mg/Kg		NC	10

Method: 9034 - Sulfide, Reactive

Lab Sample ID: MB 460-871759/1-A

Matrix: Solid

Analysis Batch: 871763

Client Sample ID: Method Blank

Prep Type: Total/NA

Prep Batch: 871759

Analyte	MB Result	MB Qualifier	RL	RL	Unit	D	Prepared	Analyzed	Dil Fac
Sulfide, Reactive	20.0	U	20.0	20.0	mg/Kg		10/13/22 10:00	10/13/22 12:00	1

Lab Sample ID: LCSSRM 460-871759/3-A

Matrix: Solid

Analysis Batch: 871763

Client Sample ID: Lab Control Sample

Prep Type: Total/NA

Prep Batch: 871759

Analyte	Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	Limits
Sulfide, Reactive	70.9	81.75		mg/Kg		115.3	46.7 - 142.

5

Lab Sample ID: 460-267042-G-4-F MS

Matrix: Solid

Analysis Batch: 871763

Client Sample ID: Matrix Spike

Prep Type: Total/NA

Prep Batch: 871759

Analyte	Sample Result	Sample Qualifier	Spike Added	MS Result	MS Qualifier	Unit	D	%Rec	Limits
Sulfide, Reactive	20.0	U	436	330.2		mg/Kg		76	64 - 136

Lab Sample ID: 460-267042-G-4-G MSD

Matrix: Solid

Analysis Batch: 871763

Client Sample ID: Matrix Spike Duplicate

Prep Type: Total/NA

Prep Batch: 871759

Analyte	Sample Result	Sample Qualifier	Spike Added	MSD Result	MSD Qualifier	Unit	D	%Rec	Limits	RPD	Limit
Sulfide, Reactive	20.0	U	436	338.2		mg/Kg		78	64 - 136	2	10

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: 9045D - pH

Lab Sample ID: MB 460-872026/2

Matrix: Solid

Analysis Batch: 872026

Client Sample ID: Method Blank
Prep Type: Total/NA

Analyte	MB Result	MB Qualifier	NONE	NONE	Unit	D	Prepared	Analyzed	Dil Fac
pH	6.0				SU			10/14/22 16:38	1
Temperature	23.5				Degrees C			10/14/22 16:38	1
Corrosivity	6.0				SU			10/14/22 16:38	1

Lab Sample ID: LCSSRM 460-872026/3

Matrix: Solid

Analysis Batch: 872026

Client Sample ID: Lab Control Sample
Prep Type: Total/NA

Analyte		Spike Added	LCSSRM Result	LCSSRM Qualifier	Unit	D	%Rec	%Rec Limits	
pH		6.27	6.3		SU		100.2	96.8 - 103.	
Corrosivity		6.27	6.3		SU		100.2	96.8 - 103.	

Lab Sample ID: 460-266765-A-1 DU

Matrix: Solid

Analysis Batch: 872026

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	Limit
pH	7.8		7.8		SU			0.1	10
Temperature	22.4		22.6		Degrees C			0.9	10
Corrosivity	7.8		7.8		SU			0.1	10

Method: 9095B - Paint Filter

Lab Sample ID: 460-267195-2 DU

Matrix: Solid

Analysis Batch: 872018

Client Sample ID: A-01-C
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	Limit
Free Liquid	0.500	U	0.500	U	mL/100g			NC	10

Method: Moisture - Percent Moisture

Lab Sample ID: 460-267108-A-7 DU

Matrix: Solid

Analysis Batch: 871274

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	Limit
Percent Moisture	5.4		6.2		%			15	20
Percent Solids	94.6		93.8		%			0.9	20

Lab Sample ID: 460-267240-B-1 DU

Matrix: Solid

Analysis Batch: 871800

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D		RPD	Limit
Percent Moisture	18.9		17.3		%			9	20
Percent Solids	81.1		82.7		%			2	20

Eurofins Edison

QC Sample Results

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Method: SM 2540G - Total, Fixed, and Volatile Solids

Lab Sample ID: 460-267197-H-4 DU

Matrix: Solid

Analysis Batch: 871494

Client Sample ID: Duplicate
Prep Type: Total/NA

Analyte	Sample Result	Sample Qualifier	DU Result	DU Qualifier	Unit	D	RPD	RPD Limit
Total Volatile Solids	2.4		4.63	F3	%		64	5

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

GC/MS VOA

Prep Batch: 871378

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-1	A-01-G	Total/NA	Solid	5035	
460-267195-3	A-02-G	Total/NA	Solid	5035	

Analysis Batch: 871525

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-1	A-01-G	Total/NA	Solid	8260D	871378
460-267195-3	A-02-G	Total/NA	Solid	8260D	871378
MB 460-871525/10	Method Blank	Total/NA	Solid	8260D	
LCS 460-871525/5	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-871525/6	Lab Control Sample Dup	Total/NA	Solid	8260D	

Leach Batch: 871618

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-1	A-01-G	TCLP	Solid	1311	
460-267195-3	A-02-G	TCLP	Solid	1311	
LB 460-871618/1-A	Method Blank	TCLP	Solid	1311	

Analysis Batch: 871882

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-1	A-01-G	TCLP	Solid	8260D	871618
460-267195-3	A-02-G	TCLP	Solid	8260D	871618
LB 460-871618/1-A	Method Blank	TCLP	Solid	8260D	871618
MB 460-871882/9	Method Blank	Total/NA	Solid	8260D	
LCS 460-871882/4	Lab Control Sample	Total/NA	Solid	8260D	
LCSD 460-871882/5	Lab Control Sample Dup	Total/NA	Solid	8260D	

GC/MS Semi VOA

Prep Batch: 871330

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	3546	
460-267195-4	A-02-C	Total/NA	Solid	3546	
MB 460-871330/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-871330/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-871330/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
460-267188-A-2-G MS	Matrix Spike	Total/NA	Solid	3546	
460-267188-A-2-H MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Analysis Batch: 871381

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	8270E	871330
460-267195-4	A-02-C	Total/NA	Solid	8270E	871330
MB 460-871330/1-A	Method Blank	Total/NA	Solid	8270E	871330
LCS 460-871330/2-A	Lab Control Sample	Total/NA	Solid	8270E	871330
LCSD 460-871330/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	871330
460-267188-A-2-G MS	Matrix Spike	Total/NA	Solid	8270E	871330
460-267188-A-2-H MSD	Matrix Spike Duplicate	Total/NA	Solid	8270E	871330

Leach Batch: 871543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	1311	

Eurofins Edison

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

GC/MS Semi VOA (Continued)

Leach Batch: 871543 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-4	A-02-C	TCLP	Solid	1311	
LB 460-871543/1-D	Method Blank	TCLP	Solid	1311	

Prep Batch: 871709

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	3510C	871543
460-267195-4	A-02-C	TCLP	Solid	3510C	871543
LB 460-871543/1-D	Method Blank	TCLP	Solid	3510C	871543
MB 460-871709/1-A	Method Blank	Total/NA	Solid	3510C	
LCS 460-871709/2-A	Lab Control Sample	Total/NA	Solid	3510C	
LCSD 460-871709/3-A	Lab Control Sample Dup	Total/NA	Solid	3510C	

Analysis Batch: 871814

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	8270E	871709
460-267195-4	A-02-C	TCLP	Solid	8270E	871709
LB 460-871543/1-D	Method Blank	TCLP	Solid	8270E	871709
MB 460-871709/1-A	Method Blank	Total/NA	Solid	8270E	871709
LCS 460-871709/2-A	Lab Control Sample	Total/NA	Solid	8270E	871709
LCSD 460-871709/3-A	Lab Control Sample Dup	Total/NA	Solid	8270E	871709

GC Semi VOA

Prep Batch: 871323

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	3546	
460-267195-4	A-02-C	Total/NA	Solid	3546	
MB 460-871323/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-871323/2-A	Lab Control Sample	Total/NA	Solid	3546	
460-267188-A-2-A MS	Matrix Spike	Total/NA	Solid	3546	
460-267188-A-2-B MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Prep Batch: 871329

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	3546	
460-267195-4	A-02-C	Total/NA	Solid	3546	
MB 460-871329/1-A	Method Blank	Total/NA	Solid	3546	
LCS 460-871329/2-A	Lab Control Sample	Total/NA	Solid	3546	
LCSD 460-871329/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	
460-267188-A-2-D MS	Matrix Spike	Total/NA	Solid	3546	
460-267188-A-2-E MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	

Analysis Batch: 871408

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	8081B	871329
460-267195-4	A-02-C	Total/NA	Solid	8081B	871329
MB 460-871329/1-A	Method Blank	Total/NA	Solid	8081B	871329
LCS 460-871329/2-A	Lab Control Sample	Total/NA	Solid	8081B	871329
LCSD 460-871329/3-A	Lab Control Sample Dup	Total/NA	Solid	8081B	871329
460-267188-A-2-D MS	Matrix Spike	Total/NA	Solid	8081B	871329
460-267188-A-2-E MSD	Matrix Spike Duplicate	Total/NA	Solid	8081B	871329

Eurofins Edison

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

GC Semi VOA

Analysis Batch: 871417

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 460-871323/1-A	Method Blank	Total/NA	Solid	8082A	871323
LCS 460-871323/2-A	Lab Control Sample	Total/NA	Solid	8082A	871323
460-267188-A-2-A MS	Matrix Spike	Total/NA	Solid	8082A	871323
460-267188-A-2-B MSD	Matrix Spike Duplicate	Total/NA	Solid	8082A	871323

Analysis Batch: 871449

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	8082A	871323
460-267195-4	A-02-C	Total/NA	Solid	8082A	871323

Prep Batch: 871467

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	3510C	871543
460-267195-4	A-02-C	TCLP	Solid	3510C	871543
LB 460-871543/1-B	Method Blank	TCLP	Solid	3510C	871543
MB 460-871467/1-A	Method Blank	Total/NA	Solid	3510C	871543
LCS 460-871467/2-A	Lab Control Sample	Total/NA	Solid	3510C	871543
LCSD 460-871467/3-A	Lab Control Sample Dup	Total/NA	Solid	3510C	871543

Prep Batch: 871479

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	8151A	871543
460-267195-4	A-02-C	TCLP	Solid	8151A	871543
LB 460-871543/1-C	Method Blank	TCLP	Solid	8151A	871543
MB 460-871479/1-A	Method Blank	Total/NA	Solid	8151A	871543
LCS 460-871479/2-A	Lab Control Sample	Total/NA	Solid	8151A	871543
LCSD 460-871479/3-A	Lab Control Sample Dup	Total/NA	Solid	8151A	871543

Prep Batch: 871480

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	8151A	871543
460-267195-4	A-02-C	Total/NA	Solid	8151A	871543
MB 460-871480/1-A	Method Blank	Total/NA	Solid	8151A	871543
LCS 460-871480/2-A	Lab Control Sample	Total/NA	Solid	8151A	871543
LCSD 460-871480/3-A	Lab Control Sample Dup	Total/NA	Solid	8151A	871543
460-267187-F-10-H MS	Matrix Spike	Total/NA	Solid	8151A	871543
460-267187-F-10-I MSD	Matrix Spike Duplicate	Total/NA	Solid	8151A	871543

Prep Batch: 871485

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	3546	871543
460-267195-4	A-02-C	Total/NA	Solid	3546	871543
MB 460-871485/1-A	Method Blank	Total/NA	Solid	3546	871543
LCS 460-871485/2-A	Lab Control Sample	Total/NA	Solid	3546	871543
LCSD 460-871485/3-A	Lab Control Sample Dup	Total/NA	Solid	3546	871543
460-267197-F-2-A MS	Matrix Spike	Total/NA	Solid	3546	871543
460-267197-F-2-B MSD	Matrix Spike Duplicate	Total/NA	Solid	3546	871543

Leach Batch: 871543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	1311	

Eurofins Edison

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

GC Semi VOA (Continued)

Leach Batch: 871543 (Continued)

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-4	A-02-C	TCLP	Solid	1311	
LB 460-871543/1-B	Method Blank	TCLP	Solid	1311	
LB 460-871543/1-C	Method Blank	TCLP	Solid	1311	

Analysis Batch: 871626

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 460-871467/1-A	Method Blank	Total/NA	Solid	8081B	871467
LCS 460-871467/2-A	Lab Control Sample	Total/NA	Solid	8081B	871467
LCSD 460-871467/3-A	Lab Control Sample Dup	Total/NA	Solid	8081B	871467

Analysis Batch: 871650

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	8151A	871480
460-267195-4	A-02-C	Total/NA	Solid	8151A	871480
MB 460-871479/1-A	Method Blank	Total/NA	Solid	8151A	871479
LCS 460-871479/2-A	Lab Control Sample	Total/NA	Solid	8151A	871479
LCS 460-871480/2-A	Lab Control Sample	Total/NA	Solid	8151A	871480
LCSD 460-871479/3-A	Lab Control Sample Dup	Total/NA	Solid	8151A	871479
LCSD 460-871480/3-A	Lab Control Sample Dup	Total/NA	Solid	8151A	871480
460-267187-F-10-H MS	Matrix Spike	Total/NA	Solid	8151A	871480
460-267187-F-10-I MSD	Matrix Spike Duplicate	Total/NA	Solid	8151A	871480

Analysis Batch: 871737

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	NJDEP EPH	871485
460-267195-4	A-02-C	Total/NA	Solid	NJDEP EPH	871485
MB 460-871485/1-A	Method Blank	Total/NA	Solid	NJDEP EPH	871485
LCS 460-871485/2-A	Lab Control Sample	Total/NA	Solid	NJDEP EPH	871485
LCSD 460-871485/3-A	Lab Control Sample Dup	Total/NA	Solid	NJDEP EPH	871485
460-267197-F-2-A MS	Matrix Spike	Total/NA	Solid	NJDEP EPH	871485
460-267197-F-2-B MSD	Matrix Spike Duplicate	Total/NA	Solid	NJDEP EPH	871485

Analysis Batch: 871865

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	8081B	871467
460-267195-4	A-02-C	TCLP	Solid	8081B	871467
LB 460-871543/1-B	Method Blank	TCLP	Solid	8081B	871467

Analysis Batch: 871895

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	8151A	871479
460-267195-4	A-02-C	TCLP	Solid	8151A	871479
LB 460-871543/1-C	Method Blank	TCLP	Solid	8151A	871479

Analysis Batch: 871939

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
MB 460-871480/1-A	Method Blank	Total/NA	Solid	8151A	871480

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Eurofins Edison

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Metals

Prep Batch: 871385

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	7471B	
460-267195-4	A-02-C	Total/NA	Solid	7471B	
MB 460-871385/1-A	Method Blank	Total/NA	Solid	7471B	
LCSSRM 460-871385/2-A ^4	Lab Control Sample	Total/NA	Solid	7471B	
460-267187-E-10-A MSD	Matrix Spike Duplicate	Total/NA	Solid	7471B	
460-267187-F-10-B MS	Matrix Spike	Total/NA	Solid	7471B	
460-267187-A-10-A DU	Duplicate	Total/NA	Solid	7471B	

Analysis Batch: 871401

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	7471B	871385
460-267195-4	A-02-C	Total/NA	Solid	7471B	871385
MB 460-871385/1-A	Method Blank	Total/NA	Solid	7471B	871385
LCSSRM 460-871385/2-A ^4	Lab Control Sample	Total/NA	Solid	7471B	871385
460-267187-E-10-A MSD	Matrix Spike Duplicate	Total/NA	Solid	7471B	871385
460-267187-F-10-B MS	Matrix Spike	Total/NA	Solid	7471B	871385
460-267187-A-10-A DU	Duplicate	Total/NA	Solid	7471B	871385

Prep Batch: 871442

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	3050B	
460-267195-4	A-02-C	Total/NA	Solid	3050B	
MB 460-871442/1-A	Method Blank	Total/NA	Solid	3050B	
LCSSRM 460-871442/2-A ^1	Lab Control Sample	Total/NA	Solid	3050B	
LCSSRM 460-871442/2-A ^5	Lab Control Sample	Total/NA	Solid	3050B	
460-267207-E-1-E MS	Matrix Spike	Total/NA	Solid	3050B	
460-267207-E-1-D DU	Duplicate	Total/NA	Solid	3050B	

Leach Batch: 871543

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	1311	
460-267195-4	A-02-C	TCLP	Solid	1311	
LB 460-871543/1-E	Method Blank	TCLP	Solid	1311	
LB 460-871543/1-F ^10	Method Blank	TCLP	Solid	1311	
180-146010-C-1-I MS ^10	Matrix Spike	TCLP	Solid	1311	
460-267215-G-1-D MS	Matrix Spike	TCLP	Solid	1311	
180-146010-C-1-H DU ^10	Duplicate	TCLP	Solid	1311	
460-267215-G-1-C DU	Duplicate	TCLP	Solid	1311	

Prep Batch: 871740

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	7470A	871543
460-267195-4	A-02-C	TCLP	Solid	7470A	871543
LB 460-871543/1-E	Method Blank	TCLP	Solid	7470A	871543
MB 460-871740/1-A	Method Blank	Total/NA	Solid	7470A	
LCS 460-871740/2-A	Lab Control Sample	Total/NA	Solid	7470A	
460-267215-G-1-D MS	Matrix Spike	TCLP	Solid	7470A	871543
460-267215-G-1-C DU	Duplicate	TCLP	Solid	7470A	871543

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Metals

Analysis Batch: 871758

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	6020B	871442
460-267195-4	A-02-C	Total/NA	Solid	6020B	871442
MB 460-871442/1-A	Method Blank	Total/NA	Solid	6020B	871442
LCSSRM 460-871442/2-A ^5	Lab Control Sample	Total/NA	Solid	6020B	871442
460-267207-E-1-E MS	Matrix Spike	Total/NA	Solid	6020B	871442
460-267207-E-1-D DU	Duplicate	Total/NA	Solid	6020B	871442

Prep Batch: 871778

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	3010A	871543
460-267195-4	A-02-C	TCLP	Solid	3010A	871543
LB 460-871543/1-F ^10	Method Blank	TCLP	Solid	3010A	871543
MB 460-871778/1-A	Method Blank	Total/NA	Solid	3010A	871543
LCS 460-871778/2-A ^10	Lab Control Sample	Total/NA	Solid	3010A	871543
180-146010-C-1-I MS ^10	Matrix Spike	TCLP	Solid	3010A	871543
180-146010-C-1-H DU ^10	Duplicate	TCLP	Solid	3010A	871543

Analysis Batch: 871797

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	7470A	871740
460-267195-4	A-02-C	TCLP	Solid	7470A	871740
LB 460-871543/1-E	Method Blank	TCLP	Solid	7470A	871740
MB 460-871740/1-A	Method Blank	Total/NA	Solid	7470A	871740
LCS 460-871740/2-A	Lab Control Sample	Total/NA	Solid	7470A	871740
460-267215-G-1-D MS	Matrix Spike	TCLP	Solid	7470A	871740
460-267215-G-1-C DU	Duplicate	TCLP	Solid	7470A	871740

Analysis Batch: 871971

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
LCSSRM 460-871442/2-A ^1	Lab Control Sample	Total/NA	Solid	6020B	871442

Analysis Batch: 872019

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	TCLP	Solid	6020B	871778
460-267195-4	A-02-C	TCLP	Solid	6020B	871778
LB 460-871543/1-F ^10	Method Blank	TCLP	Solid	6020B	871778
MB 460-871778/1-A	Method Blank	Total/NA	Solid	6020B	871778
LCS 460-871778/2-A ^10	Lab Control Sample	Total/NA	Solid	6020B	871778
180-146010-C-1-I MS ^10	Matrix Spike	TCLP	Solid	6020B	871778
180-146010-C-1-H DU ^10	Duplicate	TCLP	Solid	6020B	871778

General Chemistry

Analysis Batch: 871274

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-1	A-01-G	Total/NA	Solid	Moisture	
460-267195-3	A-02-G	Total/NA	Solid	Moisture	
460-267108-A-14 MS	Matrix Spike	Total/NA	Solid	Moisture	
460-267108-A-14 MSD	Matrix Spike Duplicate	Total/NA	Solid	Moisture	
460-267108-A-7 DU	Duplicate	Total/NA	Solid	Moisture	

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

General Chemistry

Analysis Batch: 871494

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	SM 2540G	
460-267195-4	A-02-C	Total/NA	Solid	SM 2540G	
460-267197-H-4 DU	Duplicate	Total/NA	Solid	SM 2540G	

Prep Batch: 871580

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9012B	
460-267195-4	A-02-C	Total/NA	Solid	9012B	
MB 460-871580/2-A	Method Blank	Total/NA	Solid	9012B	
LCSSRM 460-871580/3-A ^2	Lab Control Sample	Total/NA	Solid	9012B	
MRL 460-871580/1-A	Lab Control Sample	Total/NA	Solid	9012B	
460-267187-F-10-L MS	Matrix Spike	Total/NA	Solid	9012B	
460-267187-F-10-M MSD	Matrix Spike Duplicate	Total/NA	Solid	9012B	

Analysis Batch: 871605

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9012B	871580
460-267195-4	A-02-C	Total/NA	Solid	9012B	871580
MB 460-871580/2-A	Method Blank	Total/NA	Solid	9012B	871580
LCSSRM 460-871580/3-A ^2	Lab Control Sample	Total/NA	Solid	9012B	871580
MRL 460-871580/1-A	Lab Control Sample	Total/NA	Solid	9012B	871580
460-267187-F-10-L MS	Matrix Spike	Total/NA	Solid	9012B	871580
460-267187-F-10-M MSD	Matrix Spike Duplicate	Total/NA	Solid	9012B	871580

Prep Batch: 871759

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	7.3.4	
460-267195-4	A-02-C	Total/NA	Solid	7.3.4	
MB 460-871759/1-A	Method Blank	Total/NA	Solid	7.3.4	
LCSSRM 460-871759/3-A	Lab Control Sample	Total/NA	Solid	7.3.4	
460-267042-G-4-F MS	Matrix Spike	Total/NA	Solid	7.3.4	
460-267042-G-4-G MSD	Matrix Spike Duplicate	Total/NA	Solid	7.3.4	

Prep Batch: 871761

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	7.3.3	
460-267195-4	A-02-C	Total/NA	Solid	7.3.3	
MB 460-871761/1-A	Method Blank	Total/NA	Solid	7.3.3	
LCS 460-871761/2-A	Lab Control Sample	Total/NA	Solid	7.3.3	
460-267042-G-4-I DU	Duplicate	Total/NA	Solid	7.3.3	

Analysis Batch: 871763

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9034	871759
460-267195-4	A-02-C	Total/NA	Solid	9034	871759
MB 460-871759/1-A	Method Blank	Total/NA	Solid	9034	871759
LCSSRM 460-871759/3-A	Lab Control Sample	Total/NA	Solid	9034	871759
460-267042-G-4-F MS	Matrix Spike	Total/NA	Solid	9034	871759
460-267042-G-4-G MSD	Matrix Spike Duplicate	Total/NA	Solid	9034	871759

QC Association Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

General Chemistry

Analysis Batch: 871765

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9014	871761
460-267195-4	A-02-C	Total/NA	Solid	9014	871761
MB 460-871761/1-A	Method Blank	Total/NA	Solid	9014	871761
LCS 460-871761/2-A	Lab Control Sample	Total/NA	Solid	9014	871761
460-267042-G-4-I DU	Duplicate	Total/NA	Solid	9014	871761

Analysis Batch: 871800

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	Moisture	8
460-267195-4	A-02-C	Total/NA	Solid	Moisture	9
460-267240-B-1 DU	Duplicate	Total/NA	Solid	Moisture	

Analysis Batch: 872018

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9095B	11
460-267195-4	A-02-C	Total/NA	Solid	9095B	12
460-267195-2 DU	A-01-C	Total/NA	Solid	9095B	

Analysis Batch: 872023

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	1030	14
460-267195-4	A-02-C	Total/NA	Solid	1030	
460-264758-A-11 DU	Duplicate	Total/NA	Solid	1030	15

Analysis Batch: 872026

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	9045D	
460-267195-4	A-02-C	Total/NA	Solid	9045D	
MB 460-872026/2	Method Blank	Total/NA	Solid	9045D	
LCSSRM 460-872026/3	Lab Control Sample	Total/NA	Solid	9045D	
460-266765-A-1 DU	Duplicate	Total/NA	Solid	9045D	

Geotechnical

Analysis Batch: 184965

Lab Sample ID	Client Sample ID	Prep Type	Matrix	Method	Prep Batch
460-267195-2	A-01-C	Total/NA	Solid	D422	
460-267195-4	A-02-C	Total/NA	Solid	D422	

Lab Chronicle

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-G

Date Collected: 10/10/22 10:05

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-1

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			871618	BBJ	EET EDI	10/13/22 01:21 - 10/14/22 03:00 ¹
TCLP	Analysis	8260D		10	871882	CJM	EET EDI	10/14/22 15:20
Total/NA	Analysis	Moisture		1	871274	MVA	EET EDI	10/11/22 12:20

Client Sample ID: A-01-G

Date Collected: 10/10/22 10:05

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-1

Matrix: Solid

Percent Solids: 93.4

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			871378	JJC	EET EDI	10/11/22 22:51
Total/NA	Analysis	8260D		1	871525	AAT	EET EDI	10/12/22 22:00

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3510C			871709	SXS	EET EDI	10/13/22 10:00
TCLP	Analysis	8270E		1	871814	MME	EET EDI	10/13/22 21:33
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3510C			871467	ZEH	EET EDI	10/13/22 09:57
TCLP	Analysis	8081B		1	871865	FAM	EET EDI	10/14/22 04:16
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	8151A			871479	ZEH	EET EDI	10/13/22 10:13
TCLP	Analysis	8151A		1	871895	SAK	EET EDI	10/14/22 08:05
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3010A			871778	VAP	EET EDI	10/13/22 15:15
TCLP	Analysis	6020B		10	872019	VAD	EET EDI	10/14/22 12:22
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	7470A			871740	RBS	EET EDI	10/13/22 12:18
TCLP	Analysis	7470A		1	871797	RBS	EET EDI	10/13/22 15:34
Total/NA	Analysis	1030		1	872023	YAH	EET EDI	10/14/22 16:21
Total/NA	Prep	7.3.3			871761	HTV	EET EDI	10/13/22 10:00
Total/NA	Analysis	9014		1	871765	HTV	EET EDI	10/13/22 12:00
Total/NA	Prep	7.3.4			871759	HTV	EET EDI	10/13/22 10:00
Total/NA	Analysis	9034		1	871763	HTV	EET EDI	10/13/22 12:00
Total/NA	Analysis	9045D		1	872026	YAH	EET EDI	10/14/22 16:38
Total/NA	Analysis	9095B		1	872018	YAH	EET EDI	10/14/22 14:00
Total/NA	Analysis	Moisture		1	871800	CJC	EET EDI	10/13/22 16:53
Total/NA	Analysis	SM 2540G		1	871494	PLS	EET EDI	10/12/22 12:44
Total/NA	Analysis	D422		1	184965	MAP	EET BUR	10/20/22 17:13

Eurofins Edison

Lab Chronicle

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-01-C

Date Collected: 10/10/22 10:15

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-2

Matrix: Solid

Percent Solids: 86.9

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			871330	ARA	EET EDI	10/11/22 16:59
Total/NA	Analysis	8270E		1	871381	MME	EET EDI	10/12/22 05:59
Total/NA	Prep	3546			871329	ARA	EET EDI	10/11/22 16:56
Total/NA	Analysis	8081B		1	871408	FAM	EET EDI	10/12/22 18:52
Total/NA	Prep	3546			871323	ARA	EET EDI	10/11/22 16:33
Total/NA	Analysis	8082A		1	871449	JHP	EET EDI	10/12/22 14:49
Total/NA	Prep	8151A			871480	ZEH	EET EDI	10/12/22 10:43
Total/NA	Analysis	8151A		1	871650	SAK	EET EDI	10/13/22 10:35
Total/NA	Prep	3546			871485	FHW	EET EDI	10/12/22 11:25
Total/NA	Analysis	NJDEP EPH		1	871737	CDC	EET EDI	10/13/22 15:51
Total/NA	Prep	3050B			871442	NNW	EET EDI	10/12/22 08:54
Total/NA	Analysis	6020B		1	871758	CDC	EET EDI	10/13/22 11:19
Total/NA	Prep	7471B			871385	TJS	EET EDI	10/12/22 00:34
Total/NA	Analysis	7471B		1	871401	TJS	EET EDI	10/12/22 05:55
Total/NA	Prep	9012B			871580	VBG	EET EDI	10/12/22 18:56
Total/NA	Analysis	9012B		1	871605	VBG	EET EDI	10/12/22 21:54

Client Sample ID: A-02-G

Date Collected: 10/10/22 10:35

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-3

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			871618	BJB	EET EDI	10/13/22 01:21 - 10/14/22 03:00 ¹
TCLP	Analysis	8260D		10	871882	CJM	EET EDI	10/14/22 17:51
Total/NA	Analysis	Moisture		1	871274	MVA	EET EDI	10/11/22 12:20

Client Sample ID: A-02-G

Date Collected: 10/10/22 10:35

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-3

Matrix: Solid

Percent Solids: 90.2

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	5035			871378	JJC	EET EDI	10/11/22 22:51
Total/NA	Analysis	8260D		1	871525	AAT	EET EDI	10/12/22 22:23

Client Sample ID: A-02-C

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Lab Sample ID: 460-267195-4

Matrix: Solid

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3510C			871709	SXS	EET EDI	10/13/22 10:00
TCLP	Analysis	8270E		1	871814	MME	EET EDI	10/13/22 21:54
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3510C			871467	ZEH	EET EDI	10/13/22 09:57
TCLP	Analysis	8081B		1	871865	FAM	EET EDI	10/14/22 04:30

Eurofins Edison

Lab Chronicle

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Client Sample ID: A-02-C

Lab Sample ID: 460-267195-4

Matrix: Solid

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	8151A			871479	ZEH	EET EDI	10/13/22 10:13
TCLP	Analysis	8151A		1	871895	SAK	EET EDI	10/14/22 08:19
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	3010A			871778	VAP	EET EDI	10/13/22 15:15
TCLP	Analysis	6020B		10	872019	VAD	EET EDI	10/14/22 12:29
TCLP	Leach	1311			871543	YAH	EET EDI	10/12/22 16:00 - 10/13/22 08:00 ¹
TCLP	Prep	7470A			871740	RBS	EET EDI	10/13/22 12:18
TCLP	Analysis	7470A		1	871797	RBS	EET EDI	10/13/22 15:36
Total/NA	Analysis	1030		1	872023	YAH	EET EDI	10/14/22 16:21
Total/NA	Prep	7.3.3			871761	HTV	EET EDI	10/13/22 10:00
Total/NA	Analysis	9014		1	871765	HTV	EET EDI	10/13/22 12:00
Total/NA	Prep	7.3.4			871759	HTV	EET EDI	10/13/22 10:00
Total/NA	Analysis	9034		1	871763	HTV	EET EDI	10/13/22 12:00
Total/NA	Analysis	9045D		1	872026	YAH	EET EDI	10/14/22 16:38
Total/NA	Analysis	9095B		1	872018	YAH	EET EDI	10/14/22 14:10
Total/NA	Analysis	Moisture		1	871800	CJC	EET EDI	10/13/22 16:53
Total/NA	Analysis	SM 2540G		1	871494	PLS	EET EDI	10/12/22 12:44
Total/NA	Analysis	D422		1	184965	MAP	EET BUR	10/20/22 17:14

Client Sample ID: A-02-C

Lab Sample ID: 460-267195-4

Matrix: Solid

Date Collected: 10/10/22 10:40

Date Received: 10/10/22 20:00

Percent Solids: 88.1

Prep Type	Batch Type	Batch Method	Run	Dilution Factor	Batch Number	Analyst	Lab	Prepared or Analyzed
Total/NA	Prep	3546			871330	ARA	EET EDI	10/11/22 16:59
Total/NA	Analysis	8270E		1	871381	MME	EET EDI	10/12/22 06:22
Total/NA	Prep	3546			871329	ARA	EET EDI	10/11/22 16:56
Total/NA	Analysis	8081B		1	871408	FAM	EET EDI	10/12/22 19:07
Total/NA	Prep	3546			871323	ARA	EET EDI	10/11/22 16:33
Total/NA	Analysis	8082A		1	871449	JHP	EET EDI	10/12/22 15:10
Total/NA	Prep	8151A			871480	ZEH	EET EDI	10/12/22 10:43
Total/NA	Analysis	8151A		1	871650	SAK	EET EDI	10/13/22 10:49
Total/NA	Prep	3546			871485	FHW	EET EDI	10/12/22 11:25
Total/NA	Analysis	NJDEP EPH		1	871737	CDC	EET EDI	10/13/22 16:05
Total/NA	Prep	3050B			871442	NNW	EET EDI	10/12/22 08:54
Total/NA	Analysis	6020B		1	871758	CDC	EET EDI	10/13/22 11:22
Total/NA	Prep	7471B			871385	TJS	EET EDI	10/12/22 00:34
Total/NA	Analysis	7471B		1	871401	TJS	EET EDI	10/12/22 05:56
Total/NA	Prep	9012B			871580	VBG	EET EDI	10/12/22 18:56
Total/NA	Analysis	9012B		1	871605	VBG	EET EDI	10/12/22 21:55

¹ Completion dates and times are reported or not reported per method requirements or individual lab discretion.

Eurofins Edison

Lab Chronicle

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Laboratory References:

EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990
EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

Accreditation/Certification Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Laboratory: Eurofins Edison

Unless otherwise noted, all analytes for this laboratory were covered under each accreditation/certification below.

Authority	Program	Identification Number	Expiration Date
Pennsylvania	NELAP	68-00522	02-28-23

The following analytes are included in this report, but the laboratory is not certified by the governing authority. This list may include analytes for which the agency does not offer certification.

Analysis Method	Prep Method	Matrix	Analyte
8270E	3546	Solid	1,2-Diphenylhydrazine
9014	7.3.3	Solid	Cyanide, Reactive
9034	7.3.4	Solid	Sulfide, Reactive
9045D		Solid	Corrosivity
9045D		Solid	Temperature
Moisture		Solid	Percent Moisture
Moisture		Solid	Percent Solids
NJDEP EPH	3546	Solid	Total EPH (C9-C40)
SM 2540G		Solid	Total Volatile Solids

Laboratory: Eurofins Burlington

All accreditations/certifications held by this laboratory are listed. Not all accreditations/certifications are applicable to this report.

Authority	Program	Identification Number	Expiration Date
ANAB	Dept. of Defense ELAP	L2336	02-25-23
Connecticut	State	PH-0751	09-30-23
DE Haz. Subst. Cleanup Act (HSCA)	State	N/A	05-17-23
Florida	NELAP	E87467	06-30-23
Minnesota	NELAP	050-999-436	12-31-22
New Hampshire	NELAP	2006	12-18-22
New Jersey	NELAP	VT972	06-30-23
New York	NELAP	10391	04-01-23
Pennsylvania	NELAP	68-00489	04-30-23
Rhode Island	State	LAO00298	12-30-22
US Fish & Wildlife	US Federal Programs	058448	07-31-23
USDA	US Federal Programs	P330-17-00272	10-30-23
Vermont	State	VT4000	02-10-23
Virginia	NELAP	460209	12-14-22
Wisconsin	State	399133350	08-31-23

Eurofins Edison

Method Summary

Client: Montrose Environmental Solutions Inc
 Project/Site: Yaffa

Job ID: 460-267195-1

Method	Method Description	Protocol	Laboratory	
8260D	Volatile Organic Compounds by GC/MS	SW846	EET EDI	1
8270E	Semivolatile Organic Compounds (GC/MS)	SW846	EET EDI	2
8081B	Organochlorine Pesticides (GC)	SW846	EET EDI	3
8082A	Polychlorinated Biphenyls (PCBs) by Gas Chromatography	SW846	EET EDI	4
8151A	Herbicides (GC)	SW846	EET EDI	5
NJDEP EPH	New Jersey Extractable Petroleum Hydrocarbons	NJDEP	EET EDI	6
6020B	Metals (ICP/MS)	SW846	EET EDI	7
7470A	Mercury (CVAA)	SW846	EET EDI	8
7471B	Mercury (CVAA)	SW846	EET EDI	9
1030	Ignitability, Solids	SW846	EET EDI	10
9012B	Cyanide, Total andor Amenable	SW846	EET EDI	11
9014	Cyanide, Reactive	SW846	EET EDI	12
9034	Sulfide, Reactive	SW846	EET EDI	13
9045D	pH	SW846	EET EDI	14
9095B	Paint Filter	SW846	EET EDI	15
Moisture	Percent Moisture	EPA	EET EDI	
SM 2540G	Total, Fixed, and Volatile Solids	SM	EET EDI	
D422	Grain Size	ASTM	EET BUR	
1311	TCLP Extraction	SW846	EET EDI	
3010A	Preparation, Total Metals	SW846	EET EDI	
3050B	Preparation, Metals	SW846	EET EDI	
3510C	Liquid-Liquid Extraction (Separatory Funnel)	SW846	EET EDI	
3546	Microwave Extraction	SW846	EET EDI	
5030C	Purge and Trap	SW846	EET EDI	
5035	Closed System Purge and Trap	SW846	EET EDI	
7.3.3	Cyanide, Reactive	SW846	EET EDI	
7.3.4	Sulfide, Reactive	SW846	EET EDI	
7470A	Preparation, Mercury	SW846	EET EDI	
7471B	Preparation, Mercury	SW846	EET EDI	
8151A	Extraction (Herbicides)	SW846	EET EDI	
9012B	Cyanide, Total and/or Amenable, Distillation	SW846	EET EDI	

Protocol References:

ASTM = ASTM International

EPA = US Environmental Protection Agency

NJDEP = New Jersey Department of Environmental Protection

SM = "Standard Methods For The Examination Of Water And Wastewater"

SW846 = "Test Methods For Evaluating Solid Waste, Physical/Chemical Methods", Third Edition, November 1986 And Its Updates.

Laboratory References:

EET BUR = Eurofins Burlington, 530 Community Drive, Suite 11, South Burlington, VT 05403, TEL (802)660-1990

EET EDI = Eurofins Edison, 777 New Durham Road, Edison, NJ 08817, TEL (732)549-3900

Eurofins Edison

Sample Summary

Client: Montrose Environmental Solutions Inc
Project/Site: Yaffa

Job ID: 460-267195-1

Lab Sample ID	Client Sample ID	Matrix	Collected	Received
460-267195-1	A-01-G	Solid	10/10/22 10:05	10/10/22 20:00
460-267195-2	A-01-C	Solid	10/10/22 10:15	10/10/22 20:00
460-267195-3	A-02-G	Solid	10/10/22 10:35	10/10/22 20:00
460-267195-4	A-02-C	Solid	10/10/22 10:40	10/10/22 20:00

Chain of Custody Record



South Jersey Service Center

372

Regulatory Program: DW NPDES RCRA Other:

Client Contact		Project Manager: Chris Vallyigny		Site Contact: Matt Piarulli		Date: 10/10/22	Carrier: Courier		COC No. _____ of _____ COCs		
Montrose Environmental Solutions 1055 Andrew Drive, Suite A West Chester, Pa (610) 840-9100 (xxx) xxx-xxxx Project Name: Yaffa Site: P O # 11595-01		Email: C. Vallyigny/A. Graham Tel/Fax: FAX		Lab Contact: Kristyn Temp					TALS Project #: MRP Sampler: For Lab Use Only: <input checked="" type="checkbox"/> Walk-in Client: <input type="checkbox"/> Lab Sampling: <input type="checkbox"/>		
Analysis Turnaround Time		TAT if different from Below		Carrier: Courier							
<input type="checkbox"/> CALENDAR DAYS <input checked="" type="checkbox"/> WORKING DAYS		<input type="checkbox"/> 2 weeks <input type="checkbox"/> 1 week <input type="checkbox"/> 2 days <input type="checkbox"/> 1 day									
Sample Identification		Sample Date	Sample Time	Sample Type (C=Comp, G=Grab)	Matrix	# of Cont.	Sample Specific Notes:				
A-01-C		10/10/22	10:05	G	S	1					
A-01-C		10/10/22	10:15	C	S	1					
A-02-G		10/10/22	10:35	G	S	5					
A-02-C		10/10/22	10:40	C	S	12					
B-20-G		10/10/22	12:40	G	S	5					
B-20-C		10/10/22	12:50	C	S	12					
B-21-G		10/10/22	13:00	G	S	5					
B-21-C		10/10/22	13:40	C	S	12					
B-18-G		10/10/22	14:20	G	S	5					
B-18-C		10/10/22	14:45	C	S	12					
B-19-G		10/10/22	15:15	G	S	5					
B-19-C		10/10/22	15:25	C	S	12					
Preservation Used: 1= Ice, 2= HCl; 3= H ₂ SO ₄ ; 4=HNO ₃ ; 5=NaOH; 6= Other MeOH										1.6 1 1 1 1 1 1 1 1 1	
Possible Hazard Identification: Are any samples from a listed EPA Hazardous Waste? Please List any EPA Waste Codes for the sample in the Comments Section if the lab is to dispose of the sample. <input type="checkbox"/> Non-Hazard <input type="checkbox"/> Flammable <input type="checkbox"/> Skin Irritant <input type="checkbox"/> Poison B <input type="checkbox"/> Unknown										1.6-195 Chain of Custody	
Special Instructions/QC Requirements & Comments:										460-267195 Chain of Custody	
Custody Seals Intact: <input type="checkbox"/> Yes <input type="checkbox"/> No		Custody Seal No.:		Custody Seal No.:		Cooler Temp. (°C): Obs'd:		Received by:		Company: Z-N	Date/Time: 10/10/22 15:34
Relinquished by:		Company: Montrose		Company: Montrose		Date/Time: 10/10/22 15:34		Received by:		Company: Z-N	Date/Time: 10/10/22 15:34
Relinquished by:		Company:		Company:		Date/Time: 10/10/22 15:34		Received in Laboratory by:		Company: Z-N	Date/Time: 10/10/22 15:34
Relinquished by:		Company:		Company:		Date/Time: 10/10/22 15:34		Dispos:			

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)



460-267195 Chain of Custody

1	2	3	4	5	6	7	8	9	10	11	12	13	14	15

TestAmerica Edison Receipt Temperature and pH Log

267195

Number of

Number of Coolers:

IR Gun # 10

Cooler Temperatures

Cooler Temperatures

	RAW	CORRECTED	RAW	CORRECTED	RAW	CORRECTED	
Cooler #1:	26 °C	31.6 °C	Cooler #4:	°C	°C	Cooler #7:	°C
Cooler #2:	41 °C	41.1 °C	Cooler #5:	°C	°C	Cooler #8:	°C
Cooler #3:	°C	°C	Cooler #6:	°C	°C	Cooler #9:	°C

If pH adjustments are required record the information below:

Sample No(s). adjusted:

adjusted:

|| # of Preservative(s)

negative(s).

Expiration Date:

Expiration Date:

The appropriate Project Manager and Department Manager should be notified about the samples which were pH adjusted. Expiration Date: _____

* Samples for Metal analysis which are out of compliance must be acidified at least 24 hours prior to analysis.

Eurofins Edison

777 New Durham Road
Edison, NJ 08817
Phone 732-549-3900 Fax: 732-549-3679

Chain of Custody Record



eurofins


Environment Testing
America

Client Information (Sub Contract Lab)		Sampler	Lab PM	460-267195 Chain of Custody		COC No	460-66516 1
Client Contact:	Shipping/Receiving	Phone:	E-Mail	State of Origin		Page	Page 1 of 1
Company	TestAmerica Laboratories, Inc	Kristyn Tempe@et.eurofinsus.com		New Jersey		Job #	460-267195-1
Address	530 Community Drive, Suite 11, City	Kristyn Tempe, Kristyn L		Accreditations Required (See note)		Preservation Codes:	
State_Zip	South Burlington VT, 05403	E-Mail				A - HCl B - NaOH C - Zn Acetate D - Nitric Acid E - NaHSO4 F - MeOH G - Amchlor H - Ascorbic Acid I - Ce J - DI Water K - EDTA L - EFA M - Hexane N - None O - NaNO2 P - Na2O4S Q - Na2SC3 R - Na2S2O3 S - H2SO4 T - TSP Dodecahydrate U - Acetone V - MCAA W - pH 4-5 Y - Trizma Z - other (specify) Other:	
Analysis Requested							
Total Number of Contaminants							
D422/ Gravim Size (Specify Only)							
Perform MSD/MSD (Yes or No)							
Field Filtered Sample (Yes or No)							
Matrix (W=water, S=solid, O=waste/oil, B=tissue, A=air)							
Sample Identification - Client ID (Lab ID)		Sample Date	Sample Time	Sample Type (C=comp, G=grab)	Preservation Codes	Special Instructions/Note:	
A-01-C (460-267195-2)		10/10/22	10:15 Eastern	Solid	X		
A-02-C (460-267195-4)		10/10/22	10:40 Eastern	Solid	X		
Empty Kit Relinquished by							
Relinquished by:		Date/Time	10/11/22	1000	Company	Received by	Method of Shipment:
Relinquished by:		Date/Time			Company	Received by	Date/Time
Relinquished by:		Date/Time			Company	Received by	Date/Time
Deliverable Requested I, II, III, IV, Other (specify)							
Primary Deliverable Rank. 1							
Possible Hazard Identification							
Unconfirmed							
Deliverable Requested I, II, III, IV, Other (specify)							
Primary Deliverable Rank. 1							
Empty Kit Relinquished by							
Relinquished by:							
Relinquished by:							
Relinquished by:							
Custody Seals intact: Custody Seal No.							
△ Yes △ No							
Cooler Temperature(s) °C and Other Remarks							
1 2 3 4 5 6 7 8 9 10 11 12 13 14 15							

Note Since laboratory accreditations are subject to change, Eurofins Environment Testing Northeast, LLC places the ownership of method, analytic & accreditation compliance upon out subcontract laboratories. This sample shipment is forwarded under chain-of-custody. If the laboratory does not currently maintain accreditation in the State of Origin listed above for analysis/test/matrix being analyzed, the samples must be shipped back to the Eurofins Environment Testing Northeast, LLC laboratory or other instructions will be provided. Any changes to accreditation status should be brought to Eurofins Environment Testing Northeast, LLC attention immediately. If all requested accreditations are current to date, return the signed Chain of Custody attesting to said compliance to Eurofins Environment Testing Northeast, LLC

Sample Disposal (A fee may be assessed if samples are retained longer than 1 month)
 Return To Client Disposal By Lab Archive For Months

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15



Login Sample Receipt Checklist

Client: Montrose Environmental Solutions Inc

Job Number: 460-267195-1

Login Number: 267195

List Source: Eurofins Edison

List Number: 1

Creator: Khlungprakhon, Sukanya

Question	Answer	Comment
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	
The cooler's custody seal, if present, is intact.	True	
Sample custody seals, if present, are intact.	True	
The cooler or samples do not appear to have been compromised or tampered with.	True	
Samples were received on ice.	True	
Cooler Temperature is acceptable.	True	
Cooler Temperature is recorded.	True	
COC is present.	True	
COC is filled out in ink and legible.	True	
COC is filled out with all pertinent information.	True	
Is the Field Sampler's name present on COC?	True	
There are no discrepancies between the containers received and the COC.	False	Refer to Job Narrative for details.
Samples are received within Holding Time (excluding tests with immediate HTs)	True	
Sample containers have legible labels.	True	
Containers are not broken or leaking.	True	
Sample collection date/times are provided.	True	
Appropriate sample containers are used.	True	
Sample bottles are completely filled.	True	
Sample Preservation Verified.	True	
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True	
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A	
Multiphasic samples are not present.	N/A	
Samples do not require splitting or compositing.	N/A	
Residual Chlorine Checked.	N/A	

Login Sample Receipt Checklist

Client: Montrose Environmental Solutions Inc

Job Number: 460-267195-1

Login Number: 267195

List Source: Eurofins Burlington

List Number: 2

List Creation: 10/13/22 09:23 AM

Creator: Reynolds, Jamie K

Question	Answer	Comment	
Radioactivity wasn't checked or is </= background as measured by a survey meter.	N/A	Lab does not accept radioactive samples.	6
The cooler's custody seal, if present, is intact.	True	1861123, 1861124	7
Sample custody seals, if present, are intact.	True		8
The cooler or samples do not appear to have been compromised or tampered with.	True		9
Samples were received on ice.	True		10
Cooler Temperature is acceptable.	True		11
Cooler Temperature is recorded.	True	1.1°C, 19.3°C	12
COC is present.	True		13
COC is filled out in ink and legible.	True		14
COC is filled out with all pertinent information.	True		15
Is the Field Sampler's name present on COC?	N/A	Received project as a subcontract.	
There are no discrepancies between the containers received and the COC.	True		
Samples are received within Holding Time (excluding tests with immediate HTs)	True		
Sample containers have legible labels.	True		
Containers are not broken or leaking.	True		
Sample collection date/times are provided.	True		
Appropriate sample containers are used.	True		
Sample bottles are completely filled.	N/A		
Sample Preservation Verified.	True		
There is sufficient vol. for all requested analyses, incl. any requested MS/MSDs	True		
Containers requiring zero headspace have no headspace or bubble is <6mm (1/4").	N/A		
Multiphasic samples are not present.	True		
Samples do not require splitting or compositing.	True		
Residual Chlorine Checked.	N/A	Check done at department level as required.	